



PRODUCT GUIDE 2015





GARDEN TOOLS

HAND TOOLS

AIR TOOLS

ECLIPSE TOOLS

ECLIPSE MAGNETICS



CONTACT US:

Ph: 1300 731 818 Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au











Contents












HAND TOOLS	4-
COLOURS COLLECTION	43-40
Handles	42
Axes & Blocksplitters	40 - 4
Bowsaws & Pruning Saws	38 - 39
Scythettes	3
Shears	34 - 36
Loppers	32 - 33
Secateurs	30 - 32
GARDEN CUTTING	29
Garden Digging Overview	28
E-Series	26 - 2
Neverbend	24 - 29
Traditional	21 - 23
Select	17 - 20
Lawn Care	14 - 10
Contractor	1;
Solid Core	12
Trade Fibreglass	11
Trade Timber	10
County Fibreglass	9
County Timber	4 - 8
GARDEN DIGGING	•
GARDEN TOOLS	3

HAND TOOLS	4/
Hand Saws	48 - 50
Hammers	51 - 5 4
HUCKSON	55
General Hand Tools	56 - 58
Measuring & Marking	59 - 60
Workwear	61 - 63
STAEDTLER	64
FOOTPRINT	65 - 68
MASONRY	69
Brickworking Tools	70 - 75
Plastering Tools	76 - 82
Cement Tools	83 - 87
Tiling Tools	88 - 91
RAGNI	92 - 94
TRULINE	95 - 100

AIR TOOLS	101
Blow Guns / Tyre Inflators & Oils	103
Staplers, Bradders & Nailers	104 - 105
Kits & Accessories	106
Spray Guns	107
Air Hose & Fittings	108 - 109
Staples, Brads & Nails	110
ECLIPSE PROFESSIONAL TOOLS	113

ECLIPSE PROFESSIONAL TOOLS	113
Metal Cutting	115 - 120
Chisels	121
Locking Jaw Pliers	122 - 125
Workholding Solutions	126 - 133
Magnetic Lifters	134 - 136
Gripping & Plumbing	137 - 141
Riveters & Threaded Insert Setting Tools	140 - 142
Engineers' Tools	143 - 145
Magnetic Solutions	146 - 148
INDEX	150 - 151



COUNTY TIMBER RANGE garden digging



The Spear & Jackson County Digging Range consists of a comprehensive range of shovels, forks, scoops, rakes & mattocks. The combination of the heavy duty carbon steel heads and hard wearing timber handles make them the ideal choice for gardeners and DIY users. This range offers great value for money without compromising on quality, durability or appearance.



Post Hole Shovel Long Timber Handle



Part No.

Qtv

SJ-CGPH1 Post Hole 275mm x 200mm

- Ideal For Digging Post Holes, Clearing & Mixing Work
- 2mm Carbon Steel Head
- · Reinforced Collar
- 1190mm Long Timber Handle
- FSC Certified Handle

Square Mouth Shovel Long Timber Handle



SJ-CGSH1L Square Mouth 315mm x 256mm

- Ideal For Shoveling Soils, Sand & Garden Materials
- · 2mm Carbon Steel Head
- · Reinforced Collar • 1190mm Long Timber Handle
- FSC Certified Handle

Round Mouth Shovel Long Timber Handle



SJ-CGSP1L Round Mouth 320mm x 285mm

- Ideal For Digging, Shoveling, Spreading & Shifting
- · 2mm Carbon Steel Head
- · Reinforced Collar
- 1190mm Long Timber Handle
- FSC Certified Handle

Trenching Shovel Long Timber Handle



SJ-CTS1L Trenching

300mm x 105mm

- Ideal For Digging Trenches, Drains & Narrow Tasks
- 2mm Carbon Steel Head
- · Reinforced Collar
- 1190mm Long Timber Handle
- FSC Certified Handle

COUNTY TIMBER RANGE garden digging

Shovels - D-Handle







Back Strain When In Use





SJ-CCS1 Cottage Spade 240mm x 155mm

- · Ideal For Narrow Digging Tasks
- · 2mm Carbon Steel Head
- · Reinforced Collar FSC Certified Timber
- Timber Shaft with Plastic D-Handle

Garden Spade D-Handle



SJ-CGSP1 Garden Spade 305mm x 190mm

- Ideal For Digging In Soils & Clay
- · 2mm Carbon Steel Head
- Reinforced Collar
- FSC Certified Timber

Square Mouth Shovel D-Handle



SJ-CGSH1 Square Mouth 280mm x 210mm

- · Ideal For Shoveling Soils, Sand & Garden Materials
- 2mm Carbon Steel Head
- Reinforced Collar
- FSC Certified Timber
- . Timber Shaft with Plastic D-Handle





SJ-CGSRMD Round Mouth 320mm x 285mm • Ideal For Digging, Shoveling, Spreading & Shifting

- 2mm Carbon Steel Head
- Reinforced Collar
- FSC Certified Timber
- Timber Shaft with Plastic D-Handle

Garden Fork - D-Handle



Plastic D-Handle Reduces Back Strain When In Use



Garden Fork




- FSC Certified Timber
- · Timber Shaft with Plastic D-Handle

COUNTY TIMBER RANGE garden digging



The Spear & Jackson County Range consists of a concise range of Forks, Mattocks and Scoops specifically designed for gardeners and D.I.Y users.

Forks - Hay & Manure



Manure Fork Long Timber Handle **Hay Fork** Long Timber Handle

- SJ-MF1 Manure Fork 360mm x 220mm · Ideal For Spreading & Turning Manure
- 4 x Tapered Oval Steel Tines


Part No

- Factory Sharpened Tines
- . 1200mm Long Timber Handle FSC Certified Timber

320mm x 200mm

- SJ-HF1 Hay Fork
- Ideal For Shifting Hay
- 3 x Tapered Oval Steel Tines
- Factory Sharpened Tines 1200mm Long Timber HandleFSC Certified Timber

Mattocks



Aluminium Scoops



Mattock - Cutter End Timber Handle

Mattock - Pick End

Grain / Mulch Scoop Long Timber Handle

Grain / Mulch Scoop



SJ-CMATT/W Mattock - Cutter 430 x 90mm • Ideal For Trenching & Breaking Up Soil

- Heavy Duty Carbon Steel Head
- Solid Timber Handle
- ESC Certified Timber



Ideal For Trenching & Cutting Through Roots & Debris

SJ-CMATT/PK Mattock - Pick 490 x 90mm

- Heavy Duty Carbon Steel Head
- Solid Timber Handle
- FSC Certified Timber



Ideal For Shifting And Spreading Grain & Mulch

SJ-ASG55 Soil Scoop

- 420mm x 290mm
- Large Aluminium Scoop
- . 1200mm Long Timber Handle
- FSC Certified Timber



SJ-AS56 Soil Scoop 420mm x 290mm

- Ideal For Shifting And Spreading Grain & Mulch
- Large Aluminium Scoop
- . Timber Shaft with Plastic D-Handle
- FSC Certified Timber

COUNTY TIMBER RANGE garden digging & spreading

Rakes & Soil Spreaders

Carbon Steel Stays Designed to Provide Extra Support & Durablity

> **FSC Certified Timber Handle**

Long Durable Timber Handle

Rake - 14 Tines Long Timber Handle

Rake - 16 Tines Long Timber Handle

Strong Carbon Steel Tines

Landscapers Rake Long Timber Handle

Soil Spreader Long Timber Handle




SJ-CGR2 Rake - 16 Tines 400mm x 75mm

11111117

- Powder Coated Carbon Steel Head
- 1200mm Long Timber Handle





- Spreading Bar for Added Strength
- Powder Coated Carbon Steel Head with Stavs
- 1200mm Long Timber Handle
- Tapered Socket
- FSC Certified Timber



- 700mm Spreading Width
- · Tubular Steel Spreading
- · Long Hardwood Timber Handle
- FSC Certified Timber

- · Ideal For Raking And Clearing Soils, Leaves, Stones & Other Garden Fillings
- Powder Coated Carbon Steel Head • 1200mm Long Timber Handle
- Tapered Socket
- FSC Certified Timber



- Tapered Socket
- FSC Certified Timber


Hoes & Cultivators



Hoe - Dutch Long Timber Handle

Hoe - Swan Neck Long Timber Handle





soil and destroys weeds with a chopping action Mortar Hoe Designed for breaking up soil, weeding & cultivating. Can also be used for quick mixing of brick,

plaster, mortar and small quantities of concrete with outlets in the blade to assist the mixing action.

Cultivator For cultivating and general garden maintenance. Suitable for shallow cultivation and aeration of garden beds and around small seedlings to established plants and shrubs.

Part No SJ-CGDH2 Dutch Hoe 150mm x 125mm

- · Ideal For Chipping, Weeding, Cultivating & Mulching
- Powder Coated Carbon Steel Head
- Long Timber Handle
- FSC Certified Timber



SJ-CGH1 Swan Neck Hoe 150mm x 110mm

- Ideal For Deeper Hoeing & Cultivating
- · Powder Coated Carbon Steel Head
- Long Timber Shaft
- FSC Certified Timber



SJ-MH1 Mortar Hoe 230mm x 150mm

- Ideal For Breaking Up Soil, Weeding & Cultivating
- Powder Coated Carbon Steel Head
- Long Timber Shaft
- FSC Certified Timber





SJ-CGC1 3-Prong Cultivator 200mm x 150mm

- Ideal For Cultivating & General Garden Maintenance
- · Powder Coated Carbon Steel Head
- Timber Shaft
- FSC Certified Timber

COUNTY TIMBER RANGE garden digging hand tools



Hand Tools

Spear & Jackson offers a small range of hand tools specially designed for planting small plants, weeding, breaking up light soils and cultivating.

Hand Trowel PVC Handle



Part No	Туре	Head Size	Pac
SJ-SDT/10	Trowel	160mm x 80mm	

- Ideal for planting small plants, cuttings and seedlings
- . Epoxy Coated Carbon Steel Head
- · Lightweight Design

Hand Transplanter PVC Handle



Part No	Туре	Head Size	Pack Qty
SJ-SDT/20	Transplanter	150mm x 50mm	6

- · Ideal for planting small plants, cuttings and seedlings
- Epoxy Coated Carbon Steel Head
- Lightweight Design

Hand Weeder PVC Handle



Part No	Туре	Head Size	Pack Qty
SJ-SDT/30	Weeder	170mm x 50mm	(

- · Ideal for removing weeds & small plants from lawns & garden beds
- Epoxy Coated Carbon Steel Head
- PVC Handle Lightweight Design

Hand Cultivator



Part No	Туре	Head Size	Pack Qty
SJ-SDT/40	Cultivator	150mm x 70mm	6

- Ideal for breaking up light soils and weeding
 Epoxy Coated Carbon Steel Head

- · Lightweight Design

Hand Fork - Twist PVC Handle



Part NO	Type	neau Size	Qty
SJ-SDT/50	Fork - Twist	150mm x 75mm	6
a labor for a discretion limbs and			

- Ideal for cultivating light soils
- PVC Handle • Lightweight Design
- Epoxy Coated Carbon Steel Head

Gutter Scoop



art No	Туре	Head Size	Pack Qty
J-GS1	Gutter Scoop	290mm x 60mm	20

- Ideal for gutter cleaning
- · Long handle for extra reach
- Large holding capacityLightweight & simple design

Bulb planter Plastic Handle



Part No	Туре	Head Size	Pack Qty
SJ-6941	Bulb Planter	113mm x 73mm	10

- · Ideal for planting bulbs & digging small holes
- · Carbon Steel Body & Plastic Handle
- · Quick Release Handle



COUNTY FIBREGLASS RANGE garden digging



The Spear & Jackson County Fibreglass Digging Range consists of a concise range of long handled shovels & mattocks. The combination of the heavy duty carbon steel head and high quality fibreglass shaft make this the ideal choice for gardeners and DIY users. Offers great value for money without compromising on quality, durability or appearance.

Shovels - Long Fibreglass Handle



Post Hole Shovel Long Fibreglass Handle



- Ideal For Digging Post Holes, Clearing & Mixing Work One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- . High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

Plumbers Shovel Long Fibreglass Handle



SJ-SHO/80FG Plumbers 285mm x 180mm

- Ideal for Digging Drains, Holes & General Garden Jobs One Piece Blade & Socket with Powder Coat Finish
- · 2mm Heat Treated, High Grade Carbon Steel
- . High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

Round Mouth Shovel



SJ-SHO/15FG Round Mouth 320mm x 285mm

- Ideal For Digging, Shoveling, Spreading & Shifting . One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

Square Mouth Shovel Long Fibreglass Handle



SJ-SHO/60FG Square Mouth 315mm x 256mm

- · Ideal For Shoveling Soils, Sand & Garden Materials
- . One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

Trenching Shovel Long Fibreglass Handle



SJ-SHO/90FG Trenching 300mm x 105mm

- · Ideal For Digging Trenches, Drains & Narrow Tasks One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- . High Quality Fibreglass Shaft with Soft Grip Cap

· Reinforced Collar

Mattocks - Fibreglass Handles

Mattock - Cutter End

Fibreglass Handle - Soft Grip



Qty SJ-MATTFG Mattock - Cutter 420 x 290mm

- Ideal For Trenching & Breaking Up Soil
- Heavy Duty Carbon Steel Head
- High Quality Fibreglass Shaft
- Soft Grip Comfortable Handle

Mattock - Pick End Fibreglass Handle - Soft Grip




- Ideal For Trenching & Cutting Through Roots & Debris
- · Heavy Duty Carbon Steel Head
- High Quality Fibreglass Shaft
- Soft Grip Comfortable Handle

TRADE TIMBER RANGE garden digging



Shovels - Trade Timber Handle

The Combination of the Heavy Duty Carbon Steel Heads and High Quality Oak Timber Handles Make them the Ideal Trades Tool. A Professional Range at Extremely Competitive Pricing.





Part No	Туре	Head Size	Pac
SJ-OPS	Plumbers	285mm x 180mm	

- · Ideal for Digging Drains, Holes & General Garden Jobs
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- · 2mm Carbon Steel Blade FSC Certified Handle
- Maximum Downforce To Handle 130kg+



SJ-ORMS Round Mouth 320mm x 285mm

- · Ideal For Digging, Shoveling, Spreading & Shifting
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- 2mm Carbon Steel Blade FSC Certified Handle
- Maximum Downforce To Handle 130kg+



SJ-OSMS Square Mouth 315mm x 256mm

- · Ideal For Shoveling Soils, Sand & Garden Materials
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- · 2mm Carbon Steel Blade
- FSC Certified Handle
- Maximum Downforce To Handle 130kg+



art No	Туре	Head Size	Pack Qty
J-OTS	Trenchina	300mm x 105mm	6

- · Ideal For Digging Trenches, Drains & Narrow Tasks
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- · 2mm Carbon Steel Blade
- FSC Certified Handle
- Maximum Downforce To Handle 130kg+

TRADE FIBREGLASS RANGE garden digging



SJ-FGPS Plumbers

· Reinforced Steel Collar

2mm Carbon Steel Blade

Trade Quality Fibreglass Handle

• Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

285mm x 180mm

. Ideal For Digging, Shoveling, Spreading & Shifting

Trade Quality Fibreglass Handle

· Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

Reinforced Steel Collar

2mm Carbon Steel Blade

• Ideal for Digging Drains, Holes & General Garden Jobs

Shovels - Trade Fibreglass Handle

Heavy Duty Carbon Steel Heads and High Quality Fibreglass Handles Make Them the Ideal Trades Tool. A Professional Range Designed For The True Tradesman



SJ-FGSMS Square Mouth 315mm x 256mm

Trade Quality Fibreglass Handle

Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

· Reinforced Steel Collar

2mm Carbon Steel Blade

Ideal For Shoveling Soils, Sand & Garden Materials

SJ-FGTS

Trenchina

• Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

Trade Quality Fibreglass Handle

Reinforced Steel Collar

2mm Carbon Steel Blade

• Ideal For Digging Trenches, Drains & Narrow Tasks

300mm x 105mm

SOLID CORE RANGE garden digging



Shovels - Solid Core Fibreglass Handle A professional trade range ideal for everyday use.





- Ideal For Digging Post Holes, Clearing & Mixing Work
- . Trade Quality Fibreglass Handle
- Heavy Duty 2mm Carbon Steel Head with Reinforced Collar
- 1180mm Solid Fibreglass Head / Handle Insert
- Top and Centre Grip For Extra Comfort & Control
- . High Visabilty Flourescent Handle for Added Safety
- Maximum Downforce To Handle 140kg

Plumbers Shovel Solid Core - Fibreglass Handle



· Ideal For Digging Drains, Holes & General Garden Jobs

Trade Quality Fibreglass Handle

SJ-SCPS

- . Heavy Duty 2mm Carbon Steel Head with Reinforced Collar
- 1180mm Solid Fibreglass Head / Handle Insert Top and Centre Grip For Extra Comfort & Control
- High Visabilty Flourescent Handle for Added Safety
- Maximum Downforce To Handle 140kg

General Purpose Shovel Solid Core - Fibreglass Handle



Heavy Duty 2mm Carbon Steel Head with Reinforced Collar

Qty

- 1180mm Solid Fibreglass Head / Handle Insert
- Top and Centre Grip For Extra Comfort & Control High Visabilty Flourescent Handle for Added Safety
- Maximum Downforce To Handle 140kg

CONTRACTOR digging

Professional Solid Forged

The Spear & Jackson Contractor Range consists of a concise range of Spades, Forks and Pincers specifically designed for professional and trade use.





 Part No
 Type
 Head Size
 Pack Qty

 SJ-1071AL
 Spade
 290mm x 190mm
 5

- MYD Handle
- Solid Forged Carbon Steel Head & Socket
- Long Lipped Socket, Riveted For Added Strength
 Hammer Finish Epoxy Coated Head For
- Improved Resistance To Rust, Scratches, Humidity & Alkalis In The Soil • Weatherproofed Hardwood Shaft For Greater
- Weatherproofed Hardwood Shaft For Greater Durability
- Treaded For More Comfortable Digging

Fork Solid Forged Head



Part No	Туре	Head Size	Pack Qty
SJ-1570AL	Fork	290mm x 190mm	5

- MYD Handle
- Solid Forged Carbon Steel Head & Socket
- Long Lipped Socket, Riveted For Added Strength
- Hammer Finish Epoxy Coated Head For Improved Resistance To Rust, Scratches, Humidity & Alkalis In The Soil
- Weatherproofed Hardwood Shaft For Greater Durability

Draining Spade Solid Forged Head



- Part No Type Head Size

 SJ-2154HK Draining Spade 405mm x 165mm
- MYD Handle
- · Solid Forged Carbon Steel Head & Socket
- Rotary Welded Shaft & Head
- Hammer Finish Epoxy Coated Head For Improved Resistance To Rust, Scratches, Humidity & Alkalis In The Soil

All Steel Shovels



Square Mouth All Steel D-Handle



SJ-WS350 Square Mouth 300mm x 255mm 6
• Ideal For Shovelling / Mixing Soils, Sand & Concrete

- All Steel Construction
- Extra Long 30" Handle for Extra Reach
- All Metal D-Handle

Square Mouth All Steel Long Handle



- Ideal For Shovelling / Mixing Soils, Sand & Concrete
- All Steel Construction
- Long Handle with Soft Grip End Cap
- Overall Length1240mm

Post Hole Pincers





Post Hole Pincers Tubular Steel Handles



SJ-PPHM Post Hole Pincers 250mm x 120mm

- Ideal For Digging & Clearing Post Holes
- Reinforced Collar
- 2.5mm Heat Treated Carbon Steel Head
- High Strength Tubular Steel Handles
- Rubber End Grips

LAWN CARE grass & leaf rakes

The Spear & Jackson Grass & Leaf Rake Range consists of a comprehensive range of plastic rakes perfectly designed for raking leaves, grass cuttings and garden rubbish over large areas.



LAWN CARE grass & leaf rakes

Spreader Bar Rake Long Steel Handle









The Spear & Jackson Fan Rake Soft Grip Features Extremely **Durable Plastic Tines** & Head. Its' Long Comfortable Soft Grip Handle Makes Raking Easier Then Ever Before.



SJ-SFR1 Rake with Spreader

- Ideal For Raking Leaves, Grass Cuttings & Garden Rubbish Over Large Areas
- · Spreader Bar Used For levelling & Spreading
- Hard Wearing Poly Head and Tines
- Lightweight design
- · Strong long handle



- Ideal For Raking Leaves, Grass Cuttings & Garden Rubbish Over Large Areas
- Lightweight Telescopic Steel Shaft for Easy Storage
- Replaceable Heavy Duty Flexible Tines
- · Comes with 6 Spare Tines



- Ideal For Raking Leaves, Grass Cuttings & Garden Rubbish Over Large Areas
- · Lightweight Steel Shaft
- Long Comfort Soft Grip
- Extra Tough Heavy Duty Flexible Tines and Head
- · Hangable for Easy Storage


Fan Rake Deluxe

Steel Telescopic Handle

The Spear & Jackson Fan Rake Deluxe features a steel telescopic handle which allows for easy storage after use. Equipped with 23 strong replaceable plastic tines and an extra 6 supplied with each product the Fan Rake Deluxe is the perfect tool for all your lawn care needs.



"Supplied with 6 spare tines"



Hanger Hole For Easy Storage

LAWN CARE sprayers & accessories

500ml



Part No	Туре	Size	Pac Q
SJ-P723	Sprayer - Trigger Action - 0.5lt	200mm x 100mm	10

- Polypropylene Body
- Viton Seals
- Adjustable Nozzle
- All Componets Are Made From Corrosion-Resistant Materials
- Mist & Strong Jet Spray Options
- Designed To Be Used With Some Chemicals

1 Litre

Trigger Sprayer



Part No	Туре	Size	Pack Qty
SJ-P722	Sprayer - Trigger Action - 1It	260mm x 120mm	60
PolypropylViton Seals	•		

- Adjustable Nozzle
- All Componets Are Made From Corrosion-Resistant Materials
- Mist & Strong Jet Spray Options
- Designed To Be Used With Some Chemicals

Flower Garden



Shrubs & Trees



1 Litre Pressure Sprayer



Part No	Туре	Size
SJ-P7240	Sprayer - Pressure - 1It	260mm x 120mm
Corrosion Free Pump Action Pressure	1 Litre Polyethylene Tank	

- Easy Use Thumb Trigger
 Measuring Scale On Bottle
- Optimum Working Pressure 50-70psi
- Intended For Use With Most Insecticides, Weed Killers, Fertilizers, Germicides, Fungicides, Herbicides, Detergents & Cleaning Solutions

2 Litre Pressure Sprayer



Part No	Туре	Size	Pack Qty
SJ-P7250	Sprayer - Pressure - 2lt	350mm x 150mm	12
• Correction Erron S	Litra Polyathylana Tank		

- Corrosion Free 2 Litre Polyethylene TankPump Action Pressure Sprayer
- Easy Use Thumb Trigger
- Measuring Scale On Bottle
- Optimum Working Pressure 50-70psi
 Intended For Use With Most Insecticides. Weed Killers. Fertilizers. Germicides, Fungicides, Herbicides, Detergents & Cleaning Solutions

5 Litre Pressure Sprayer



a.c.no	.,,,,	0.20
SJ-SPY/500	5L Pressure Sprayer	480mm x 160mm
Corrosion Free 5 Litr	e Polyethylene Tank	

- Dual Action Carry Handle & Pump
- Trigger Operated
- Chrome Plated Brass Lance
 Optimum Working Pressure 50-70psi
- Intended For Use With Most Insecticides, Weed Killers, Fertilizers, Germicides, Fungicides, Herbicides, Detergents & Cleaning Solutions

Hose Tidy Plastic



Part No	Туре	Size
SJ-P730	Hose Tidy - Plastic	240mm x 145mm
B 1 11 111 111		

- · Reduces the likelihood of your hose kinking and twisting
- Durable Plastic Construction
- With Fixing Holes

Hose Tidy



Part No	Туре	Size	Pac
SJ-P725	Hose Tidy - Metal	260mm x 135mm	2
Б 1 11 111 111		1 1 1 1	

- Reduces the likelihood of your hose kinking and twisting
 Durable Metal Construction

- Powder Coated

Lawn Care



Masonry Spraying





SELECT garden digging

STAINLESS



Extra wide handle for comfort

Polypropylene shaft with integral ergonomic forward tilting handle





Mirror polished stainless steel head for rust resistance and minimal soil adhesion

Digging Spade



Digging Fork







Border Fork



Part No	Туре	Head Size
SJ-1190EL	Digging Spade	290mm x 180mm

- · Mirror Polished Stainless Steel Head For Rust
- Resistance & Minimal Soil Adhesion
 Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle
- Manufactured To Exceed BS3388 British Stan-
- Part No **SJ-1990EL** Digging Fork 300mm x 180mm
- · Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion
 • Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle
- Manufactured To Exceed BS3388 British Standard Load Tests
- · Mirror Polished Stainless Steel Head For Rust

230mm x 145mm

Resistance & Minimal Soil Adhesion
• Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle

SJ-1194EL Border Spade

- Manufactured To Exceed BS3388 British Stan-
- · Mirror Polished Stainless Steel Head For Rust
- Resistance & Minimal Soil Adhesion
 Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle
- Manufactured To Exceed BS3388 British Standard Load Tests





Powder Coated Carbon Steel Head

• Comfort Soft Touch End & Centre Grips

• Unique Modern Ergo Design

· Powder Coated Carbon Steel Head

• Comfort Soft Touch End & Centre Grips

• Unique Modern Ergo Design

· Powder Coated Carbon Steel Head

• Comfort Soft Touch End & Centre Grips

SELECT hand tools

STAINLESS

Hand Trowe



Weed Fork





Edging Knife



Part No SJ-3058EL Hand Trowel

Resistance And Minimal Soil Adhesion Bi-material Contoured Handle

• Tanged For Knuckle Clearance

12"

Part No SJ-3053EL Weed Fork 12"

· Mirror Polished Stainless Steel Head For Rust

· Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion

Bi-material Contoured Handle

Tanged For Knuckle Clearance



SJ-3164EL Edging Knife 210mm x 110mm . Ideal For Lawn Edges And Turf Cutting

Type

 Mirror Polished Stainless Steel Head for Rust Resis tance & Minimal Soil Adhesion

· Treaded Blade for Comfort

Lightweight Aluminium Shaft

Soft Grip T Handle



Select Stainless



with gloves and twine



Part No

Bend Over

Non-Slip Grips

Type

SJ-LG1 Leaf Grabber 500mm

Designed For Collecting Leaves and Grass

• 500mm (19 1/2") Wide Collecting Blades

Overall Length Of 920mm (36") Which Allows
User To Collect Leaves Without Needing To

Head Size

Туре SJ-TWINESET3 Select 4pc Gift Set

Contains: Hand Trowel, Weed fork, Gloves & Twine Mirror Polished Stainless Heads For Rust Resistance & Minimal Soil Adhesion

- Ergonomic Soft Feel Handles
- Tanged For Knuckle Clearance
- · Hard Wearing "Rigger" Style Garden Gloves
- 100m of Jute Garden Twine






Litter Picker




- 1070mm (42") Long Handle For Extra Reach
- Firm, Clean Claw Action
- · Locking Catch For Safer Storage



TRADITIONAL digging

STAINLESS





Double riveted for extra strength

> Mirror polished stainless steel head for rust resistance and minimal soil adhesion



Digging Spade



Digging Fork



Border Spade



Border Fork



SJ-4450DS	Digging Spade	290mm x 180mm

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- · Weatherproofed Hardwood Shaft For Greater
- · One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

SJ-4550DF Digging Fork 300mm x 180mm

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Weatherproofed Hardwood Shaft For Greater Durability
- One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

SJ-4454BS Border Spade 230mm x 145mm

- · Mirror Polished Stainless Steel Head For Rust
- Resistance And Minimal Soil Adhesion Weatherproofed Hardwood Shaft For Greater Durability
- One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

SJ-4552BF	Border Fork	240mm x	140mm
 Mirror Polish 	ed Stainless	Steel Head	For Rus
Resistance And	d Minimal So	il Adhesion	

- · Weatherproofed Hardwood Shaft For Greater
- One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

TRADITIONAL hand tools

STAINLESS





51/2" Handle eed Fork







SJ-50301R	Hand Trowel	140mm	
Mirror Polish Resistance an			For Rust

- · Weatherproofed Hardwood Handle For Greater
- · Tanged For Knuckle Clearance

- · Leather Wrist Strap

- SJ-5040WF Weed Fork 140mm · Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
- · Weatherproofed Hardwood Handle For Greater Durability
- Tanged For Knuckle Clearance
- · Leather Wrist Strap



- Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap
- Soil Scoop 140mm Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
- Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap

SJ-5060SS



Fork	Handle	
eed	12,	
§		







Part No	Туре	Handle Length	Pack Qty
SJ-5010TR	Hand Trowel	280mm	5

- · Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
 • Weatherproofed Hardwood Handle For Greater
- Durability
- · Tanged For Knuckle Clearance
- · Leather Wrist Strap

· Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion

280mm

- · Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap

SJ-5110WF Weed Fork

 Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion

SJ-5210PC 3 Prong Cultivator 280mm

- · Weatherproofed Hardwood Handle For Greater Durability
- · Tanged For Knuckle Clearance
- Leather Wrist Strap
- Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion


SJ-5070DG Daisy Grubber 140mm

- Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap



SJ-TRAD3PCS Traditional 3pc Gift Set

- Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
 • Weatherproofed Hardwood Handle
- For Greater Durability
- · Leather Wrist Strap





NEVERBEND

range

The range of Neverbend® Stainless garden tools has also benefited from a change of livery. Each product is produced with a mirror polished Stainless Steel head which provides reduction in soil adhesion.

The Supergrip® handle is tilted to provide the user with the best possible digging angle. A comfortable soft grip and hardwood handle complete this concise, professional range of digging tools.



Supergrip® handle forward tilt gives the ideal digging angle

Mirror polished stainless steel head for rust resistance and minimal soil adhesion

NEVERBEND digging

STAINLESS



Digging Spade



Digging Fork

Border Spade







SJ-1160SP Digging Spade 290mm x 180mm Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion

- . Extra Long Socket For Added Strength
- · Weatherproofed Hardwood Shaft For Greater
- Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

SJ-1560SF Digging Fork 290MM x 185MM

- Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Extra Long Socket For Added Strength
- · Weatherproofed Hardwood Shaft For Greater Durability
- . Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

SJ-1161BS Border Spade 230mm x 145mm

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Extra Long Socket For Added Strength
- Weatherproofed Hardwood Shaft For Greater Durability
- · Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

SJ-1561BF Border Fork 230mm x 140mm

- Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Extra Long Socket For Added Strength · Weatherproofed Hardwood Shaft For Greater Durability
- Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

Hand Trowel



Weed Fork



FransplantingTrowel



Part No	Туре
SJ-3010TR	Hand Trowel

Handle Length 127mm (5")

· Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion

- Weatherproofed Hardwood Handle For Greater Durability
- Stainless Steel Ferrule
- . Tanged For Knuckle Clearance

Part No Туре SJ-3060WF Weed Fork

Qty

5' . Handle Length 127mm (5")

- · Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion
- Weatherproofed Hardwood Handle
- For Greater Durability Stainless Steel Ferrule
- Tanged For Knuckle Clearance



. Handle Length 127mm (5")

Qty


10

· Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion Pack Qty

10

- Weatherproofed Hardwood Handle For Greater Durability
- Stainless Steel Ferrule
- Tanged For Knuckle Clearance





E-SERIES digging



Ergonomic forward tilting handle

for comfortable use at the ideal digging angle





- reduces slippage and unbalance
- delivers more digging power with less muscle effort and strain



Digging Spade









Rust Resistance

and Extra Grip

• Heat Treated (Hardened) Stainless Steel Head &

· Soft-Feel Lower Shaft For Comfortable Safe Use

· Large Soft-Feel Handle For A Comfortable Two-

• Mirror Polished Stainless Steel Head For Rust Resis-

Stirrup For Strength And Durability

tance And Minimal Soil Adhesion

Tubular Stainless Steel Shaft For

SJ-7301DS Digging Spade 295mm x 180mm

SJ-7302DF Digging Fork 305mm x 180mm

- Heat Treated (Hardened) Stainless Steel Head & Stirrup For Strength And Durability
- Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Tubular Stainless Steel Shaft For Rust Resistance
- Soft-Feel Lower Shaft For Comfortable Safe Use and Extra Grip
- · Large Soft-Feel Handle For A Comfortable Two-Handed Grip When Digging In Hard Ground

Part No	Туре	Handle Length	Pack Qty
SJ-7309HT	Hand Trowel	6"	10

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Soft-Feel Handle For Comfortable Use And Extra Grip

SJ-7310WF Weed Fork

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Soft-Feel Handle For Comfortable Use And Extra

GARDEN DIGGING

overview

Post Hole Shovels

Ideal For Digging Post Holes, Clearing And Mixing Work

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CGPH1	County Timber	Carbon Steel	6	4
SJ-SHO/75FG	County Fibreglass	Carbon Steel	6	9
SJ-OPHS	Trade Timber	Carbon Steel	6	10
SJ-FGPHS	Trade Fibreglass	Carbon Steel	6	11
SJ-SCPH	Solid Core	Carbon Steel	6	12











Square Mouth Shovels

Ideal For Shoveling Soils, Sand & Garden Materials.

Part No	Handle Type	Head Material	Pack Qty	Page No.	
SJ-CGSH1L	County Timber	Carbon Steel	6	4	MMA
SJ-CGSH1	County Timber D-Handle	Carbon Steel	6	5	1
SJ-SHO/60FG	County Fibreglass	Carbon Steel	6	9	100
SJ-OSMS	Trade Timber	Carbon Steel	6	10	
SJ-FGSMS	Trade Fibreglass	Carbon Steel	6	11	CASE M
SJ-WS360L	All Steel	Carbon Steel	6	13	
SJ-WS350	All Steel D-Handle	Carbon Steel	6	13	14
'					7
	number o e	Tuesda	Total	All Ctool	All Ctool

Plumbers Shovels

Ideal For Digging Drains, Holes & General Garden Jobs

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-SHO/80FG	County Fibreglass	Carbon Steel	6	9
SJ-OPS	Trade Timber	Carbon Steel	6	10
SJ-FGPS	Trade Fibreglass	Carbon Steel	6	11
SJ-SCPS	Solid Core	Carbon Steel	6	12









Trenching Shovels

Ideal For Digging Trenches, Drains & Narrow Tasks

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CTS1L	County Timber	Carbon Steel	6	4
SJ-SHO/90FG	County Fibreglass	Carbon Steel	6	9
SJ-OTS	Trade Timber	Carbon Steel	6	10
SJ-FGTS	Trade Fibreglass	Carbon Steel	6	11
	ı	1	ı	





Ideal For Digging, Shoveling, Spreading And Shifting

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CGSP1L	County Timber	Carbon Steel	6	4
SJ-CGSRMD	County Timber D-Handle	Carbon Steel	6	5
SJ-SHO/15FG	County Fibreglass	Carbon Steel	6	9
SJ-ORMS	Trade Timber	Carbon Steel	6	10
SJ-FGRMS	Trade Fibreglass	Carbon Steel	6	11















Spades

Ideal For Digging In Soils And Clay







Ideal For Digging, Cultivating And Turning Over Soil

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CGF1	County Timber D-Handle	Carbon Steel	6	5
SJ-1570AL	MYD Timber Handle	Solid Forged	5	13
SJ-1990EL	Select Ergonomic D-Handle	Stainless Steel	5	18
SJ-4550DF	Traditional Timber D-Handle	Stainless Steel	5	22
SJ-1560SF	Neverbend SuperGrip D-Handle	Stainless Steel	5	25
SJ-7302DF	E-Series Ergonomic D-Handle	Stainless Steel	5	27



















GARDEN CUTTING

The new Spear & Jackson Razorsharp® cutting tool range introduces a number of innovative new products designed to complement our existing lines, resulting in a totally comprehensive range of cutting tools with a logical price and quality hierarchy.



RAZORSHARP secateurs



Innovation in technology has improved almost every aspect of our daily life. Now, the Razorsharp® Secateurs collection incorporates innovations such as geared and ratchet mechanisms, ergonomic design and new materials to make gardening so much easier and enjoyable.





Anvil



- Ratchet Action Means Easy Pruning In 4 Short Steps
- High Carbon Steel Blade, PTFE Coated For Smooth Cutting
- Lightweight Cast Aluminium Body
- Metal Locking Catch







 Part No
 Type
 Max Cutting Cap.
 Pack Qty

 SJ-6458RS
 Anvil Secateur
 20mm
 5

- Ratchet Action Means Easy Pruning In 4 Short Steps
 Auto-Rotating Lower Handle Helps Minimise Strain
- & Fatigue
 High Carbon Steel Blade, PTFE Coated For Smooth Cutting
- Lightweight Cast Aluminium Body



Anvil Secateurs Are designed to cut through dead stems, they have one blade which closes on to a flat surface. They are better for cutting hard woody stems as the blade is less likely to stick to the stem as it cuts.



RAZORSHARP secateurs





Medium

Bypass



No	Type	Max Cut
NO	Type	Can

SJ-6059BS Bypass Secateur 15mm

- · Medium Sized Handle
- SK5 Carbon Steel Blades
- Bi-Material Non-Slip Comfort Grips
- PTFE Coated Blades For Rust Resistance
- & Smooth Cutting
- Drop Nose Blades For Easier Pruning
- Contoured Ergonomic Handles Ambidextrous Locking Catch
- Sap Groove In Blade
- Shock Absorber
- · Stem Crusher

Large Bypass



Part NO	туре	Cap.	
SJ-6060BS	Bypass Secateur	20mm	

- · Large Handle Suitable For Larger Hands
- Sk5 Carbon Steel Blades
- Bi-Material Non-Slip Comfort Grips
- PTFE Coated Blades For Rust Resistance & Smooth Cutting
- . Drop Nose Blades For Easier Pruning
- Contoured Ergonomic HandlesAmbidextrous Locking Catch
- Sap Groove In Blade
- Shock Absorber
- Stem Crusher

Medium



Part No	Туре	Cap.
SJ-6058AS	Anvil Secateur	15mm

- Medium Sized Handle
- SK5 Carbon Steel Blades
- Bi-Material Non-Slip Comfort Grips
- PTFE Coated Blades For Rust Resistance & Smooth Cutting
- Drop Nose Blades For Easier Pruning
- Contoured Ergonomic HandlesAmbidextrous Locking Catch
- Sap Groove In Blade
- Shock Absorber
- Stem Crusher

Ergo twist Bypass





Premium

Bypass



SJ-6259BS Bypass Secateur 15mm

- Auto-Rotating Lower Handle Helps Minimise Strain and Fatique
- SK5 High Carbon Steel Blades
- Stepped Locking Catch For Either Wide Or Narrow Cutting Width
- PTFE Coated For Smooth Cutting
- · Lightweight Cast Aluminium Body



SJ-6160BS Bypass Secateur 15mm · SK5 High Carbon Steel Blades

Type

- Ergonomic Lightweight Aluminium Handles
 Adjustable Hand-Opening For Individual User Com-
- . PTFE Coated For Smooth Cutting & Rust Resistance

6 in 1 Blade

Sharpener



Part No	Туре	Pac Qt
C I_40E6BC	6 In 1 Blade Charmoner	

- Ideal For Sharpening Secateurs, Shears, Loppers Scissors, Knifes And Other Small Cutting Tools
- 4 Sharpening Options To Cover A Wide Range Of Different Blade Types
- Cleaning Sponge And Lubricating/Anti-Corrosion Oil Stored Inside Handle
- · Soft-Feel Non-Slip Grip
- Built-In Hand Guard

ack Qty





How To Sharpen Your Blade

- Secure The Tool To Be Sharpened Either In A Vice Or Held Against A Firm Surface, With The Edge Of The Blade Facing Upright.
- · Select Optimum Sharpener Based On Icons Printed
- Yourself Running It From One Edge Of The Blade To The Other, Usually 4 To 5 Strokes Will Be Sufficient.





· Cleaning Sponge And Anti Rust Oil Are Provided To Wipe Down Sharpened Blade.

RAZORSHARP PRO Secateurs





The new Spear & Jackson Razorsharp® PRO cutting tool range of loppers & secateurs has been designed to satisfy the needs of professional gardeners and landscapers. Competitively priced, the range features drop forged carbon steel interchangeable blades, forged aluminium handles for strength and durability and adjustable blade tensioning.

Heavy Duty

Bypass



SJ-6659BS Bypass Secateur 20mm

- · SK5 High Carbon Steel Blades
- Forged Aluminium Handle Construction
- Sap Groove & Riveted Lower Blade
- Rubber Shock Absorber
- Notched Blade For Thicker Stems

Short Blade Bypass



SJ-6657BS Bypass Secateur

- SK5 High Carbon Steel Blades
- Forged Aluminium Handle Construction
- Sap Groove & Riveted Lower Blade
- Rubber Shock Absorber
- Notched Blade For Thicker Stems

Ergo Bypass



Spare Blade & **Spring** Bypass



SJ-6959BS Bypass Secateur

- · SK5 High Carbon Steel Blades
- · Forged Aluminium Handle Construction
- Sap Groove & Riveted Lower Blade
- Rubber Shock Absorber
- Notched Blade For Thicker Stems

SJ-6659BLADE SJ-6659BS

SJ-6657BS

SJ-6959BLADE SJ-6959BS

SJ-6657BLADE

- Drop Forged, High Carbon Steel Blade Blade Notch For Cutting Thicker Stems
- · Blade Change Instructions Supplied

RAZORSHARP PRO loppers

Heavy Duty 231/2" (600mm)

32mm 10 YEAR (1.26")

600mm

Drop Forged, Carbon Steel Blades

- Forged Aluminium Handle End Caps
- · Lightweight But Strong Aluminium Handles

Bypass Lopper H/D 32mm

- Adjustable Blade Tension
- Shock Absorbers

SJ-8310RS

· Soft Feel Non-Slip Grips

Heavy Duty 271/2" (700mm)



700mm

Max Cutting Cap. SJ-8330RS Bypass Lopper H/D 32mm

- . Drop Forged, Carbon Steel Blades
- Forged Aluminium Handle End Caps
- Lightweight But Strong Aluminium Handles
- Adjustable Blade Tension
- Shock Absorbers
- · Soft Feel Non-Slip Grips

Heavy Duty Blade



Suits Model Types **SJ-8310BLADE** SJ-8310RS & SJ-8330RS

- Drop Forged, Carbon Steel Blade
- Allen Key & Replacement Screws Included
- Blade Change Instructions Supplied

RAZORSHARP loppers





22" Bypass

Qtv

5

22" Anvil

27" Bypass









. Bypass Acton to Minimise Stem Bruising for Green	en
Stems	

33mm

- PTFE Coated C50 Carbon Steel Blades
- Lightweight Aluminium Handles
- · Shock Absorbers
- Ergonomic Soft-Feel Grips

SJ-8230RS Mini Lopper

• C50 Carbon Steel Blades, Hardened And Tempered For Durability

38mm

- PTFE Coated Blade For Rust Resistance And Smooth Cutting
- Non-Slip Comfort Grips

SJ-8010RS Bypass Lopper

- · Lightweight Aluminium Handles
- . C50 Carbon Steel Blades, Hardened And Tempered For Durability

38mm

 PTFE Coated Blade For Rust Resistance And Smooth Cutting

Anvil Lopper

Non-Slip Comfort Grips

SJ-8020RS

- Lightweight Aluminium Handles
- C50 Carbon Steel Blades, Hardened And Tempered For Durability
- PTFE Coated Blade For Rust Resistance And Smooth Cutting
- Non-Slip Comfort Grips
- Lightweight Aluminium Handles

Telescopic

Telescopic





- SJ-4903RSS Bypass Lopper 42mm · Polished And Lacquered Blades For Rust
- Resistance And Smooth Cutting Tubular Steel Handles For Maximum Strength
- PVC Coated For Rust Resistance & Durability
- Twist And Lock Telescopic Mechanism
- Soft-Feel Grips





- · Geared Action Adds Extra Power For Effortless
- PTFE Coated C50 Carbon Steel Blades
- · Lightweight Ergonomic Aluminium Handles
- Geared Cutting Action







- PTFE Coated Anvil For Rust Resistance And Smooth Cutting
- · Non-Slip Comfort Grips
- Lightweight Aluminium HandlesSerrated Anvil For Extra Grip When Cutting, Minimising Twisting Action
- · Twist And Lock Extendable Mechanism
- C50 Carbon Steel Blades, Hardened And Tempered For Durability
- PTFE Coated Blade For Rust Resistance And Smooth Cutting
- Non-Slip Comfort Grips

SJ-8090RS Bypass Lopper

· Lightweight Aluminium Handles

RAZORSHARP

shears





The Spear & Jackson Razorsharp Shears range consists of a comprehensive range of standard, wishbone and telescopic shears designed to suit the needs of the D.I.Y & professional gardener.

Standard 8" Timber Handle



length

203mm

- · Blade Notched For Cutting Thicker Stems
- Hollow Ground C50 Carbon Steel Blades For Lasting Sharpness
- Solid Hardwood Handles
- Chrome Plated Blades For Rust Resistance

Wishbone 8"

Timber Handle

Blade length 203mm (8")

Part No	Туре	Blade Length	Pack Qty
SJ-4868SS	8" Wishbone	203mm	5

- Blade Notched For Cutting Thicker Stems
- Chrome Plated Blades For Rust Resistance
- Ergonomically Designed Wishbone Shaped, Weatherproofed Hardwood Handles

Wishbone 9"

Ergonomic Handle



- Blade Notched For Cutting Thicker Stems
- Chrome Plated Blades For Rust Resistance

230mm

- Ergonomically Designed Wishbone Handles
- Shock Absorbing Bumpers


SJ-4888HS 9" Wishbone

- Adjustable Tensioning Nut
- Chrome Plated C50 Carbon Steel Blade

Wishbone 9" Ergonomic Handle

With these ergonomic 'wishbone' shears, trimming shrubs and bushes will become a lot easier, giving you a precise, clean cut every time. Featuring shock absorbing bumpers, adjustable tensioning nut, ergonomic grips and a notched blade for cutting thicker stems.





RAZORSHARP

shears







Chrome Plated Blades For Rust Resistance

230mm

- · Blade Notched For Cutting Thicker Stems
- Shock Absorber

SJ-8110RS 9" Standard

· Soft-Feel Grips

Telescopic 9"Soft Grip Handle




- SJ-8120RS 9" Telescopic Adjustable Blade Tension Nut
- · Lightweight Aluminium Telescopic Handles

230mm

- Twist And Lock Mechanism
- Shock Absorber
- Soft-Feel Grips

Telescopic 9"Soft Grip Handle



Part No	Туре	Blade Length	Pack Qty
SJ-4904RSS	9" Telescopic	230mm	5

- Telescopic Tubular Steel Handles For Maximum
- . Blade Notched For Cutting Thicker Stems
- . C50 Carbon Steel Blades For Lasting Sharpness
- · Polished & Lacquered Blades For Rust Resistance
- Soft-Feel Grips



The super tough 9" Telescopic Hedge Shear is designed to meet some of the most demanding standards, with tubular steel handles for extra strenath & durability.



The Standard 9" Soft Grip Shears feature the finest precision cutting and is the obvious choice for gardeners who demand and expect precise, powerful performance

Topiary Shears



SJ-4855TS 6.5" Topiary High Carbon Steel Blades

Soft-Feel Handles For Extra Comfort

164mm


Safety Lock Catch

Single-Handed

Grass Shears



- Cuts At Any Angle
- Twist To Required Position
- Bi-Material Non-Slip Comfort Grips
- Single Handed Operation
- . PTFE Coated Blades For Rust Resistance And Smooth Cutting




RAZORSHARP shears






- Total length 1165mm (45") length 200mm
- Type SJ-8250RS Advance Edging Shear 200mm

- Innovative Ergonomic DesignErgonomically Designed Long Handles For Comfortable Use
- Reduces Required Arm Movement By 50%
- 8"/200mm PTFE Coated Blades For Rust Resis-
- · High Performance Carbon Steel Cutting Edge







- C50 Carbon Steel Blades Rotate 180° So Can Operate As Both Lawn Shears Or Edging Shears
- Adjustable Head Angle Can Also Operate As Straight, Long Reach Shears Extendable Hand Grip
- Adjustable Setting Of Blade Angle & Head Angle Allows User To Achieve Neater, Tidier Cutting And Edge Finishing







Edging Shears Steel Handles



Tubular Steel Handles For Maximum, Strength

SJ-4900RSS Edging Shears 9"

- Hollow Ground C50 Carbon Steel Blades For Lasting Sharpness
- Soft-Feel Grips
- Polished And Lacquered Blades For Rust Resis-



SJ-4870RS Premium Edging Shears

· C50 Carbon Steel Blades, Hardened And Tempered For Durability

Qty

- PTFE Coated Blades For Rust Resistance And Smooth Cutting
- Longer Handles To Enable A More Comfortable, Upright Position

• Non-Slip Comfort Grips

Edging Shears Soft Grip Handles



Туре

SJ-4873MS Advance Multi Shears 150mm



Lawn Shears Steel Handles



- Tubular Steel Handles For Maximum Strength
- Hollow Ground C50 Carbon Steel Blades For Lasting
- Soft-Feel Grips
- Polished And Lacquered Blades For Rust Resistance

RAZORSHARP scythettes & fern hooks



Scythette Little Gaint 305mm

Scythette Long Handle 305mm

ScythetteSpare Blade 305mm

Fern Hook Hardwood Handle



SJ-4731SL Scythette Short Hdle 305mm

SJ-4752SS Scythette Long Hdle

Fern Hook Long Hdle 380mm • Ideal For Thinning, Trimming And Cleaning Brush

Fern Hook

Single Edge Head

SJ-4655BM

Epoxy Coated Head For Resistance To Rust

 Solid Forged Socket · Weatherproofed Hickory Handle

- Ideal For Cutting Long Grass, Nettles & Removing Weeds And Brush
- · Weatherproofed Hardwood Handle
- Hardened Steel Blade
- Ideal For Cutting Long Grass, Nettles & Removing Weeds And Brush
- Long Tubular Steel Handle With Soft Grip
- Hardened Steel Blade



- · Ideal For Cutting Long Grass, Nettles & Removing Weeds And Brush
- Spare Blade





Cane Knife

Timber Handle



Part No SJ-2100615

Made From Sheffield Steel

Edge Sharpened & Tempered

• 2.5mm Thick Roll Forged Blade · Hardened For Strength And Reliability

Weatherproofed Hardwood Handle

Cane Knife

- Length 360mm

- SJ-4680AU Fern Hook Head Only
 - · Ideal For Removing Blackberrys, Vines, Thickets
- Fully Forged Epoxy Coated Head For Rust Resistance
- Head Only









RAZORSHARP predator bow saws

Predator Bow Saw T-Frame 21"

Predator Bow saw 21"

Predator Bowsaw 24" Predator Bowsaw 30"





- **SJ-B9821BOWSAWTF** Bow Saw 21" T-Frame
 Holds 21" Peg Tooth & Raker Tooth Blades
- Tampered Frame Allows For Angled Cuts In Tight Areas Eg. Roofing & Dense Foliage
- Adjustable Blade Tensioner
- Soft Feel Ergonomic Handle
- Tubular Steel Frame
- Built-In Hand Guard For Extra Protection
- Simplistic Design Allows For Quick And Easy Blade Changes
- Saws Sold Fitted With Peg Tooth Blades (Raker Blades Are Also Available, Sold Separately).



Part No	Туре	Р
SJ-B9821BOWSAW	Bow Saw 21"	

- Holds 21" Blades Peg Tooth & Raker Tooth
- · Adjustable Blade Tensioner
- · Soft Feel Ergonomic Handle
- Tubular Steel Frame
- Built-In Hand Guard For Extra Protection
- Simplistic Design Allows For Quick And Easy Blade Changes
- Saws Sold Fitted With Peg Tooth Blades (Raker Blades Are Also Available, Sold Separately).





- Holds 24" Blades Peg Tooth & Raker Tooth
- Adjustable Blade Tensioner
- Soft Feel Ergonomic Handle
- Tubular Steel Frame
- Built-In Hand Guard For Extra Protection
- Simplistic Design Allows For Quick And Easy Blade Changes
- Saws Sold Fitted With Peg Tooth Blades (Raker Blades Are Also Available, Sold Separately).



Part No	Туре
SJ-B9830BOWSAW	Bow Saw 30"

- Holds 30" Blades Peg Tooth & Raker Tooth
- Adiustable Blade Tensioner
- Soft Feel Ergonomic Handle
- Tubular Steel Frame
- Built-In Hand Guard For Extra Protection
- Simplistic Design Allows For Quick And Easy Blade Changes
- Saws Sold Fitted With Peg Tooth Blades (Raker Blades Are Also Available, Sold Separately).

Adjustable Blade Tensioner

Peg & Raker Tooth Blades 21", 24", 30"



Part No	Туре	Size	Pack Qty
SJ-B9821DRYBLADE	Peg	21"	10
SJ-B9824DRYBLADE	Peg	24"	10
SJ-B9830DRYBLADE	Peg	30"	10
SJ-B9821WETBLADE	Raker	21"	10
SJ-B9824WETBLADE	Raker	24"	10
SJ-B9830WETBLADE	Raker	30"	10
Hardnoint Carbon Steel B	lades		

- Hardpoint Carbon Steel Blades
- Avaliable In
- 21" (530MM) 4TPI (Teeth Per Inch) 24" (610MM) 4TPI (Teeth Per Inch)
- 30" (760MM) 4TPI (Teeth Per Inch)

 Made In Portugal

Tubular Steel Frame



PPP M M A A A A

The Spear & Jackson Predator Bow Saw range offers two types of blades

Peg Tooth Blade

Peg Tooth (Dry) & Raker Tooth (Wet).

PEG TOOTH BLADE (DRY)

The peg toothing blade is for mature and dry wood. Every third gullet is extended for high chip removal and is made uniquely for fast and efficient cutting of mature and dry wood.

RAKER TOOTH BLADE (WET)

The raker toothing blade is for live and green wood. Every fifth tooth is raker and unset which functions like a chisel to remove the chips out of the green wood.



Predator Bow Saw Merchandiser

- Holds 12 Predator Bow Saws
- Holds 48 Predator Bow Saw Blades
- Provides Blade Selection Information To Help Customers With Their Product Choice
- Made From Powder Coated Carbon Steel
 Designed To Fit Most Display Types
- Designed To Fit Most Display Types

RAZORSHARP - other cutting pruning saws & bow saws



Pruning Saw Large Folding

Pruning Saw Plastic Handle

Pruning Saw Timber Handle



Part No	Туре	Blade Length	Pack Qty	
SJ-4960RSA	Folding Pruning Saw	7"	5	

. Hollow Ground Blade For Enhanced Cutting Perfor-

mance

• 7" (178mm) Carbon Steel Blade

- · Ultra Sharp 7TPI Precision Ground Teeth
- Blade Locks In Open And Closed Position



Part No	Туре	Blade Length	Pack Qty
SJ-4948PS	Folding Pruning Saw	12"	5

- 12" (305mm) SK5 Carbon Steel Blade For Lasting Sharpness
- Ultra Sharp 7TPI Precision Ground Teeth
- Chrome Plated Blade For Rust Resistance

Bowsaw

Blade Locks In Open And Closed Position



Part No	Туре	Blade Length	Pack Qty
SJ-66PS	Pruning Saw - Plastic	14"	5

- 14" (350mm) Carbon Steel Blade
- Cuts Branches Up To 90mm
- Strong Plastic Handle



- Pruning Saw Timber
- 13" (325mm) Carbon Steel Blade
- · Laquered Hardwood Handle
- Cuts Branches Up To 90mm

- Folds For Storage And Blade Protection





- · Hardpoint Blade Which Stays Sharp Up To 5 Times Longer Than Untreated Blades
- Teeth Designed For Fast And Free Cutting On Forward And Backward Strokes
- · Lever Tension Device For Simple Blade Changing

SJ-3621K


Spare Blade: SJ-3921W





- . Teeth Designed For Fast And Free Cutting On Forward And Backward Strokes
- · Lever Tension Device for Simple Blade Changing

Spare Blade: SJ-3924C



RAZORSHARP - other cutting timber & fibreglass axes

Axe 1.5lb Timber Handle

Axe 2.5lb Timber Handle

Axe 4.5lb Timber Handle









Part No	Туре	Handle Length	
SJ-3715AB	Axe 1.5lb TImber Hdle	380mm	4

- · Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability
- Dual Cylindrical Wedges
- High Quality Hickory Shafts
- 1.5lb (680g)
- FSC Certified Handle

SJ-3725CD Axe 2.5lb Timber Hdle 485mm

- · Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability
- Dual Cylindrical Wedges
- . High Quality Hickory Shafts
- 2.5lb (1.1kg)
- FSC Certified Handle

- SJ-3745EF Axe 4.5lb Timber Hdle 845mm
- Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability
- Dual Cylindrical Wedges
- · High Quality Hickory Shafts
- 4.5lb (2kg)
- FSC Certified Handle

Each Axe

- Has A Drop Forged Carbon Steel Head, Hardened & **Tempered For Durability**
- Has A Quality Hickory Shaft **For Strength**
- Has A Blade Guard For **Added Safety When Not In** Use

Axe 1.5lb Fibreglass Handle Axe 2.5lb Fibreglass Handle

Axe 4.5lb Fibreglass Handle







Axe 4.5lb F/G Hdle

Qtv

845mm



 Drop Forged Carbon Steel Head · Hardened and Tempered for Durability

Axe 1.5lb F/G Hdle

- · Quality Fibreglass Shaft
- Non Slip Soft Grip
- 1.5lb (680g)

Part No

SJ-AFG15

Qtv

380mm

SJ-AFG25

- Axe 2.5lb F/G Hdle 485mm
- Drop Forged Carbon Steel Head
- Hardened and Tempered for Durability
- Quality Fibreglass Shaft
- Non Slip Soft Grip • 2.5lb (1.1kg)

Part No

- - · Drop Forged Carbon Steel Head
 - Hardened and Tempered for Durability
 - Quality Fibreglass Shaft
 - Non Slip Soft Grip 4.5lb (2kg)

SJ-AFG45

RAZORSHARP - other cutting blocksplitters & hatchets

Blocksplitter 6lb Timber Handle

Blocksplitter 6lb Fibreglass Handle







- Part No SJ-3750BS Blocksplitter 6lb
- Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability
- High Quality Hickory Shaft6.0lb (2.7kg)
- FSC Certified Handle

- Qty SJ-BFG60 Blocksplitter 6lb 845mm
- Drop Forged Carbon Steel Head
- Hardened and Tempered for Durability
- Quality Fibreglass Shaft
- Non Slip Grip
- 6.0lb (2.7kg)



hatchets

Camping Axe Steel Handle

Felling Hatchet Timber Handle





art No	Туре	Handle Length	Pacl
G-7216	Camping Axe 570g	270mm	

- 1.2lb (570g)
- Non Slip Comfort Grip





Part No	Туре	Handle Length	Pack Qty
EG-9601A	Felling Hatchet	300mm	12

- · Hardwood Timber Handle
- Carbon Steel HeadWeight 1.2lb (570g)



HANDLES brooms, rakes, files & sledge hammers,

Rake Handle Timber Shaft



AH-U111 Rake Handle - Timber 1500 x 25mm

AH-U112 Rake Handle - Timber 1800 x 25mm

AH-U115 Rake Handle - Timber 1800 x 29mm

- . Designed to Fit Most Rake Heads
- FSC Certified Timber Handle
- Tapered Timber Shaft

Broom Handle



Part No	Туре	Handle Length	Pack Qty
AH-U149	Broom Handle - Timber	1350 x 22mm	10
AH-U154	Broom Handle - Timber	1350 x 25mm	10
AH-U155	Broom Handle - Timber	1500 x 25mm	10
AH-U156	Broom Handle - Timber	1650 x 25mm	10
AH-U157	Broom Handle - Timber	1800 x 25mm	10
AH-U159	Broom Handle - Timber	1800 x 29mm	10

- . FSC Certified Timber Handle
- · Tapered Timber Shaft

Broom Handle

White Timber Shaft



Part No	Туре	Handle Length	Pack Qty
AH-U149-WHITE	Broom Handle	1350 x 22mm	10
Designed to Fit Mos	et Broom Hear	łe	

- FSC Certified Timber Handle · White Tapered Timber Shaft
- AH-U286 File Handle AH-U287 File Handle AH-U288 File Handle AH-U289 File Handle

75mm


100mm

125mm

150mm

File Handle

- Designed to Fit Most Files
- FSC Certified Timber Handle
- · Shaped Timber Handle





Spear & Jackson Handles Are Made From FSC Certified Timber Which Supports the Responsible Management of Forests Worldwide





A new range of garden hand tools, secateurs, shears, loppers and scoops available in three eye-catching colours



Secateurs

Bypass 7"



Total Length

LoppersBypass

Part No

5

SJ-56551B

SJ-56551G

SJ-56551P

• C50 Carbon Steel Blade

Geared Cutting Action



Loppers Blue

Loppers Green

Loppers Pink

Shears Wavy Edged 8"



Part No	Туре	Total Cutting Cap.	Pack Qty
SJ-55509B	Shears Blue	25mm	5
SJ-55509G	Shears Green	25mm	5
SJ-55509P	Shears Pink	25mm	5

- C50 Carbon Steel 8" (200mm) Wavy Edged Blades
- Blades Heat Treated for Strength & Durability
- Lightweight But Strong Tubular Steel Handles
- Shock Absorbers For Comfortable UseOverall Length 20" (520mm)

SJ-CSB Secateurs Blue SJ-CSG Secateurs Green SJ-CSP Secateurs Pink

Type

- SK-5 High Quality Carbon Steel
- 6" Soft Grip Handles 15mm Maximum Cutting Capacity
- Overall Length 7" (180mm)

Hand Trowel 6"

PVC Handle

Part No

Transplanter

Soft Feel Grip For Increased Comfort

25mm Maximum Cutting CapacityOverall Length 18" (460mm)

PVC Handle



PVC Handle





Total Cutting Cap.

5

25mm

25mm

Part No	Туре	Head Size	Pack Qty	Part No	Туре	Head Size	Pack Qty	Part No	Туре	Head Size	Pack Qty
SJ-SDT/10B	Hand Trowel Blue	6"	6	SJ-SDT/20B	Transplanter Blue	6"	6	SJ-SDT/30B	Weeder Blue	6"	6
SJ-SDT/10G	Hand Trowel Green	6"	6	SJ-SDT/20G	Transplanter Green	6"	6	SJ-SDT/30G	Weeder Green	6"	6
SJ-SDT/10P	Hand Trowel Pink	6"	6	SJ-SDT/20P	Transplanter Pink	6"	6	SJ-SDT/30P	Weeder Pink	6"	6

- Ideal for planting small plants, cuttings and seedlings
- Epoxy Coated Carbon Steel Head
- PVC HandleLightweight Design

- · Ideal for planting small plants, cuttings and seedlings
- Epoxy Coated Carbon Steel Head
- PVC Handle
- Lightweight Design

ck Qty	Part No	Туре	Head Size	Pack Qty
6	SJ-SDT/30B	Weeder Blue	6"	6
6	SJ-SDT/30G	Weeder Green	6"	6
6	SJ-SDT/30P	Weeder Pink	6"	6

- · Ideal for removing weeds & small plants from lawns & garden beds
- Epoxy Coated Carbon Steel Head
- PVC HandleLightweight Design

Scoops Plastic

3 Prong Cultivator PVC Handle



//	1/)
t No	Туре	Head Size	

Part No	Туре	Head Size
SJ-SDT/40B	Cultivator Blue	6"
SJ-SDT/40G	Cultivator Green	6"
SJ-SDT/40P	Cultivator Pink	6"

- · Ideal for breaking up light soils and weeding
- Epoxy Coated Carbon Steel Head
- PVC Handle
- Lightweight Design

Twist Fork PVC Handle

Туре	Head Size	Pack Qty
Twist Fork Blue	6"	6
Twist Fork Green	6"	6
Twist Fork Pink	6"	6
	Twist Fork Blue Twist Fork Green	Twist Fork Blue 6" Twist Fork Green 6"

- · Ideal for cultivating light soils
- Epoxy Coated Carbon Steel Head
- PVC Handle Lightweight Design

6

- - - Hanging Hole For Storage
 Overall Length 10" (250mm) Per Scoop

SJ-PSMP



250mm

Туре

Plastic Scoop

- Sold as Display Box



Colours Secateurs Display Box

- SK-5 High Quality Carbon Steel
- 6" Soft Grip Handles
- 15mm Maximum Cutting Capacity
- Overall Length 7" (180mm)

Merchandiser Holds 15 Coloured Secateurs

- 5x Blue Secateur
- 5x Pink Secateurs
- 5x Green Secateurs

SJ-CSMP



Plastic Scoop Display Box

- Light and Strong Polypropylene Scoop
- Hanging Hole For Storage
- Overall Length 10" (250mm) Per Scoop

Merchandiser Holds 18 Coloured Scoops

- 6x Blue Scoops
- 6x Pink Scoops
- 6x Green Scoops

SJ-PSMP





The Spear & Jackson Colours Merchandiser is the perfect way to present the entire Colours Range.

Merchandiser Quantities

5 x Blue / Pink / Green Secateurs

5 x Blue / Pink / Green Loppers

5 x Blue / Pink / Green Shears

18 x Blue / Pink / Green Scoops

6 x Blue / Pink / Green Trowels

6 x Blue / Pink / Green Transplanters

6 x Blue / Pink / Green Weeders

6 x Blue / Pink / Green Cultivators

6 x Blue / Pink / Green Twist Forks

^{*} stock sold separately











Brighten up your Garden with the NEW Spear & Jackson Colours Range

Contact us today!


CONTACT US:
Ph: 1300 731 818
Fax: 1300 735 858
Email: sales@spear-and-jackson.com.au
Web: www.spearandjackson.com.au














WOODWORKING TOOLS professional woodsaws

PREDATOR



- Fast Cut Rapid, Clean Cutting Action
- Rigid Blade Minimises 'Whip' and Vibration
- Ideal for Timber, Hardwood, Chipboard and MDF
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, also Incorporating a Useful 45/90° Angle Guide
- Fast Cut Rapid, Clean Cutting Action
- Rigid Blade Minimises 'Whip' and Vibration
- Use With All Rough Sawn Timber
 Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, also Incorporating a Useful 45/90° Angle Guide
- Triple Ground Tooth Configuration
- Fast Cut Rapid, Clean Cutting Action
- Rigid Blade Minimises 'Whip' and Vibration
- Ideal For a Smooth Finish On Soft Woods
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide



- A Hardpoint Saw for Cutting UPVC and Hard Plastics
- Fast Cut Rapid, Clean Cutting Action Rigid Blade Minimises 'Whip' and Vibration
- Ideal for Cutting Sills, Trims and Plastic Pipes
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide
- A Hardpoint Saw Delivering a Fine Cut
- Fast Cut Rapid, Clean Cutting Action Rigid Blade Minimises 'Whip' and Vibration
- For Use On Laminate Flooring, Formica and Beading
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide
- Fleam Teeth for the Fastest Cut Along and Across The Grain On Both the Forward and Reverse Stroke
- Fast Cut Rapid, Clean Cutting Action
- Rigid Blade Minimises 'Whip' and Vibration
- Ideal for Use On Timber, Hardwood, Chipboard and MDF
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide

WOODWORKING TOOLS professional woodsaws



PREDATOR





Tenon Saws

Part No	Description	Size	Finish	Pack Qty
SJ-B9812	Predator Tenon	12"/300mm x 15pts	Fine	10

· For General Use Cutting Along and Across the Grain

SJ-B98QC Predator Quick Cut 20"/500mm x 8pts Medium

- Cross Ground Teeth Cut In Both Directions
- ABS Handle With Built In Finger Guide
- Rigid 0.91Mm Blade Minimises Whip and Vibration
- Heat Treated Teeth Maximises Blade Life
- Handle Includes 90° and 45° Angle Guide
- · A Fine Cut for Smooth Cutting With Push/Pull Action
- Rigid Blade Minimises 'Whip' and Vibration

SJ-B9814 Predator Toolbox

- Ideal for Cutting Moulding, Dowelling, Architraves and Skirting
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy

14"/350mm x 14pts Fine

- Handle Includes 90° And 45° Angle Guide
- · A Fine Cut for a Smooth, Clean Cutting Action
- Solid Steel Back for Maximum Rigidity and Accuracy
- Ideal for Cutting Moulding, Dowelling, Architraves and Skirting
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy
- Handle Includes 90° And 45° Angle Guide

traditional woodsaws

Skew Back



Brass Back Tenon



Professional Tenon



SPECIAL ORDER ONLY

SJ-9500R Traditional Skew Back 22"/550mm x 10nts Medium 10 SJ-9525X Traditional Skew Back 26"/650mm x 7pts Rough

- Universal Teeth for General Use Cuts Along and Across the Grain
- Precision Cross Ground Teeth for Extra Sharpness
- Teeth Can Be Resharpened
- Skew Back for Balance and Reduced Friction
- Cuts Timber Chipboard, Plywood and Other Wood Based Materials
- Comfortable Wooden Handle Securely Fixed By Rivets
- High Carbon Steel Blade

Part No	Description	Size	Finish	Pack Qty
SJ-9540B	Traditional Brass Back	10"/250mm x 15pts	Fine	10
SJ-9550B	Traditional Brass Back	12"/300mm x 15pts	Fine	10

- Universal Teeth for General Use Cuts Along and Across the Grain
- Brass Back for Maximum Rigidity and Accuracy
- Teeth Can Be Resharpened
- Used for Joint Cutting and Sawing Small Pieces Of Wood and Wood Based Materials
- Comfortable Wooden Handle Securely Fixed By Rivets
- High Carbon Steel Blade
- Precision Ground Teeth

Part No	Description	Size	Finish	Pack Qty
SJ-5410Y	Professional Tenon	10"/250mm x 13pts	Fine	10
SJ-5412K	Professional Tenon	12"/300mm x 13pts	Fine	10

- Universal Teeth for General Use Cuts Along and Across the Grain
- Precision Cross Ground Teeth for Extra Sharpness
- Teeth Can Re Resharpened
- Solid Brass Back for Maximum Rigidity and Accuracy
- Used for Joint Cutting and Sawing Small Pieces Of Wood
- Comfortable Wooden Handle Secured With Solid Brass Screws

^{**} Now Available in 60 Saw Merchandiser



HAND TOOLS hammers Claw Hammer

Claw Hammer Fibreglass Handle

Claw Hammer All Steel Handle



|--|

Part No	
SJ-CH16W	
SJ-CH20W	
S.L.CH24W	

Hickory Handle

· Heat Treated Fully Polished Head

Dual Cylindrical Wedges for Added Safety

Description
Claw Hammer Wooden
Claw Hammer Wooden
Claw Hammer Wooden

- 16 Oz/450g 20 Oz/570g 24 Oz/680g
- 6

Pack Qty

6

20 Oz/570g

24 Oz/680g

- - SJ-CH16FG Claw Hammer Fibreglass SJ-CH20FG SJ-CH24FG
 - Claw Hammer Fibreglass Claw Hammer Fibreglass

16 Oz/450g

20 Oz/570g

6

6

- · Heat Treated Fully Polished Head
- Tough Fibreglass Handle
- Dual Material Soft Grip Handle

- SJ-CH20AS SJ-CH24AS
- Pack Qty Claw Hammer All Steel 20 Oz/570g 6 Claw Hammer All Steel 24 Oz/680g
- · Heat Treated Fully Polished Head
- Forged One Piece Head and Handle
- Grip Mechanically Pinned To Shaft
- Dual Material Soft Grip Handle

Claw Hammer

Anti Vibration



30	-	100		
4	The same			
			•	

SJ-CH20FA SJ-CH24FA

Claw Hammer Anti Vibe Claw Hammer Anti Vibe

- Anti Vibration I Beam Design Forged One Piece Head and Handle
- Magnetic Nail Start
- Oversized Strike Area
- · Grip Mechanically Pinned To Shaft
- Dual Material Soft Grip Handle

Brick Hammer

Fibreglass Handle

Brick Hammer

All Steel Handle



Fully Polished Head

HAND TOOLS hammers

Ball Pein Hammer



Ball Pein Hammer

Fibreglass Handle



Cross Pein Hammer

Wooden Handle



Part No	Description	Size
SJ-BPH8	Ball Pein Hammer Wooden	8 Oz/226g
SJ-BPH12	Ball Pein Hammer Wooden	12 Oz/340g
SJ-BPH16	Ball Pein Hammer Wooden	16 Oz/450g
SJ-BPH24	Ball Pein Hammer Wooden	24 Oz/680g
SJ-BPH32	Ball Pein Hammer Wooden	32 Oz/900g

- Ideal For Shaping Metal & Light Engineering Work
 Premium Hickory Handle
 Heat Treated Fully Polished Head

- Dual Wedges for Added Safety

Pack Qty	Part No	Description	Size	Pad
6	SJ-BPH16FG	Ball Pein Hammer Fibreglass	16 Oz/450g	
6	SJ-BPH24FG	Ball Pein Hammer Fibreglass	24 Oz/680g	
5	SJ-BPH32FG	Ball Pein Hammer Fibreglass	32 Oz/900g	
4				

- Tough Fibreglass HandleHeat Treated Fully Polished HeadDual Material Soft Grip Handle

Part No	Description	Size	Pack Qty
SJ-CPH8	Cross Pein Hammer Wooden	8 Oz/226g	6
SJ-CPH10	Cross Pein Hammer Wooden	10 Oz/280g	6
SJ-CPH12	Cross Pein Hammer Wooden	12 Oz/340g	6
SJ-CPH14	Cross Pein Hammer Wooden	14 Oz/396g	6

- Ideal For Light Joinery and Cabinet Work
- Premium Hickory HandleHeat Treated Fully Polished Head
- Dual Wedges for Added Safety

Club Hammer Wooden Handle



Part No	Description	Size	Pack Qty
SJ-CH3W	Club Hammer Wooden	3lb/1.3Kg	4
SJ-CH4W	Club Hammer Wooden	4lb/1.8Kg	2

- Hickory Handle
- Heat Treated Head
- Cylindrical Wedges for Added Safety

Club Hammer

Fibreglass Handle



Part No	Description	Size
SJ-FGCH3	Club Hammer Fibreglass	3lb/1.3k
SJ-FGCH4	Club Hammer Fibreglass	4lb/1.8k

- Tough Fibreglass Handle Heat Treated Head
- Dual Material Soft Grip Handle

Club Hammer

All Steel Handle



Part No	Description	Size	Qty
SJ-CH25AS	Club Hammer All Steel	2.5lb/1.1Kg	4
SJ-CH4AS	Club Hammer All Steel	4lb/1.8Kg	4

- · One Piece Head and Shaft
- Heat Treated Head
- Dual Material Soft Grip Handle

HAND TOOLS hammers

Sledge Hammer Wooden Handle



Sledge Hammer Fibreglass Handle



Carpenters Mallet Wooden



Part No	D
SJ-4LBWH	S
SJ-7LBWH	S
SJ-10LBWH	S
SJ-14LBWH	S

Description 4lb/1.8Kg Sledge Hammer Wooden 7lb/3.2Kg Sledge Hammer Wooden

- Sledge Hammer Wooden 10lb/4.5Kg Sledge Hammer Wooden 14lb/6.4Kg
- Premium Hickory Handle
- Hardened and Tempered Head
- Drop Forged Head
- Cylindrical Wedges for Added Safety
- FSC Timber Handle

k ty	Part No	Description	Size
2	SJ-SHFP4	Sledge Hammer Fibreglass	4lb/1.8Kg
4	SJ-SHFP7	Sledge Hammer Fibreglass	7lb/3.2Kg
2	SJ-SHFP10	Sledge Hammer Fibreglass	10lb/4.5Kg
2	C I CHED14	Cladge Hammer Eibreglage	1.41b/G.4Va

- Head Mechanically Pinned and Chemically Fixed
- Hardened and Tempered Head
- Drop Forged Head
- Overstrike Guard On Sizes 7-14Lb
- Tough Fibreglass Shaft
- Dual Material Soft Grip Handle

ack Qty	Part No	Description	Size	ı
8	SJ-CM400	Capenters Mallet	400g	
4				
2				
0				

- Ideal for Use With Wood Chisels and Shaping Tools
 Made Entirely From Premium Beechwood
- Sculptured All Wood Handle

Rubber Mallet

Wooden Handle



Rubber Mallet

Fibreglass Handle



White Rubber Mallet

Fibreglass Handle



EG-12100/16 Rubber Mallet Wooden 16 Oz/450g EG-12100/24 Rubber Mallet Wooden 24 Oz/680g EG-12100/32 Rubber Mallet Wooden 32 Oz/9000

- Ideal for Construction, Automotive and General Use
- Laquered Hardwood Handle
- Durable Black Rubber Head

6

- SJ-RM16FG Rubber Mallet Fibreglass 16 Oz/450g SJ-RM24FG Rubber Mallet Fibreglass 24 Oz/680g SJ-RM32FG Rubber Mallet Fibreglass 32 Oz/9000
- Ideal for Construction, Automotive and General Use
- Tough Fibreglass Handle
- Durable Black Rubber Head
- Dual Material Soft Grip Handle

Pac	k
Qt	y
(6
	0

Pack	
Qty	
6	
6	
6	

Pac Qt	
	6
	6
	c

Pack	
Qty	
6	
6	
6	

rack	
Qty	
6	
6	
c	

Qty	
6	
6	
0	

ty	Part No
6	SJ-WRM16FG
6	SJ-WRM24FG
6	SJ-WRM32FG





16 Oz/450g 24 Oz/680g 32 Oz/900g

ack Qty

6

6

6

- Ideal for Tiling, Paving and Any Non Marking Application
- Tough Fibreglass Handle
- Durable White Rubber Head
- Dual Material Soft Grip Handle

HUCKSON industrial hammers



Deadblow Hammers

Soft Face Hammer 25mm Soft Face Hammer 38mm







Part No	Description	Size	Pack Qty	Part No	Description	Size	Pack Qty	Part No	Description	Size
HU-777	Deadblow Hammer 40mm	700g	5	HU-701/1N	Soft Face Hammer - Nylon Tips	250g	5	HU-701/1.5N	Soft Face Hammer - Nylon Tips	750g
HU-778	Deadblow Hammer 60mm	1600g	5	HU-701/1P	Soft Face Hammer - Poly Tips	250g	5	HU-701/1.5P	Soft Face Hammer - Poly Tips	750g
				HU-701/1NP	Soft Face Hammer -Nylon & Poly Tips	250g	5	HU-701/1.5NNP		750g
								HU-701/1.5CCN	Soft Face Hammer - 2 Copper Tips & 1 Nylon Tip	750g
Hammer Head Fille	ed with Shot			 Used for Asse 	embly and Repair Operations to Minimi	se the Da	mage to	 Used for Assemi 	oly and Repair Operations to Minimise th	ie Damage t

- Cast One Piece Head and Body
- Replaceable Tips
- Made in Australia

- Soft Surfaces
- Cast One Piece Head and Body
- Replaceable Tips
- Made in Australia

- e to Soft Surfaces
- · Cast One Piece Head and Body
- Replaceable Tips
- Includes 3rd Tip In Handle
- Made in Australia

Soft Face Hammer 50mm

Replacement Tips Nylon -Poly & Copper





Part No	Description	Size	Pack Qty	Part No	Description	Size	Pac Qt
HU-701/2N	Soft Face Hammer - Nylon Tips	1150g	5	HU-777/N	Deadblow Tip Nylon	40mm	
HU-701/2P	Soft Face Hammer - Poly Tips	1150g	5	HU-778/N	Deadblow Tip Nylon	60mm	
HU-701/2NP	Soft Face Hammer -Nylon & Poly Tips	1150g	5	HU-701/5	Soft Face Tip Nylon	25mm	
				HU-701/6	Soft Face Tip Poly	25mm	
 Used for Asse 	embly and Repair Operations to			HU-701/13	Soft Face Tip Copper	38mm	
	mage to Soft Surfaces			HU-701/14	Soft Face Tip Nylon	38mm	
	e Head and Body			HU-701/15	Soft Face Tip Poly	38mm	
 Replaceable 1 	,			HU-701/20Z	Soft Face Tip Nylon	50mm	
 Made in Austr 	ralia			HU-701/21	Soft Face Tip Poly	50MM	



HAND TOOLS general hand tools

Coping Saw



			Pack
Part No	Description	Handle	Qty
EG-605A	Coping Saw with 5 Blades	Timber	12

- Steel Frame for Durability
- 360 Degree Blade Rotation for Easy Access and Cutting
- Comes with 5 Blades; 1x Extra Fine, 1x Fine, 1x Hacksaw & 2x Medium
- Timber Handle

Mini Hacksaw



0	Description	Size	P
HS10	Mini Hacksaw	250mm	

- Strong Lightweight Aluminium Body Comfort Soft Grip Handle with Thumb Grip
- Ideal for Cutting in Hard to Reach Places
- For Use with 300mm Hacksaw Blades

Hacksaw



Part No	Description	Size
SJ-HS10	Hacksaw Box Frame	450mm

- Rigid Box Frame Design
- Blade Adjustment Allows for 55 & 90 Degree Cutting
- · Accepts Standard 300mm Hacksaw Blades

Socket Adaptor Set



|--|--|--|

Part No Square Drive Adaptor Set

- Converts Between 1/4" 3/8" & 1/2" Drives
- · Chrome Vanadium Steel
- · Chrome Plated

Hole Saw Set



EP-153/07	Hole Saw Set	20mm
• 9 Piece Set		
• 7 Circular Bla	ades	
 Solid Metal E 	Sody	
0 1 0 11 00		

Cut Depth

Part No

Pack Qty

10

- Cut Depth 20mm
- Designed for Cutting Wood & Plastic

Hole Saw Set Extra Deep



Part No	Description	Cut Depth
EP-157/07	Hole Saw Set - Extra Deep	44mm
• 9 Piece Set 7	Extra Deep Circular Blades	

- Solid Metal Body Cut Depth 44mm
- For Cutting Wood & Plastic

Magnets 10pk



Part No	Description	Pack Qty
EG-299	Assorted Magnets 10pk	12
Ideal for Coporal use	Cohool Projects & Around the Workshop	Cnoor 9

- Jackson Magnets will Adhere to All Iron or Steel Surfaces
- 10 Piece Magnet Pack
- Pack Contains 10 x Disc Magnets

Horse Shoe Magnet



Part No	Description	Pack Qty
EG-216	Horse Shoe Magnet	12
• Ideal for Gene	eral use, School Projects & Around the V	Workshop. Spear &

- Jackson Magnets will Adhere to All Iron or Steel Surfaces
- Total Size 90mm

Paint Marker



Part No	Description	Size	Pack Qty
EG-WPM	Paint Marker - White	2mm Tip	12

- All Purpose Paint Marker Suitable for Most Surfaces
- Weather Proof Xylene Free
- 2mm Tip

HAND TOOLS general hand tools



Knife Retractable



150mm

Part No	Description
Fait NO	Description

EG-031BFC Knife Retractable

- All Metal Body
- Includes 1x Blade
- Accepts Standard 60mmx18mm Blades

Sharpening Stone



10

- EG-153/06 Sharpening Stone 150mm 150mm x 50mm x 25mm
- Designed for your General Sharpening Needs
- Silicon Carbide
- · Fine and Coarse Texture

Knife Lino



			Q
SJ-LK75CP	Knife Lino	75mm	

- · Ideal for Cutting and Shaping Lino and Other Similar Materials
- Chrome Plated Blade
 FSC Rosewood Timber Handle

Knife Hacking



SJ-HK115	Knife Hacking	120mm
	3	

- Used for the Removal of Old Putty From Window Frames

- Heavy Duty Tapered Blade
 Honed to a Very Sharp Edge
 FSC Rosewood Timber Handle

Knife Shoe



SJ-SK120	Knife Shoe	120mm	
. Ideal for Trices	alaman and Outlines I	anthor Dubbor 9 Dis	

- Ideal for Trimming and Cutting Leather, Rubber & Plastics
 FSC Rosewood Timber Handle

Riveter Deluxe



-		Till VOLOT DOTUNO	200111111
• 2	4 Interchand	neable Nose Pieces:	2.3.4 & 5mm

- Suits Aluminium and Steel Rivets
- · Chrome Plated Body
- Non Slip Handle Grips
- Nose Spanner Included

Riveter Kit



Part No	Description	Size
FC 0064	Diveter Vit eu CO Divete	000000

- Includes 60 Rivets
- 4 Interchangeable Nose pieces: 2.4,3.2,4 & 4.8mm
- Cast Alloy Body
- ***Not Suitable for Stainless Steel Rivets

Spring Clamps



Part No	Description	Size	Pack Qty
SJ-SC100	Spring Clamp	100mm	20
SJ-SC150	Spring Clamp	150mm	10
SJ-SC225	Spring Clamp	225mm	10

Pack Qty 12

- Extra Heavy Duty SpringHigh Clamping ForceChrome Plated Steel Handles
- Vinvl Coated Handles and Jaws

HAND TOOLS wrecking bars & punches

Wrecking Bars



Part No	Туре	Size	Pack Qty
SJ-WB300	Wrecking Bar	300mm	24
SJ-WB450	Wrecking Bar	450mm	24
SJ-WB600	Wrecking Bar	600mm	12
SJ-WB750	Wrecking Bar	750mm	10
SJ-WB900	Wrecking Bar	900mm	10

- Ideal for Opening Boxes & Removing Nails
- Heat Treated Carbon Steel with Polished Ends
- Hexagon Shaped Powder Coated Body
- Claw With Chisel End for Lifting & Prying

Wrecking Bars Heavy Duty



Part No	Туре	Size	Pack Qty
SJ-WBHD300	Wrecking Bar Heavy Duty	300mm	24
SJ-WBHD450	Wrecking Bar Heavy Duty	450mm	20
SJ-WBHD600	Wrecking Bar Heavy Duty	600mm	12
SJ-WBHD750	Wrecking Bar Heavy Duty	750mm	12
SJ-WBHD900	Wrecking Bar Heavy Duty	900mm	12

- Ideal for Prying, Removing Nails & Demolition Work
- Heat Treated Heavy Duty Steel (Hrc42)
- Hexagon Shaped Powered Coated Body
- . Sharpened And Polished Claw & Chisel Ends



Punch - Leather

Punch - Leather







Part No	Туре	Handle	Pack Qty
EG-1509	Leather Punch	PVC	6

- Hole Sizes 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm
- Revolving 6 Way
- PVC Hand Grips
- · For Leather and other Soft Materials



Part No	Type	Handle
SJ-LP20	Leather Punch	Soft Grip

- Hole Sizes: 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm
- · Heavy Duty Construction
- Soft Grip
- · For Leather and Other Soft Materials



- · Heavy Duty Construction
- · Polished Chrome Body
- · Comfortable Vinyl Grips
- Supplied with 20 Evelets

Punch Plier



Part No	Туре	Pack Qty
FG-1013	Punch Plier Evelet Deluxe 12mm	10

- Heavy Duty Construction
- Polished Chrome Body
- Comfortable Vinvl Grips
- . Supplied with 20 Evelets

Punch Grommet

Eyelets 7mm Grommets 10mm





Part No EG-1007 Grommet Punch 10mm

- · Supplied with 8 Grommets
- · Hammer Required for Use



EG-1007/S Grommets 10mm

• 10mm

Pack Qty

- For use with EG-1007
- 25 Pieces



EG-1011/200 Eyelets 7mm

- 7mm
- For use with EG-1011PI
- 200 Pieces





Pack Qty

Part No EG-1013C Eyelets 12mm

- 12mm
- For use with EG-1013
- 20 Pieces

HAND TOOLS measuring

Box Level Professional

Spear & Jackson PBL Levels are Available in a 16 Unit Merchandiser Display.



Box Level



- · Precision Machined Leveling Edges
- Shock Protecting End Caps
- · Adjustable Rotating Vial
- Soft Touch Hand Grips

- High Accuracy 0.5mm/100mm
- CNC Milled on 4 Sides for Greater Accuracy

Box Level Professional

Shock Proof Vial

SJ-PBL600

S.J-PBI 800

S.I-PBL 1200

SJ-PBL1800

SJ-PBL2000

Dual Material Ergonomic Handgrips

Torpedo Level

Qtv

Pack Qty

600mm

800mm

1200mm

1800mm

2000mm



Part No SJ-TLC23M Torpedo Level 230mm

- · Ideal for Small Leveling Jobs
- 3 Vials for Flat, 90Deg & 45Deg Measuring
- Shock Absorbing End Caps
- Magnetic Base

Line Levels



Part No SJ-LL75M Line Level Aluminium 75mm SJ-LL75P Line Level Plastic

- Ideal for Leveling with a String Line
- Clear Easy Read Vial

Cross Check Level



Part No SJ-CCL60 Cross Check Level 60mm

- Ideal for Leveling in 2 Planes
- · Perfect For Caravans or Fridges
- · 2 Vials in Fluro Case

24

· Mounting Holes for Permanent Fixing

Bullseye Level



SJ-BL45 Bullseye Level 45mm

Part No

- Levels in 2 Plane with a Single Bubble
- · Perfect for Caravans or Fridges
- · Mounting holes for Permanent Fixing

Bevel



	J.	An		
		1		
				38

SJ-STB200	Bevel Sliding	200mm	1

- Used for the Setting and Duplicating of Angles in Carpentry 1.5mm Stainless Steel Blade
- Tough ABS Body

Bevel - Premium



Part No	Description	Size	Paci Qt
EG-100	Bevel Sliding Premium	205mm	(

- Used for the Setting and Duplicating of Angles in Carpentry
- All Metal Construction
- Stainless Steel Blade
- Made In Japan

Square Try & Mitre



Part No	Description	Size	P
SJ-TMS200	Square Try and Mitre	200mm	
SJ-TMS250	Square Try and Mitre	250mm	
SJ-TMS300	Square Try and Mitre	300mm	

- · Stainless Steel Blade
- · Premium Alloy Stock
- · Easy Read Acid Etched Numerals



Carpenters Square

Part No	Description	Size	Pac Qt
EG-120	Carpenters Square	300x200mm	1

- · Used for Measuring and Laying Out of Angles
- · Easy to Read White on Black Numerals

HAND TOOLS measuring

Rulers

Chalk Reel

Contour Gauge

Auto Centre Punch







	4	
art No	Description	Size

Part No	Description	Size	Pack Qty
SJ-SSR150	Ruler Stainless Steel	150mm	20
SJ-SSR300	Ruler Stainless Steel	300mm	10
SJ-SSR600	Ruler Stainless Steel	600mm	10
SJ-SSR1000	Ruler Stainless Steel	1000mm	10
 Premium Sta 	inless Steel Blades		

- SJ-CRM100 Chalk Reel 30m/100ft
- 12
- EG-200CG Contour Gauge
- 150mm 10

125mm

- Hanging Hole
- · Easy Read Acid Etched Numerals
- Metric Only Graduation
- Used for the Laying out of Lines for Building, Brickwork Etc
 Heavy Duty Metal Case
- . Used to Duplicate Shapes and Forms
- All Metal Construction
- · Connecting Plate for Joining Additional Gauges
- · Used for the Centre Marking of Thin Sheet Material
- Adjustable Pressure

SJ-ACP125 Auto Centre Punch

**Hand Operated - Hammer Should NOT be Used

Tape Measure 8m



Pack Qty SJ-3008M Tape Measure

- · Auto Locking Tape Measure
- Metric Graduations
- Triple Riveted Hook
- Twin Magnetic Ends

Integrated **Belt Clip & Wrist Band**



Metric Graduations x1mm

*** ENQUIRE ABOUT PERSONALISED TAPE MEASURES. TAPES IN YOUR COLOURS WITH YOUR LOGO.

Impact Absorbing Rubber Casing Offers a Better Grip & Greater Comfort

Auto Lock Blade System With a Push Release **Button**

Triple Riveted, Twin Magnetic End Hook For Internal & External 01 00 01 00 01 00 Measurement

High Impact Fluoro Case

Soft Feel Grip

3 Times Geared **Speed Rewind**

> **Tough Fibreglass Metric Only Tape**

Easy Wind Roller Guides



Tape Measure 30m



SJ-OST30 Tape Measure

3 X Speed Rewind Tape Measure

- Metric Graduations
- High Impact Fluoro Case
- · Easy Wind Roller Guides

HAND TOOLS workwear



The Spear & Jackson Workwear range offers premium leather, split leather and nylon combinations which comprehensively covers both professional and D.I.Y customers. The range features builder's aprons, nail bags, holsters and plenty of accessories.

Premium Top Grain or Oil Tanned Leather - Designed for everyday use by the true professional, allowing customers to have true confidence in the product.

Split Leather - A perfect alternative for D.I.Y or occasional users looking for great value products.

Nylon - Features a stylish look and strong 600DN polyester which make it a great choice for D.I.Y users.





Measuring Tape Holster

Allows For Easy Access

Premium Oil Tanned Leather Tougher & Longer Lasting

> **Square Holster Holds Squares & Combination Squares**

2x Metal Hammer Loops Suitable For Both Left & **Right Handers**

Rivet Reinforced Stress Points Prevents Tears & Holes

Builders Apron

11 Pocket

Part No

SJ-LPBA10

· Premium Oil Tanned Leather

· Rivet Reinforced Stress Points

• 2 X Metal Hammer Loops

· Heavy Duty All Steel Buckle

· Measuring Tape Clip

All Leather Belt



Builders Apron - 11 Pocket Oil Tanned Leather

Qty

Part No

SJ-LPTG12 Builders Apron - 10 Pocket

Top Grain Leather

Builders Apron

10 Pocket

- Premium Top Grain Leather
- Heavy Duty Cotton Belt
- Adjustable Belt At Both Ends
- Tape Holder & Clip
- Belt Mounted Swing Hammer Holster
- Rivet Reinforced Stress Points

Nail Bag

7 Pocket



Part No SJ-LPBB7

Builders Nail Bag - 7 Pocket

Oil Tanned Leather

- Premium Oil Tanned Leather
- · Rivet Reinforced Stress Points
- Swinging Hammer Loop
- Concealed Screwdriver Loops
- All Leather Belt
- Heavy Duty All Steel Buckle

HAND TOOLS workwear



Nail Bag 6 Pocket



Nail Bag 2 Pocket



Faitino	
SJ-LDBA10	

Builders Apron - 10 Pocket Snlit Leather

- Split Leather Rivet Reinforced Stress Points
- Adjustable 50mm Webbing Belt
- Swinging Hammer Loop
- Tape Clip

Qty

Part No S.I-I 45

Builders Nail Bag - 6 Pocket

- Premium Split Leather
- · Premium Split Leather Rivet Reinforced Stress Points
- Swinging Hammer Loop
- Adjustable 50mm Webbing Belt
- Tape Clip

Part No

Qty

SJ-LDNB2

Builders Nail Bag - 2 Pocket

Split Leather

Qty

Qty

- Split Leather
- Rivet Reinforced Stress Points
- Adjustable 50mm Webbing Belt
- Tape Clip

Leather Work Belt



art No	Туре	Size	Pa
J-LWBL	Work Belt	1200mm x 50mm	

Chisel & Pencil Pouch

- Premium Top Grain LeatherRust Resistant Steel Buckle
- Heavy Duty
- Fits Waists 84 116cm

Webbing Belt



art No	Туре	Size	Pa Q
J-LWBW	Webbing Belt	1200mm x 50mm	

- Polyester Webbing Plastic Buckle
 Extra Wide 50mm
- Fits Waist Up To 120cm
- Fully Adjustable

Cotton Work Belt



Part No	Туре	Material	Qty
SJ-N120	Cotton Work Belt	600DN Polyester	6

- 600DN Polyester
- Heavy Duty All Cotton Belt
- · Reinforced Eyelets
- · All Steel Buckle

Plier & Secateur Holster



Part No	Туре	Size
SJ-LPH220	Plier Holster	220mm

- Top Grain Leather Body
- Split Grain Pencil Pouch
- Heavy Duty



Part No Type SJ-LCP240 Chisel Pouch 240mm

- · Top Grain Leather Body
- Split Grain Pencil Pouch
- Heavy DutyRivet Reinforced Stress Points • Fits Up To 50mm Chisel

Hammer Holster



SJ-LHHS Hammer Holster Leather / Steel

- · Premium Top Grain Leather

ack Qty

- Heavy DutyRivet Reinforced Stress Points
- Steel Hammer Loop

Tape Holster



Part No	Type

Pack Qty

SJ-LTHC Tape Holster

Top Grain Leather



- · Premium Top Grain Leather
- · Rivet Reinforced Stress Points
- Easy One Handed Removal • Fits Most Tape Measures
- · Heavy Duty

Mobile Phone Holster



Part No	
SJ-LPC	

Phone Holster Top Grain Leather

- · Premium Top Grain Leather
- Rivet Reinforced Stress Points
- Suits Most Mobile Phone Sizes · Belt Loop Accepts Work Belt Buckles
- Super Soft Interior

HAND TOOLS workwear

Nylon Builders Apron 11 Pocket

Nylon Nail Bag 10 Pocket







Part No	Туре	Material
SJ-N60	Builders Apron - 13 Pocket	600DN Polyester

Pack Qty

Part No

SJ-N50 Builders Apron - 11 Pocket 600DN Polyester

Part No Type Qty

SJ-N30 Nail Bag - 10 Pocket

600DN Polyester

Pack Qty

- 600DN Polyester
- 11 Pockets & 6 Holsters
- · Hammer Loops & Tape Pouch Rivet Reinforced Stress Points

- 600DN Polyester
- 10 Pockets/Holders
- · Extra Large Pocket for Bulk items • 2 x Metal Hammer Loops

• 600DN Polyester

6 Pocket

- 13 Pockets & 4 Holsters
- 2x Hammer Loops & Tape Pouch

Nylon Nail Bag

Heavy Duty Cotton Belt With Belt Support

Nylon Nail Bag

Nylon Drill Holster

Nylon Electricians Tool Pouch





SJ-N10 Nail Bag - 2 Pocket 600DN Polyester





SJ-N40 Flectricians Pouch 600DN Polyester

• 600DN Polyester

Part No

- 6 Pockets/Holders Metal Hammer Loop
- Tape Clip
- SJ-N20 Nail Bag 6 Pocket 600DN Polyester
- 600DN Polyester

ack Qty

6

- 2 Pockets & Tape Clip
- 50mm Nvlon Belt
- Rivet Reinforced Stress Points
- 600DN Polyester
- · Use With Existing Work Belt

Туре

SJ-N130 Drill Holster

• 5 Pockets/Holders

Part No

Pack Qty

6

- 3 X Bit Holders
- Drill Securing Strap · Rivet Reinforced
- 600DN Polyester
- 600DN Polyester
- 15 Pockets/Holders
- Tane Chain
- Use With Existing Belt
- Rivet Reinforced

Tape Holster

Hammer Holster

Mobile Phone Holster

Plier Holster





	- 0	

600DN Polyester



Part No	Туре	Material	Paci Qt
SJ-N70	Hammer Holster	600DN Polyester	(



Part No	Туре	Material	Pack Qty
SJ-N100	Mobile Holster	600DN Polyester	6



art No	Туре	1
J-N80	Plier Holster	6



-N80	Piler Hoiste

600DN Polyeste

	Раск
	Qty
er	6

• 600DN Polyester

Part No

- Accepts Very Large Tapes
- · Rivet Reinforced

SJ-N110 Tape Holster

• 600DN Polyester

Qty

- All Steel Swinging Loop Rivet Reinforced

- 600 DN Polyester
- Securing Loop Sized For Work Belt Buckles
- Pouch Accepts Large Phones & PDA'SUse With Existing Belt

- Suits Most Pliers and Cutters
- Belt Loop
- Rivet Reinforced

STAEDTLER pencils & markers



Pencil Carpenter

Green Hard 148/50



SINCE 1835, STAEDTLER HAS BEEN AT THE FOREFRONT OF WRITING INSTRUMENT INNOVATION. TRADITIONAL GERMAN QUALITY AND A CULTURE OF EXCELLENCE HAS MADE STAEDTLER ONE OF THE WORLD'S LEADING MANUFACTURER OF WRITING AND MARKING PRODUCTS.

Pencil Carpenter

Red Medium 148/40



Part No	Туре	
ST-148/40	Carpenters Pencil - Red Medium	
 Ideal for Mark Premium Gra Break Resista 	r	

YOUR NAME HERE PH: 0000 00000

ST-148/50

Carpenters Pencil - Green Hard

72

- · Ideal for Marking Concrete, Brick Work, Underlay etc.
- Premium Graphite Core
- Break Resistant
- Super Bonded Lead

*** ENQUIRE ABOUT PERSONALISED PENCILS

Chinagraph Pencils



Part No	Туре	Colour	Pack Qty
ST-8080	Chinagraph Pencil	White	12
ST-8081	Chinagraph Pencil	Yellow	12
ST-8082	Chinagraph Pencil	Red	12
ST-8083	Chinagraph Pencil	Blue	12
ST-8089	Chinagraph Pencil	Black	12

- Wax Pencils For Marking On Glossy Or Other Surfaces Eg. Glass, Leather, Textiles, Stone, Metal, Wood And Plastic
- · Cleans Off With A Clean Dry Cloth
- Waterproof

Marker Chisel Point

2mm - 5mm

Super Bonded Lead



Part No	Туре	Colour	Pack Qty
ST-3502	Marker Chisel Point 2mm-5mm	Red	10
ST-3503	Marker Chisel Point 2mm-5mm	Blue	10
ST-3504	Marker Chisel Point 2mm-5mm	Orange	10
ST-3505	Marker Chisel Point 2mm-5mm	Green	10
ST-3506	Marker Chisel Point 2mm-5mm	Violet	10
ST-3509	Marker Chisel Point 2mm-5mm	Black	10
D O . f . I . I	0 P1	Miller of Design	04

- Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
- Locked Tip Ensures The Tip Remains In Place • Waterproof, Xylene And Toluene Free

Marker Bullet Point





Part No	Туре	Colour	Pack Qty
ST-3522	Marker Bullet Point 2mm	Red	10
ST-3523	Marker Bullet Point 2mm	Blue	10
ST-3524	Marker Bullet Point 2mm	Orange	10
ST-3525	Marker Bullet Point 2mm	Green	10
ST-3526	Marker Bullet Point 2mm	Violet	10
ST-3529	Marker Bullet Point 2mm	Black	10

- Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
- · Locked Tip Ensures The Tip Remains In Place
- · Waterproof, Xylene And Toluene Free

Marker Bullet Point

Compact 1mm - 2mm



Part No	Туре	Colour	Pack Qty
ST-3422	Marker Bullet Point Compact 1mm - 2mm	Red	10
ST-3423	Marker Bullet Point Compact 1mm - 2mm	Blue	10
ST-3429	Marker Bullet Point Compact 1mm - 2mm	Black	10

- · Handy Compact Size For Writing Or Marking
- . Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
- · Locked Tip Ensures The Tip Remains In Place
- · Waterproof, Xylene And Toluene Free

Marker Chisel Point

Broad 2mm - 7mm



Part No	Туре	Colour	Pack Qty
ST-3859	Marker Chisel Point Compact 2mm - 7mm	Black	5

- Especially Suited For Use Where A Thick Broad Line Is Required • Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
- Locked Tip Ensures The Tip Remains In Place
- · Waterproof, Xylene And Toluene Free


Marker - Double Ended

0.6mm - 1.1mm




Part No	Туре	Colour	Pack Qty
ST-3482	Marker - Double Ended 0.6mm & 1.1mm	Red	10
ST-3483	Marker - Double Ended 0.6mm & 1.1mm	Blue	10
ST-3489	Marker - Double Ended 0.6mm & 1.1mm	Black	10

- A Marker That Features Both Fine And Medium Tips
- Fine End For Writing 0.6mm
- Medium End For Marking 1.1mm
- Waterproof, Xylene And Toluene Free



FOOTPRINT builders tools







FP-1237/3 Brick Bolster 75mm Plastic Moulded Grip FP-1237/4.1/2 Brick Bolster 114mm Plastic Moulded Grip FP-1235 Plastic Moulded Grip Masons Bolster 64mm

- Fully Drop Forged Handle & Blade, Building In More Strength
- Hardened & Tempered Blade For A Long Working Life
- Anti-Mushroom Head to Prevent Splintering & Prolong the Working Life
- Footprint Designed & Manufactured High Quality Hand Guard



Handle

Fully Hardened & Tempered Blades To Provide A Long Lasting Cutting Edge

Concrete Chisel



Part No	Туре	Blade Size	Handle	Pac Q
FP-582	Concrete Chisel	250mm x 19mm	Plastic Moulded Grip	

- Fully Drop Forged Handle & Blade, Building In More Strength
- Hardened & Tempered Blade For A Long Working Life
- Anti-Mushroom Head to Prevent Splintering & Prolong the Working Life
 Footprint Designed & Manufactured High Quality Hand Guard


Scutch Chisels



Part No	Туре	Blade Size	Handle	Pac
FP-579/25	Scutch Chisel	25mm	Plastic Moulded Grip	
FP-579/38	Scutch Chisel	38mm	Plastic Moulded Grip	

- For use with Replaceable Scutch Combs & Droves to Aid in the Shaping of Stone & Brick Work
- Drop Forged Single Piece of Carbon Steel
- Hardened & Tempered
- Footprint Designed & Manufactured High Quality Hand Guard

Scutch Combs



SPECIAL ORDER ONLY

ırt No	Туре	Blade Size	Pack Qty
P-5781/25	Scutch Combs	25mm (1")	10

- For Use with Scutch Holders / Hammers
- · Used for Shaping and Preparing Stonework
- 25mm (1 Inch)
- Made From Hardened & Tempered Carbon Steel
- . Zinc Coated to Delay Wear & Tear

Plugging Chisel



Part No	Туре	Blade Size	Handle	Pack Qty
FP-1861	Plugging Chisel	280mm x 120mm	Plastic Moulded Grip	3

- · Fully Drop Forged From High Carbon Steel
- Grooved Blade to Aid in the Rapid Extraction of Mortar Away From the Blade & Joint
- Anti-Mushroom Head to Prevent Splintering & Prolong the Working Life
- · Fully Hardened & Tempered Blade

Cold Chisels



Part No	Туре	Blade Size	Handle	Pack Qty
P-591/8.3/4	Cold Chisel	200mm x 19mm	Moulded Grip	3
P-591/9.7/8	Cold Chisel	230mm x 22mm	Moulded Grip	3
P-591/10.3/4	Cold Chisel	250mm x 19mm	Moulded Grip	3
P-591/10.1	Cold Chisel	254mm x 25mm	Moulded Grip	3
P-591/12.1	Cold Chisel	300mm x 25mm	Moulded Grip	3
Cully Dans Farms	المحالم المحمل	Diada Duildian in N	Anna Chramath	

Fully Drop Forged Handle And Blade, Building in More Strength

· Hardened & Tempered Blade

· Anti-Mushroom Head to Prevent Splintering, Prolonging Working Life

Footprint Designed & Manufactured High Quality Hand Guard

The Footprint Range of carbon steel cold chisels are for use on stone, brick and other similar materials. Applications include shaping, cutting and chipping of stonework.

Forged with strong tapered blades, the 591 range is supplied with a strong High Visibility protective plastic moulded grip for added safety

FOOTPRINT builders tools

FOOTPRINT


Stripping Knife



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
FP-2015/1	Stripping Knife	125mm x 25mm	Timber	6
FP-2015/112	Stripping Knife	125mm x 38mm	Timber	6
FP-2015/2	Stripping Knife	125mm x 50mm	Timber	12
FP-2015/212	Stripping Knife	125mm x 64mm	Timber	6
FP-2015/3	Stripping Knife	125mm x 75mm	Timber	6
FP-2015/4	Stripping Knife	125mm x 100mm	Timber	6

- · Special Spring Tempered Carbon Steel, Retains Rigidity after Regular use
- Accurately Hardened & Tempered Blade
- Machine Ground Blade Giving a Great Edge
- Polished Blade to Prevent Premature Rusting
- Quality Hardwood Handle



Filling Knife



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
FP-2770/1	Filling Knife	125mm x 25mm	Timber	6
FP-2770/112	Filling Knife	125mm x 38mm	Timber	6
FP-2770/2	Filling Knife	125mm x 50mm	Timber	6
FP-2770/212	Filling Knife	125mm x 64mm	Timber	6
FP-2770/3	Filling Knife	125mm x 75mm	Timber	6
FP-2770/4	Filling Knife	125mm x 100mm	Timber	6

- Special Carbon Steel Providing an Extremely Flexible Blade
- · Machine Ground Blade
- Polished Blade Giving a Smooth Finish & to Prevent Premature Rusting
- Quality Hardwood Handles

Professional quality filling knives are made from special spring tempered carbon steel.

The blades are machine ground and polished.

The tangs have shaped hardwood scales riveted to them which makes a strong comfortable grip.

Putty Knife - Skew Point



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
FP-2017	Putty Knife - Skew Point	115mm	Timber	6

- Spring Tempered Carbon Steel Blade
- . Hardened & Tempered Blade to Provide Long Life
- Skew Point
- Hardwood Handle

Putty Knife - Clipt Point



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
FP-2030	Putty Knife - Clipt Point	115mm	Timber	6

- Spring Tempered Carbon Steel Blade
- Hardened & Tempered Blade to Provide Long Life
- Clint Point
- Hardwood Handle

Scraper Sets



SPECIAL ORDER ONLY

Part No	Туре	Blade Material	Pack Qty
FP-241	Scraper Set	Carbon Steel	6

- Made from Hard Wearing Saw Grade Steel
- Used to Give a Smooth Clean Finish to Wood
- Can be Re-Sharpened.
- Set Contains the Following Sizes (All In Inches) 6 X 3, 5.5 X 2.5, 4 X 2

Scraper Sets



SPECIAL ORDER ONLY

Part No Type FP-242 Carbon Steel Scraper Set

- · Made from Hard Wearing Saw Grade Steel
- Used to Give a Smooth Clean Finish to Wood
- Can be Re-Sharpened.
- Gooseneck Shaped Scraper, Hollow Shaped Scraper & a 5.5 Inches x 2.5 Inches Rectangular Scraper

FOOTPRINT builders tools



The original "Footprint" Wrench. This traditional plumbers tool is an all purpose wrench and by means of the hardened fulcrum bolt, grips the workpiece tighter as more pressure is exerted. The screwdriver type end is useful for a number of different applications. Known Universally as "Footy's".



Line Pins



Part No	Туре	Size	Pack Qty
FP-620	Line Pins	160mm	50

- Drop Forged
- Hardened & Tempered Blades to prevent Bending, Snapping Wear & Tear
- Convex Blade to Hold the Line Pin Firmly in the Wall
 Extra Wide Head to Prevent Slipped Blows
- Size 160mm (61/4 Inch)
- · Chrome Plated to Prevent Rusting

Pipe Wrench

698 Traditional Pattern



Carefully Profiled Teeth Machined

From High Quality Carbon Steel

Part No	Туре	Size	Pack Qty
FP-698/7	Pipe Wrench - Traditional	175mm	6
FP-698/9	Pipe Wrench - Traditional	225mm	6
FP-698/12	Pipe Wrench - Traditional	300mm	6

- · Traditional Plumbers Tools Suitable for Plumbers, Gas Fitters & General
- Grips the Work Piece Tighter as More Pressure is Exerted
- Machine Ground & Precision Hardened Teeth, Which Won't Wear Easily
- Drop Forged Hook & Pressed Steel Frame
- · Adjustable Screw to Alter the Jaw Capacity

Pipe Wrench

Screwdriver Type End

For General Application

900 Thumbturn Pattern



Part No	Туре	Size	Pack Qty
FP-900/7	Pipe Wrench - Thumbturn	175mm	6
FP-900/9	Pipe Wrench - Thumbturn	225mm	6
FP-900/12	Pipe Wrench - Thumbturn	300mm	6

- Traditional Plumbers Tools Suitable for Plumbers, Gas Fitters & General Engineers
- · Grips the Work Piece Tighter as More Pressure Is Exerted
- Machine Ground And Precision Hardened Teeth, They Won't Wear Easily
- Drop Forged Hook & Pressed Steel Frame
- Knurled Thumbturn Nut Enables Easy Jaw Adjustment

Sliding T-Bevels



SPECIAL ORDER ONLY

Part No	Туре	Size	Handle	Pack Qty
FP-1254/7.1/2	Sliding T-Bevel	7.5" (190mm)	Beachwood	6
FP-1254/9	Sliding T-Bevel	9" (230mm)	Beachwood	6

- Used for Checking Angles, Marking Joints & Marking Across Boards
- · Chemically Blued Blade to Prevent Corrosion
- Bevel Stock Made from High Quality Hard Wearing Beechwood
- Brass Wing Nut Screw Making Tightening & Loosening the Blade Simple
- Made in Sheffield, England
- · Also Available in Rosewood Special Order Only

Carpenters Square



Part No	Туре	Size	Handle	Pack Qty
FP-1248/6	Carpenters Square	150mm	Timber	6
FP-1248/9	Carpenters Square	230mm	Timber	6

- Used for Marking Right Angles & Checking Squareness Between Joints
- Hard Wearing African Rosewood Stock
- Thick Brass Plate Fitted to the Stock for Protection from Damage & to Inick Brass Frage (Record of the Accuracy)
 Tempered & Chemically Blued Blade to Prevent Corrosion
 Chemical Order Only
- · Also Available in Beech Wood Special Order Only

Marking Gauge



Part No	Туре	Handle	Pack Qty
FP-1258	Marking Gauge	Timber	6

- Used for Marking a Line Parallel to a Straight Edge Prior to Sawing, Chiselling or Cutting
- · Hardened Steel Pin for a Long Life
- Sturdy Beechwood Stem & Head
- Plastic Thumbscrew to Allow Ease of Adjusting the Stem & Head
- · Radiussed Bottom Edge to Slide Easily on the Wood

Mortice & Marking Gauge



Part No	Туре	Handle	Pack Qty
FP-1876	Mortice & Marking Gauge	Timber	6

- Used to Mark Wood to Make Mortice & Tenon Joints With a Simple Marking Gauge Pin on the Reverse Side to Mark Parallel Lines
- · Hardened Steel Pins for a Long Life
- Hard Wearing Beechwood Stem & Head
- Plastic Thumbscrew to Adjust the Stem & with a Solid Brass Slide to Adjust the Pins



BUILDERS' TOOLS brickworking tools


CRAFTSMAN-MADE QUALITY FOR OVER TWO HUNDRED YEARS





WHS (William Hunt & Sons) started in 1782 making forged products in Oldbury near Birmingham. By 1960 their brick trowels were well known throughout the world with the 4" archaeology trowel deemed "the industry standard."

By expertly bringing together advanced technology, the best design and a genuine commitment to total quality, WHS offers a comprehensive range of superb pointing and brickwork trowels. Each of our trowels are crafted from the finest carbon steel with a solid forged blade and through tang for supreme strength. Handles are available in both traditional wooden or the latest soft feel ergonomic design. WHS is the first choice for ultimate comfort and performance.



BUILDERS' TOOLS brickworking tools



Brick Trowel Soft Grip Handle



Brick Trowel Timber Handle



Part No	Туре	Size	Handle	Pack Qty	Part No	Туре	Size	Handle	Pack Qty	Part No	Туре	Size	Handle	Pack Qty
SJ-300	Brick Trowel 250mm	10"	Timber	12	SJ-500	Brick Trowel 250mm	10"	Soft Grip	12	SJ-333	Brick Trowel 305mm	12"	Timber	6

- Carbon Steel Blade
 Blade Size 250mm x 123mm x 1.57mm
 Broad Heel Pattern
- FSC Timber Handle
- · Laser Etched Blade

- Carbon Steel BladeBlade Size 250mm x 123mm x 1.57mm
- Broad Heel Pattern
- Ergonomic Soft Grip Handle
- Laser Etched Blade

- Carbon Steel Blade
- Blade Size 305mm x 139mm x 1.57mm
- Broad Heel Pattern
- FSC Timber Handle
- Laser Etched Blade

Brick Trowel Soft Grip Handle



Brick ¹	Trowel
Soft Feel Hand	le, Capped
	7 11



Brick Trowel Soft Feel Handle, Capped



art No	Туре	Size	Handle	Pack Qty	Part No	Туре	Size	Handle	Pack Qty	Part No	Туре	Size	Handle	Pack Qty
J-555	Brick Trowel	12"	Soft Grip	6	SJ-10112SF	Brick Trowel	12"	Soft Feel	5	SJ-10712SF	Brick Trowel	12"	Soft Feel	5

- Carbon Steel BladeBlade Size 305mm x 139mm x 1.57mm
- Broad Heel Pattern
- Ergonomic Soft Grip Handle
- · Laser Etched Blade

- Carbon Steel BladeBlade Size 305mm x 156mm x 1.86mm
- Broad Heel Pattern
- · Soft Feel Handle, Capped
- Laser Etched Blade

- Carbon Steel Blade
 Blade Size 305mm x 150mm x 1.86mm
- Philadelphia Pattern
- Soft Feel Handle, Capped
- Laser Etched Blade

Brick Trowel

Acetate Handle



Part No	Туре	Size	Handle	Pack Qty
SJ-20212CA	Pointing	12"	Acetate	5

- Carbon Steel Blade
- Forged Blade for Maximum Strength
- Blade Size 305mm x 156mm x 1.86mm
- Broad Heel Pattern
- Acetate Handle



BUILDERS' TOOLS brickworking tools

Pointing Trowel Soft Feel Handle, Capped





- · Carbon Steel Blade
- Blade Size 125mm x 58mm x 1.27mm
- FSC Timber Handle
- · Laser Etched Blade



Soft Feel

5

Part No	Туре	Size
SJ-11105SF	Pointing Trowel 125mm	10"

· Carbon Steel Blade

Pack Qty

5

- Blade Size 125mm x 58mm x 1.27mm
- Soft Feel Handle, Capped
- · Laser Etched Blade



Pointing Trowel



art No	Туре	Size	Handle	Pack Qty
J-320	Pointing Trowel 150mm	12"	Timber	12

- · Carbon Steel Blade
- Blade Size 150mm x 80mm x 1.27mm
- FSC Timber Handle
- Laser Etched Blade

Pointing Trowel Soft Grip Handle



SJ-520	Pointing Trowel 150mm
 Carbon Steel F 	lade

- Blade Size 150mm x 80mm x 1.27mm
- · Ergonomic Soft Grip Handle

Laser Etched Blade

Pointing Trowel Soft Feel Handle



Part No	Туре	Size	Handle	P
SJ-11106SF	Pointing Trowel 150mm	12"	Soft Feel	

- Carbon Steel Blade
- Blade Size 150mm x 64mm x 1.27mm
- · Soft Feel Handle, Capped
- Laser Ftched Blade

Pointing Trowel



I NO	Туре	Size	Handle
325	Pointing Trowel 175mm	14"	Timber

- · Carbon Steel Blade
- Blade Size 175mm x 92mm x 1.27mm
- FSC Timber Handle
- · Laser Etched Blade

Pointing Trowel

Soft Grip Handle



art No	Туре	Size	Handle
J-525	Pointing Trowel 175mm	14"	Soft Grip

- Carbon Steel Blade
- Blade Size 175mm x 92mm x 1.27mm
- Ergonomic Soft Grip Handle
- Laser Etched Blade

Archaeology Trowel



Pack Qty

10

Part No	Туре	Size	Hand
SJ-11104SFARCH	Archaeology - Soft Feel	4"	Soft Fe

Solid Forged Blade

Pack Qty

- Soft Feel Handle With Integral Finger Guard
- High Tang For Good Knuckle Clearance
 Thicker, More Rigid Blade For Extra Strength

Part

BUILDERS' TOOLS brickworking tools **Full Polished Steel Head & Handle Hanging Hole for Easy** Storage **All Steel One Piece Head & Handle Bi Material Ergonomic Soft Grip Handle**

Qty

24 Oz/680a

Brick Hammer All Steel



Qty

6

240z / 680a

SJ-BRH24AS Brick Hammer All Steel

- Forged One Piece Head and Handle
- Grip Mechanically Pinned To Shaft
- Dual Material Soft Grip Handle
- Fully Polished Head

Brick Hammer

Fibreglass



SJ-BRH24FG Brick Hammer Fibreglass Tough Fibreglass Handle

· Fully Polished Head

Dual Material Soft Grip Handle



Masonry Brush



Туре SJ-829 Masonry Brush 165mm Wooden

- Brush Size 165mm x 90mm
- · Bristles 5 Rows
- Sturdy Timber Handle with Hang Hole
- Flexible Nylon Bristles

Brick Bolster



Type SJ-DBB Brick Bolster

- Dropped Forged 115mm Blade
- Knuckle Guard on Grip

Part No

- Hardened Plastic Safety GripHigh Visibility Colouring
- Blade Size Plastic 115mm

Electricians Bolster



Blade Size

75mm

Part No Type SJ-EB Electricians Bolster

- Dropped Forged 75mm Blade
- Knuckle Guard on Grip
- Hardened Plastic Safety Grip
- High Visibility Colouring

Brick Bolster

Professional



	6		
	es es		
Part No	Type	Blade Size	Handle

- SJ-PBB Professional Brick Bolster 115mm Dropped Forged 115mm Strengthened Blade
- Knuckle Guard on Grip
- Hardened Plastic Safety Grip
- High Visibility Colouring

Plastic

BUILDERS' TOOLS brickworking tools





Brickline 100M

SJ-8/100M

SJ-8/100M-P

8 Strand Nylon

•100 Meters



Brickline 8 Strand

Brickline 8 Strand

Available in White / Light Green / Orange & Pink

SJ-8/100M-LG Brickline 8 Strand

SJ-8/100M-O Brickline 8 Strand

. Supplied With 12 Unit Display Case

Brickline 100M

Available In
Ava

Qty

12

12 12

Colou

White

Orange

Pink

Light Green

100M

100M

100M

100M

Brickline 100M



Part No	Туре	Length	Colour	Per Pack
SJ-8/100MAST	Brickline 8 Strand	100M	White	2
	Brickline 8 Strand	100M	Light Green	4
	Brickline 8 Strand	100M	Orange	4
	Brickline 8 Strand	100M	Pink	2

- 8 Strand Nylon
- •100 Meters
- Includes 2x White 4x Light Green 4x Orange 2x Pink
- . Supplied With 12 Unit Display Case.

Part No SJ-8/50M Brickline 8 Strand 12 50M White SJ-8/50M-LG Brickline 8 Strand 50M Light Green 12 SJ-8/50M-O Brickline 8 Strand 50M Orange 12 SJ-8/50M-P Brickline 8 Strand 50M Pink

- 8 Strand Nylon
- 50 Meters

Part No

SJ-12/50M

• 12 Strand Nylon • 50 Meters · Available in White

- Available in White / Light Green / Orange & Pink
- . Supplied With 12 Unit Display Case

Brickline 50M



Brickline 12 Strand



White

Qtv

12



Part No	Туре	Length	Colour	Pack Qty
SJ-12/100M-LG	Brickline 12 Strand	100M	Light Green	12
SJ-12/100M-P	Brickline 12 Strand	100M	Pink	12
40.00				

- •100 Meters
- Available in Light Green & Pink
- Supplied With 12 Unit Display Case.

Brickline 500M

Supplied With 12 Unit Display Case.





art No	Туре	Length	Colour	Pack Qty
J-12/500M-LG	Brickline 12 Strand	500M	Light Green	4

- 12 Strand Nylon
- 500 Meters
- Available in Light Green

Rubber Line Blocks



Part No	Туре	Colour	Pack Qty
SJ-RLB	Line Block	Light Green	24
SJ-RLB/O	Line Block	Orange	24

- Blocks Are Angled At 87.5° So That, When Under Tension, They Square Up Into The Corner Of The Brick For A Better Grip And A More Stable Line


 Durable One Piece Moulded Rubber
- Available In Light Green & Orange
- Ribbed To Prevent Slippage When In Use
- Supplied With 24 Piece Coloured Display Box (See Image Right)





The Spear & Jackson Line Block is used in conjunction with string line to mark out the path for a new course of bricks.

BUILDERS' TOOLS brickworking tools





SJ-21238C Brick Jointer 13mm x 10mm SJ-21258B Brick Jointer 13mm x 16mm

- . Suitable for Finishing of Mortar Joints in Brick & Block Walls
- Carbon Steel Construction
- Profile: Convex

Sled Jointers Soft Grip Handle

Carbon Steel

• 10mm & 12mm Sizes

· Ergonomic Soft Grip Handle

Qty

10

10



• Suitable for Finishing of Mortar Joints in Brick & Block Walls

Profile Clamps Soft Grip Handle



Part No	Туре	Size	Pack Qty	Part No	Туре	Size	Pack Qty
SJ-BJ10	Sled Jointer	10mm	6	SJ-PC180	Profile Clamp	180mm	6
SJ-BJ12	Sled Jointer	12mm	6	SJ-PC300	Profile Clamp	300mm	6

- Used For Holding A Profile Pole Against Brickwork When Setting Course Heights
- 180mm & 300mm Sizes
- Comfortable Soft Grip Handle
- · Adjustable Depth
- Zinc Plated Finish

Joint Raker

Soft Grip Handle



- · Skate Wheel Joint Raker
- · Comfortable Soft Grip Handle
- · Adjustable Rake Depth
- · Easy Roll Skate Wheels
- · High Lift Knuckle Clearance



Brick Carrier

Soft Grip Handle



400mm - 500mm

Strong Metal Frame

Part No SJ-BT

• Comfortable Soft Grip Handle

Brick Carrier

- Adjustable for Bricks & Blocks
- Zinc Plated Finish
- 400 500mm Jaw Capacity

Line Pins



SJ-LP2P Line Pine Twin Pack 155mm x 20mm

- Line Pins Are Used With Stringline to Mark Out a Course of Bricks
- 2 Pack
- · Wide Head for Striking
- Shaped Tip for Holding in Mortar
- · Forged for Extra Strength

Dutch Pins




SJ-DP150R

Ducth Pin Round 150mm (L) x 12.3mm (D)

- Dutch Pins Are Used For Holding A Profile Pole Against A Wall When There Is No Ground Contact
- Professional Dutch Pin
- Flange to hold Profile Pole
- Shaped Tip for Holding in Mortar
- Forged for Extra Strength

Through a combination of advanced technologies, optimum design and a commitment to quality, we are able to offer a comprehensive range of Plastering and Drywall tools for the Professional and DIY user alike.

Tyzack Plastering Floats have been designed with the professional user in mind. With Craftsman set, pre worn blades these are ready for use by the busy professional. Under the Spear & Jackson brand there is a comprehensive range of Plastering tools for both the tradesman and DIY user. So, whatever your target market, customer expectation levels and sourcing criteria, Tyzack and Spear & Jackson are the best and only ranges you should turn to.





A HISTORY OF QUALITY IN PLASTERING

Ever since Joseph Tyzack introduced steel blades to replace traditional wooden trowels in the late 19th century, the TYZACK name has set the standard for quality plastering tools. Another innovation was a patented design enabling the blade to be attached to the tang without the need for the rivets to go right through the blade thereby ensuring a totally smooth finish. Importantly, all TYZACK trowels are hand 'dished' by time served craftsmen to create a convex blade, solving the problem of 'drag lines' when finishing.


Additional features such as hardened and spring tempered blades also ensure that TYZACK tools are strong, durable and give outstanding performance. Available in both carbon and stainless steel with a variety of blade sizes and ergonomic handle options, TYZACK is the ultimate in comfort and performance.

Blade Thickness	Application
0.24" / 0.6mm	Finishing & General Use
0.32" / 0.8mm	Laying-on
0.56" / 1.4mm	Flooring

- · Different Blade Thicknesses For Different Applications
- Stainless And Carbon Steel Options
- Available With Double Hang Versions For Added Strength
- Individually Hand Set By A Craftsmen

TREADY TO GO' FINISHING TROWELS

Pre-worn to professional standards, our revolutionary trowel is READY TO GO right from the start! Featuring 'rounded' front corners to prevent 'drag-lines' and a pre-worn 'fine edge' on both sides for ultimate control in the finish.







Plasterers Float



Plasterers Float



280mm Soft Grip

Plastering Floats Soft Feel Handle, Capped



Part No	Туре	Size	Handle	Pack Qty
SJ-10611CSF	Plastering Float	280mm	Soft Feel	10

• Blade Size 280mm x 114mm x 0.57mm

Plasterers Float

- · Carbon Steel Blade
- Aluminium Tang

SJ-380

FSC Timber Handle

Blade Size 280mm x 114mm x 0.57mm

Plasterers Float

- · Carbon Steel Blade
- Aluminium Tang

SJ-550

ack Qty

280mm Timber

. Ergonomic Soft Grip Handle

- Blade Size 280mm x 120mm x 0.59mm
- · Carbon Steel Blade
- Aluminium Tang
- Ergonomic Soft Grip Handle

Plasterers Float




Plasterers Float

Soft Feel Handle, Capped



Plasterers Float



		1 10010101	o i lout	
- Dia	da Cina 000	100	0 50	

- Stainless Steel Blade
- Aluminium Tang
 Ergonomic Soft Grip Handle

Soft Feel

- SJ-13100RSF Plasterers Float 280mm Soft Grip
- Blade Size 280mm x 110mm x 0.68mm
- Carbon Steel Blade
- Aluminium TangErgonomic Soft Grip Handle

- Type SJ-13458BISF Plasterers Float Blade Size 330mm x 117mm x 0.59mm
- · Radiused Corners Pre Worn
- · Stainless Steel Blade
- Aluminium TangErgonomic Soft Grip Handle
- **External Corner Trowel Plasterers Float**

Soft Feel Handle



355mm

Soft Feel

Blade Size 355mm x 117mm x 0.59mm

Plasterers Float

- Radiused Corners Pre Worn
- Stainless Steel Blade Aluminium Tang

SJ-14458BISF

· Ergonomic Soft Grip Handle



Part No	Туре	Size	Handle	Pack Qty
SJ-715C	External Corner Trowel	125mm	Soft Grip	10

- Used To Produce A Tight, Bubble Free External Corner Joint
- Blade Size 125mm x 100mm x 100mm
- Stainless Blade For Longer Life
- · Offset Blade Allows You to Work Right Up to Ceiling Down to the Floor
- Soft Feel Handle For Extra Comfort
- Radiused Corners

Qty

Internal Corner Trowel

Soft Grip

5

330mm



Part No	Туре	Size	Handle	Pack Qtv
SJ-714B	Internal Corner Trowel	125mm	Soft Grip	10

- Used To Produce A Tight, Bubble Free Internal Corner Joint
- Blade Size 125mm x 100mm x 100mm
- Stainless Blade For Longer Life
- Offset Blade Allows You to Work Right Up to Ceiling / Down to the Floor or Skirting
- Soft Feel Handle For Extra Comfort
- · Leading Corners with Radiused Edgers

Gauging Trowel

Gauging Trowel Soft Grip Handle

Gauging Trowel Soft Feel Handle





Part No	Туре	Size	Handle	Pack Qtv	Part No	Туре	Size	Handle	Pack Qty	Part No	Туре	Size	Handle	Pack Qty
SJ-330	Gauging Trowel 175mm	14"	Timber	12	SJ-530	Gauging Trowel 175mm	14"	Soft Grip	12	SJ-11507SF	Gauging Trowel 175mm	14"	Soft Feel	5
• Carbon Stee	el Blade				 Carbon Stee 	el Blade				Carbon Steel I	Blade			

Gauging Trowel Timber Handle

• Blade Size 175mm x 87mm x 1.27mm

 FSC Timber Handle Laser Etched Blade

Gauging Trowel Soft Grip Handle

Blade Size 175mm x 87mm x 1.27mm

· Ergonomic Soft Grip Handle

Laser Etched Blade

Gauging Trowel Soft Feel Handle

Blade Size 175mm x 80mm x 1.48mmSoft Feel Handle, Capped

Laser Etched Blade



Part No	Туре	Size	Handle
SJ-335	Gauging Trowel 200mm	16"	Timber

- · Carbon Steel Blade
- Blade Size 200mm x 95mm x 1.27mm
- FSC Timber Handle
- Laser Etched Blade



No	Туре	Size	Handle	Pack Qty
535	Gauging Trowel 200mm	16"	Soft Grip	12

- · Carbon Steel Blade
- Blade Size 200mm x 95mm x 1.27mm
- · Ergonomic Soft Grip Handle
- · Laser Etched Blade

The same

art No	Туре	Size	Handle	Pack Qty
J-11508SF	Gauging Trowel 200mm	14"	Soft Feel	5

- Carbon Steel Blade
- Blade Size 200mm x 80mm x 1.48mm
- Soft Feel Handle, Capped
- · Laser Etched Blade

Bucket Trowel

Plasterers Hawk



Plasterers Hawk



SJ-10565BSF	Bucket Trowel	165mm	Soft Grip
Ideal For Miving	And Domoving Morta	r And Diagtor E	rom Puckata

- Ideal For Mixing And Removing Mortar And PlaBlade Size 180mm X 120mm To 97mm
- Cropped Blade Profile for Easy Reach Right to the Bottom of the Bucket
- Extra High Tang For Increased Knuckle Clearance
- . Soft Feel Handle For Extra Comfort



			7	
Part No	Туре	Size	Handle	Pack Qty
SJ-370	Plasterers Hawk	330mm	Timber	6

- Blade Size 330mm x 330m x 1.71mm
- Lightweight Aluminium
- FSC Timber Handle

10


· Machined Non Slip Handle



5 7

Part No	Туре	Size	Handle	Qty
SJ-13713SF	Plasterers Hawk	330mm	Soft Grip	10

- Blade Size 330mm x 330mm x 2.07mm
- · Lightweight Aluminium
- · Ergonomic Soft Grip Handle
- Machined Non Slip Handle





Part No	Туре	Size	Handle	Pack Qty
SJ-50106	Sponge Float	250mm x 100mm	Plastic	10

- Pine Timber Blade
- Blade Size 250mm x 100mm
- Sponge Thickness 15mm
- Comfort Plastic Handle

Sponge Float



Part No	Туре	Size	Handle	Pack Qty
SJ-PD101	Sponge Float	140mm x 230mm	Poly	10

- Blade Size 140mm x 230mm
- Sponge Thickness 20mm
- · One Piece Poly Handle & Base

Sponge Float



		opongo i	iout
 Sponge 	Thickne	ss 30mr	n

S I DSEEN

One Piece Poly Handle & Base

Replacement Sponge

Avaliable for SJ-PSF400 & SJ-PSF500

Part No	Pack Qty
SJ-PSF400SP	6
SJ-PSF500SP	6

340mm x 148mm

Polyurethane Float

Polyurethane Float



rt No	Туре	Size	Handle	Pa (
J-PA101	Polyurethane Float	140mm x 280mm	Poly	

- Base Size 140mm x 280mm x 15mm
- One Piece Poly Handle & Base
- Textured Surface
- · Lightweight



J-PA102	Polyurethane Float	180mm x 320mm	Poly

- Base Size 180mm x 320mm x 15mm
- One Piece Poly Handle & Base Textured Surface
- Lightweight

Polyurethane Float



Part No	Туре	Size	Handle
SJ-PA103	Polyurethane Float	200mm x 360mm	Poly

- Base Size 200mm x 360mm x 15mm
- One Piece Poly Handle & Base
- Textured Surface
- Lightweight

Polyurethane Float

Polypropylene Float



Polypropylene



art No	Туре	Size	Hand
J-PA105	Polyurethane Float	140mm x 280mm	Poly

- Base Size 150mm x 350mm x 15mm
- One Piece Poly Handle & BaseTextured Surface
- Lightweight


- SJ-PF100 Polypropylene Float 280mm x 108mm
 - Base Size 280mm x 108mm
 - One Piece Polypropylene Handle & Base
 - Textured Surface
 - Heavy Duty

Polypropylene Float




Part No	Туре	Size	Handle	Pack Qty
C I DECCO	Delunranulana Flaat	240mm v 140mm	Dohmronulono	

- Base Size 340mm x 148mm
- One Piece Polypropylene Handle & Base
- Textured Surface
- Heavy Duty



Poly Sanding Float 280mm x 108mm

- Base Size 280mm x 108mm
- One Piece Polypropylene Handle & Base
 Neoprene Cushion to Improve Sanding Capabilities
- Mounting Bars with Screw Clamps for Sand Paper



Rendering Float Plastic Handle



Part No	Туре	Size	Handle
SJ-RF280	Rendering Float	280mm	Soft Grip

- Blade Size 280mm x 130mm
- Ribbed Non Slip Flexible Plastic Handle
- Plastic Blade

Small Tools



Part No	Туре	Size	Material	Pack Qty
SJ-360	Small Tool	13mm	Carbon Steel	10
SJ-362	Small Tool	16mm	Carbon Steel	10
SJ-364	Small Tool	19mm	Carbon Steel	10
SJ-366	Small Tool	25mm	Carbon Steel	10
13mm/16mm/19mm/25mm Carbon Steel Forned & Stamped Steel Body				

Support Prop



Part No	Туре	Size	Handle	Pack Qty
SJ-713A	Support Prop	0mm	Steel	1

- Pistol Grip Extending Action
- Extends from 1.15m to 2.90m
- Universally Jointed Feet
- Recommended Load Capacity 30Kg
- Provides an Extra Support on Site by Holding in Position Plasterboard to

Mixing Paddle

Board Lifter

 Hand Finished • Flexible Head & Tip



Part No	Туре	Size	Handle	Pack Qty
SJ-710X	Mixing Paddle	600mm	Steel	5


- · Anti-rust chrome finish
- Small, Medium or Large Diameter Head
- Hanging Hook
- Head Diameter 100mmShaft Length 600mm



Part No	Туре	Material
SJ-712Z	Board Lifter	Aluiminiam

- Tapered Front End Slides Easily Under Boards
- Great For Lifting Plaster Sheets, Timber, Doors.
- · Reduces Back Strain





Jab Saw - Deluxe



330mm

Soft Grip

Compass Saw



300mm

S	J-JS10	Jab Saw
•	Comfortable	Suregrip® Handle

- Teeth Cut On Forward & Reverse Stroke
- Pointed to Drive Through Plasterboard
- Ideal for use on Timber, Hardwood, Chipboard & MDF
- - SJ-JSD20 Jab Saw - Deluxe Superior Fast Action Blade
 - · Impulse Hardened Cross Cut Teeth
 - Sharpened Tip for Plunge Cuts
 - Bi Material Soft Grip Handle
 - Ideal for use on Timber, Hardwood, Chipboard & MDF

SJ-CS10

- 9 TPI • Induction Hardened Double Ground Teeth
- Bi Material Soft Grip Handle
 For Cutting in Hard to Reach Places
- Ideal For Cutting Wood, Masonite And Plasterboard

Compass Saw



Soft Grip



Taping Knives



Part No	Description	Size	Handle	Pack Qty
SJ-716D	Taping Knife	225mm	Soft Grip	5
SJ-717E	Taping Knife	300mm	Soft Grip	5

- Spreads Initial Coats Of Compound Over Plaster Joints & 'Beds' The
- Ergonomic Soft Grip Handle
- Flexible Stainless Steel BladesMetal End Cap For Protruding Nails

Jointing Knives



0	Туре	Size	Handle	Qty
18F	Jointing Knives	102mm	Soft Grip	5
19G	Jointing Knives	152mm	Soft Grip	5

- Ergonomic Soft Grip Handle with Specially Designed End Cap for Knocking Back Protruding Nails

Part No SJ-71

SJ-71

Flexible Stainless Steel BladesMetal End Cap for Protruding Nails

Plasterers Square



•	Туре	Size	Material	Pack Qty
ASQ	Plasterers Square	210mm	Stainless Steel	6

- Blade Size 210mm x 210mm
- Stainless Steel

SJ-PL


For Marking Plaster Sheet Prior To Cutting

BUILDERS' TOOLS cement tools



Designed for professionals and DIY users alike, this range of concreting tools has been built to the same exacting standards of all Spear & Jackson products.

A range of floats and accessories produced using innovative manufacturing techniques to give durable, well finished product that can be used every day.





BUILDERS' TOOLS cement tools

Pointed Finishing Float

Pointed Finishing Float







Part No	Туре
SJ-PF355	Pointed Finishing Float

- Pointed Nose
- Blade Size 355mm x 100mm x 0.70mm
- · Carbon Steel Blade
- · Ergonomic Soft Grip Offset Handle
- Laser Etched Blade

Part No	Type	
SJ-PF405	Pointed Finishing Float	
 Pointed Nose 		

Qty

6

Soft Grip

355mm

- Blade Size 405mm x 115mm x 0.70mm
- Carbon Steel Blade
- · Ergonomic Soft Grip Offset Handle

Laser Etched Blade

Part No	Туре	Size	Handle	
SJ-PF450	Pointed Finishing Float	450mm	Soft Grip	

Pointed Nose

Qty

Soft Grip

405mm

- Blade Size 450mm x 115mm x 0.70mm
- Carbon Steel Blade
- · Ergonomic Soft Grip Offset Handle
- Laser Etched Blade

Pointed Finishing Float

Pointed Finishing Float

Cement Edger







Handle

Timber

Handle

Soft Grip

Qty

Qtv

Part No	Тур
SJ-PF500	Poin
 Pointed Nos 	se

· Carbon Steel Blade

· Laser Etched Blade

nted Finishing Float

Blade Size 500mm x 115mm x 0.70mm

· Ergonomic Soft Grip Offset Handle

Soft Grip

500mm

Pack Qty

Part No

Type SJ-PF600 Pointed Finishing Float 600mm

- Pointed Nose
- Blade Size 600mm x 115mm x 0.70mm
- Carbon Steel Blade
- Ergonomic Soft Grip Offset Handle
- Laser Etched Blade

- Blade Size 150mm x 75mm x 1.25mm
- 10.8mm Radius

Part No

Pack Qty

Soft Grip

- · Stainless Steel Blade
- Timber Handle
- · Laser Etched Blade

Cement Edger

Soft Grip Handle



Cement Groover

Timber Handle



Cement Groover

Soft Grip Handle



0

0	Туре	Size	Handle
10	Cement Edger	150mm	Soft Grip

- Blade Size 150mm x 75mm x 1.25mm
- 10 8mm Radius

Part No

- Stainless Steel Blade
- · Ergonomic Soft Grip Handle
- Laser Etched Blade



art No	Туре	Size	Handle	
1 245	Comont Croover	155mm	Timbor	

Blade Size 155mm x 76mm x 1.27mm	
----------------------------------	--

- Groove Depth 9mm
- Stainless Steel Blade
- Timber Handle

Qty

Laser Etched Blade



4				1
4	H	0 0	INCK DOM	

SJ-541	Cement Groover	155mm
Blade Size	155mm x 76mm	x 1 27mm

Groove Depth 9mm

- Stainless Steel Blade
- · Ergonomic Soft Grip Handle
- Laser Etched Blade

BUILDERS' TOOLS cement tools

Hardwood Float

Hardwood Float







Qty

12

Qtv

6

Plastic

Plastic

465mm

Part No	тур
SJ-210SF	Har

- rdwood Float
- Kiln Dried Hardwood Blade • Base Size 365mm x 112mm x 20mm
- · Comfortable Plastic Handle
- Engraved Logo

١			
1			

Plastic

365mm

- Type SJ-220SF Hardwood Float
- · Kiln Dried Hardwood Blade
- Base Size 450mm x 112mm x 20mm
- Comfortable Plastic Handle
- Engraved Logo

Part No	Туре
CLOOCE	Hardwood

- · Kiln Dried Hardwood Blade Base Size 465mm x 50mm x 20mm
- · Comfortable Plastic Handle
- Engraved Logo

Qty

Plastic

450mm

Pine Float

Pine Float



Pine Float





Pine Timber Blade

- Base Size 270mm x 95mm x 20mm
- Comfortable Plastic Handle
- Engraved Logo

-	O ACRE	18.0	-	
				1
				9

375mm

Plastic

SJ-50103 Pine Float Pine Timber Blade

Qty

10

- Base Size 375mm x 115mm x 20mm
- · Comfortable Plastic Handle
- Engraved Logo

Size

605mm

- SJ-50104 Pine Float Pine Timber Blade
- Base Size 605mm x 115mm x 20mm

Type

- Comfortable Plastic Handle
- Engraved Logo

Magnesium Float

Magnesium Float

Cement Sheet Cutter



410mm

270mm





SJ-MF410	Magnesium Float	410
DI 1 01	440	_

- Blade Size 410mm x 80mm x 6-8mm
- · Off Set Handle



Qty

SJ-MF510

































Cutting Depth

Soft Grip

Qty 10

- Blade Length 80mm
- Cutting Depth 10mm
- Carbon Steel Head
- Strong Tubular Steel Handles
- · Ergonomic Soft Grip Handles

Plastic

- Lightweight Magnesium Alloy Blade
- · Comfortable Plastic Handle


• Blade Size 510mm x 80mm x 6-8mm

• Lightweight Magnesium Alloy Blade

BUILDERS' TOOLS

cement tools

Kneeler Board



Part No	Туре	Size	Handle	Pack Qty
SJ-KB	Kneeler Board	350mm x 480mm	Plastic	12

- · Kneeler Board for Concreters
- One Piece Poly Tray with Handles
- Memory Foam for Maximum Comfort
- Used for Kneeling on Concrete Pads When Doing Finishing Work.



Concrete Rake



- · Aluminium Head Shaped for Use
- Aluminium Handle for Balance of Weight and Strength
- Strong Aluminium Stays for Extra Support
- Designed For Shifting Wet Concrete Prior To Finishing
- Handle Length 1500mm


Straight Edges



• 20 X 70mm Profile


Screeds

- Fluted Profile Easy to Grip Extrusion Design
- High Quality Extruded Aluminium
- · Easy to Clean Powder-Coated Finish



Part No	Туре	Size	Pack Qty
SJ-SC12	Aluminium Concrete Screed	1200mm	4
SJ-SC15	Aluminium Concrete Screed	1500mm	4
SJ-SC18	Aluminium Concrete Screed	1800mm	4
SJ-SC21	Aluminium Concrete Screed	2100mm	4
SJ-SC24	Aluminium Concrete Screed	2400mm	4
SJ-SC27	Aluminium Concrete Screed	2700mm	4
SJ-SC30	Aluminium Concrete Screed	3000mm	4
SJ-SC36	Aluminium Concrete Screed	3600mm	4

- Reversible Clamped Handle
- Ergonomic Grip Handle
- Easy To Clean Powder-Coated Finish
- Cutting and Pushing Edge Positioned for Comfort Profile Size 40 X 50Mm



Ergonomic Aluminium Grip Handle Strong Metal OSPEAR & JACKSON **Clamps Heavy Duty** Structural Alloy

Replacement Screed Handle with Vial




BUILDERS' TOOLS


cement tools



Designed for professionals and DIY users alike the Spear & Jackson Hopper Gun is ideal for initial coats of concrete floors, cinder block walls, stucco ceilings and exterior walls.

Capable of using heavy texture materials the Spear & Jackson Hopper Gun is lightweight and easy to use. Spare Parts available below.





Lightweight Plastic

Hopper Gun

· Lightweight Plastic Hopper with Grip

Hopper Gun

- 45 Degree Elbow to Prevent Spillage
- · Adjustable Nozzle
- · Contoured Comfort Trigger
- Hanging Hoop

 Material Flow Adjustment Air Regulator

SJ-HG401

Hoe - Mortar

Long Timber Handle



Ideal	For Q	uick M	ixing Of	Brick,	Plaster,	Mortar	&

420mm x 200mm

Mortar Hoe

- Small Quantities Of Concrete · Powder Coated Carbon Steel Head
- Long Timber Shaft

SJ-MH1

Qtv

FSC Certified Timber

Square Mouth

All Steel D-Handle



Part No	Туре	Head Size	Pack Qty
SJ-WS350	Square Mouth	300mm x 255mm	6

- Ideal For Shovelling / Mixing Soils, Sand & Concrete
- All Steel Construction
- Extra Long 30" Handle for Extra Reach
- All Metal D-Handle

Square Mouth

All Steel Long Handle




Ideal For Shovelling /	Mixing Soils,	Sand & Concrete

- All Steel Construction
- Long Handle with Soft Grip End Cap
- Overall Length1240mm



Designed for professionals and DIY users alike, this range of Tiling Tools has been built to the same exacting standards of all Spear & Jackson products.

A range of floats and accessories produced using innovative manufacturing techniques to give durable, well finished product that can be used every day by the professional and home handyman alike.




Notched Float



Part No	Туре	Notch Size	Handle	Pac Qt
SJ-585	Notched Float	6mm	Soft Grip	
SJ-585/8	Notched Float	8mm	Soft Grip	
SJ-585/10	Notched Float	10mm	Soft Grip	
SJ-585/12	Notched Float	12mm	Soft Grip	
• Plada Ciza 3	000mm v 112mm			

- · Carbon Steel
- Aluminium Tang
- Ergonomic Soft Grip Handle

Adhesive Spreader



Part No	Туре	Notch Size	Handle
EM-TC0112	Adhesive Spreader	6mm	Plastic
	Adhesive Spreader	8mm	Plastic
	Adhesive Spreader	10mm	Plastic

- Blade Size 160mm x 110mm x 0.43mm
- · Comfortable Plastic Handle

Adhesive Spreader



3mm, 5mm,

6mm & 10mm

Plastic

48

i di tito	Type
EM-TC0516	Adhesive Spreader

- Blade Size 180mm x 140mm x 1.81mm
- Mutiple Notch Sizes

24

Durable Plastic Contruction

Grouting Float



Grout Spreader



EM-TC0115 Grout Spreader 200mm x 40mm x 17mm Timber

EM-TC0114 Grout Spreader 300mm x 40mm x 17mm Timber

• Handle Size EM-TC0115 200mm x 45mm x 17mm

• Handle Size EM-TC0114 300mm x 45mm x 17mm

Grout Remover



Part No	Туре	Handle Size	Handle	Pack Qty
EM-TC0515A	Grout Remover	190mm x 25mm x 20mm	Plastic	12

Total Length 215mm

Qty

12

12

Pack Qty

Pack Qty

- Carbide Coated Blade
- Ergonomic Plastic Handle

- Qty EM-TC0120 Grouting Float 270mm x 80mm x 15mm Plastic 12
- One Piece Plastic Handle & Body
- · Pointed Tip for doing Corners

Glass Cutter

Plastic Body



Clear Plastic

EM-TC0346

- Clear Plastic Body
- Oil Lubricated
- Tungsten Carbide Cutting Wheel

Glass Cutter

Glass Breaker End

Glass Cutter

Metal Body

Rubber Blade

• Timber Handle



Metal

EM-TC0347 Glass Cutter

- One Piece Metal Construction
- Tungsten Carbide Cutting Wheel · Glass Breaker End

Soft Grip Handle

Scoring Cutter



Part No	Туре	Handle	Pack Qty
EM-TC0331	Scoring Cutter	Plastic	12

- Tungsten Carbide Tipped
- Ergonomic Plastic HandleBlade Angled for Ease of Use

Tile Cutter

Metal Body



Metal

EM-TC0345 Tile Cutter

- Two Piece Metal Body Tungsten Carbide Tipped as One End
- Tile Breaker

Circular Tile Cutter



Part No	Туре
EM-TC0307	Circular

Circular Tile Cutter 20mm - 94mm

- Plastic Cage
- Cage Prevents Spread of Chips
- Suitable for Cutting Large Diameter Circular Holes

Mechanical Tile Cutter



Part No	Туре
EM-TC0920	Mechanical Tile Cutt
M-TCW1515T	Spare Cutting Whee

- Tungsten Carbide Cutting Wheel
- · Maximum Thickness of Cut 15mm
- Maximum Length of Cut 400mm

400mm

Tile Piler

Tile Hole Cutter

Tile Nipper







	ar	t N	0		
1	ЕМ	-т	cc)10	3

Tile Piler

200mm

Туре

Tile Hole Cutter

Pack Qty

EM-TC0106

Туре Tile Nipper

200mm

Qty

10

- Carbon Steel Handles
- Tungsten Carbide Cutting Wheel
- Comfort Grip Handles

- Drop Forged Carbon Steel Body
 - For Cutting Holes in Tiles
 - Comfort Grip Handles
 - Hardened Head

EM-TC0108

- Drop Forged Carbon Steel BodyFor Straight Cuts
- Comfort Grip Handles


Tile Borer



Tiling Sponge



Contour Gauge



150mm

EM-TC0306 Tile Borer

Metal

Pack Qty 10

SJ-STS

· Peanut Shaped for Ease of Use

• Size 220mm x 115mm x 70mm

Tiling Sponge

Qtv 220mm x 115mm x 70mm

- EG-200CG Contour Gauge
- Used to Duplicate Shapes and Form
- All Metal Contruction
- · Connecting Plate for Joining Additional Gauges

Caulking Gun Premium - Half Barrel Frame

· Suitable for Cutting Small Diameter Circular Holes • Fits to Power Drill

Caulking Gun

Half Barrel Frame

Caulking Gun





Part No EG-221

Hang Hook

Caulking Gun - Open Frame Metal

Pack Qty

Part No

SJ-PCG

Caulking Gun - Premium Metal

225mm

- Half Barrel Frame
- · Strong Contoured Trigger

EG-220 Caulking Gun - Half Barrel Frame

220mm

Pack Qty

36

Strong Contoured Trigger

- Premium Quality
- Half Barrel Frame
- Hang Hook
- Strong Contoured Trigger



- **Spacer Plastic**

art No	Туре	Size	Pack Qty	Part N
J-T808015	Plastic Spacer - Wedge	1-5mm	12	SJ-T

- Wedge Shape 1-5mm
- 250 Pieces per Pack
- One Piece Moulded Plastic
- · Hardened for Extra Strength

Spacer Plastic

art No	Туре	Size	Pack Qty
LI-TROROST	Plastic Spacer - T Shape	3mm	24

- T Shape 3mm
- 250 Pieces per Pack
- One Piece Moulded Plastic
- . Hardened for Extra Strength

- Available in 32mm/50mm/75mm/100mm/150mm
- Carbon Steel Flexible Blade
- Plastic Handle
- · For applying joint fillers, patching, scrapping jobs and trimming wall papers
- Available in 25mm/50mm/75mm/100mm
- Stainless Steel Stiff Blade
- Rosewood Timber Handle
- · For applying joint fillers, patching, scrapping jobs and trimming wall papers

Putty Knife



Part No	Туре	Blade Size F
EG-665P	Putty Knife	50mm

- Carbon Steel Polished Handle
- Shaped Plastic Handle
- Used to Work Putty Around the Edges of Glass Panes

Spacer Plastic



Part No	Туре	Size	Pack Qty
EM-TC0511	Plastic Spacer - Cross Shape	2mm	12
EM-TC0512	Plastic Spacer - Cross Shape	3mm	12
EM-TC0513	Plastic Spacer - Cross Shape	4mm	12
EM-TC0514	Plastic Spacer - Cross Shape	5mm	12

- Cross Shape 2mm, 3mm, 4mm, 5mm
- 250 Pieces per Pack
- One Piece Moulded Plastic
- · Hardened for Extra Strength

Floor Scrapers



Part No	Туре	Blade Size	Handle	Pack Qty
SJ-FS200	Floor Scraper	200mm	Steel T-Frame	3
SJ-FS300	Floor Scraper	300mm	Steel T-Frame	3
SJ-FS356	Floor Scraper	356mm	Steel T-Frame	3
SJ-FS356T	Floor Scraper	356mm	Timber	3
SJ-FS500	Floor Scraper	500mm	Steel T-Frame	3

- Available in 200mm/300mm/356mm/500mm
- Replaceable Carbon Steel Blade
- · Strong Steel Blade Holder with Butterfly Nuts





Tubular Steel T-Frame Handle to Prevent Bending or Breaking when in use Available with 200mm / 300mm / 365mm & 500mm Blades

Spare Scraper Blades




Part No	Туре	Blade Size	Pack Qty
SJ-FS200B	Floor Scraper Blade	200mm	10
SJ-FS300B	Floor Scraper Blade	300mm	10
SJ-FS356B	Floor Scraper Blade	356mm	10
SJ-FS500B	Floor Scraper Blade	500mm	10

- Available in 200mm/300mm/356mm/500mm
- . Blade to suit Floor Scraper

RAGNI tools

PLASTERING TOOLS CONCRETING TOOLS RENDERING TOOLS TILING TOOLS

Since 1962 RAGNI proudly delivers unbeatable value for money to professional trademans around the world. All products are protected with a thin layer of transparent lacquer to prevent rust. The ergonomic handle shapes offer optimal comfort to professional users, the unique design maximizes grip, never slips or twists on its tang





Ragni Handle Types



Easi-Grip - The Bl-Material Easi-Grip handle is ergonomically designed for the most comfortable feel. The technopolymer coating reduces wrist strain during prolonged use by filtering blade vibrations. Research indicates the Ragni Easi-Grip is preferred by professional plasterers.



Super Lite - Thanks to its ABS handle, the Super Lite Ragni Floats are more then 40% lighter then traditional floats but assures up to 80% of their strength. The increase flexibility and lightweight make it the optimal choice for DIY applications.



Standard ABS - The Standard ABS handle is designed to cater both the professional and DIY user. The one piece plastic handle is very durable and features finger grips to prevent slipping. Its ergonomic design and lightweight make it a perfect choice for any professional or DIY application.

pricing.

RAGNI builders tools








Carbon Steel

RA-230

Plastering Float

Carbon Steel Lightweight Blade

- Blade Size 280mm x 120mm x 0.60mm
- · Ergonomic Offset Superlite Handle
- Laser Etched Blade



Plastering Float

Carbon Steel

ARS

Plastering Float



Stainless Steel

Plastering Float



RA-318 Plastering Float

· Carbon Steel Lightweight Blade

• Blade Size 280mm x 120mm x 0.60mm

High Quality ABS Handle

· Laser Etched Blade

Part No

Qty

Qtv

6

Super Lite

RA-318S Plastering Float

Stainless Steel Lightweight Blade

Blade Size 280mm x 120mm x 0.60mm

· Ergonomic Offset Superlite Handle

Laser Etched Blade

RA-318C Plastering Float Curved Carbon Steel

ARS

Qty

- · Curved Carbon Steel Blade
- Blade Size 280mm x 120mm x 0.60mm
- · High Quality ABS Handle
- Laser Etched Blade

Plastering Float

Plastering Float

Plastering Float



Carbon Steel

Plastering Float

· Carbon Steel Lightweight Blade • Blade Size 280mm x 120mm x 0.60mm

· Ergonomic Soft Grip Handle

· Laser Etched Blade



Туре


RA-418S Plastering Float

Stainless Steel Lightweight Blade

Blade Size 280mm x 120mm x 0.60mm

• Ergonomic Soft Grip Handle

· Laser Etched Blade



RA-418L Plastering Float

Qty

· Stainless Steel Lightweight Blade

• Blade Size 360mm x 120mm x 0.60mm

· Ergonomic Soft Grip Handle

· Laser Etched Blade

RAGNI builders tools



Notched Float

Splatter Gun

Plasterers Hawk



Blade Type

Super Lite



Body Material

Plastic

Metal



Part No	Туре	Blade Type	Handle	Pacl Qt
RA-900	Plasterers Hawk	Aluminium	Easi-Grip	3

- RA-231 Notched Float Carbon Steel Blade Size 280mm x 120mm x 0.60mm
- Notch Size 4.44mm x 8.25mm

Type

- Handle Bonded to Blade
- Ergonomic Offset Superlite Handle
- Laser Etched Blade

Splatter Gun · Used for Rendering And Stipple Finishes

Type

- Replacement Combs Available Separately
- Steel Body

RA-SG

Ergonomic Plastic Handles

Aluminium Blade

ack Qty

12

Blade Size 300mm x 300mm

· Ergonomic Soft Grip Handle



Concreting Float

Concreting Float

Rendering Float

Rendering Float



Blade Type

Carbon Steel

ABS





Plastic

Super Lite

RA-325			Cor	ncrete Float	t
_		۵.			

- · Carbon Steel Blade Finishing Float
- Blade Size 360mm x 100mm x 0.86mm
- High Quality ABS Handle
- Laser Etched Blade

- Pack Qty
- Part No Type

Finishing Float

· Carbon Steel Blade

Laser Etched Blade

RA-425 Concreting Float

• Ergonomic Soft Grip Handle

Blade Size 360mm x 100mm x 0.86mm

- - Blade Type Carbon Steel
- Fasi-Grip









Laser Etched Blade

Rendering Float

Plastic Blade 3mm thick

Blade Size 280mm x 120mm

Ergonomic Offset Superlite Handle

RA-320

TRULINE builders tools

Since 1947 Harvie Morris Pty Ltd - an Australian family business have produced and sold thousands of plastering and cementing tools in Australia and overseas.

All Truline premium trowels (except stainless) are manufactured from a superior grade manganese alloy steel formulated for high tensile strength, flexibility and long life.







Shanks - are made from a silicon magnesium aluminium alloy scientifically heat treated to exacting specifications to provide a tensile strength of 10 tons per square inch. This is the lightest, most rigid yet resilient shank, ever produced for a plasterers' trowel.



Handles - have been designed with on the job Tradesmen to a comfortable banana shape and made with a soft grip moulding and securely held with a non-rusting adjusting nut.



Blades - are made from hardened and tempered tungsten chrome alloy steel, produced to our own specifications by Sheffield's largest steelmaker. Blades are hand riveted and ground and every trowel is individually tested for trueness and finish.

Plastering Float 200mm

Plastering Float 200mm

Plastering Float 200mm

Plastering Float 200mm









Part No	Туре	Blade Type
TD CASOO	Diagtoring Float	Carina Ctaal

- · Lightweight Spring Steel Blade
- Designed for General Purpose Use
- Blade Size 200mm x 117mm x 0.71mm
- Magnesium Alloy Cast Tang
- Plastic Handle

- TA-CB200 Plastering Float Spring Steel
- Extra Lightweight Spring Steel Blade . Lightweight & Flexible For A Fine Finish
- Blade Size 200mm x 117mm x 0.46mm
- Magnesium Alloy Cast Tang
- Plastic Handle

Qty

Pack Qty

Type TR-CC200 Plastering Float Spring Steel

- · Lightweight Spring Steel Blade Curved Blade Designed for Wallboard Jointing
- Blade Size 200mm x 117mm x 0.71mm
- Magnesium Alloy Cast Tang
- Plastic Handle



- Lightweight Spring Steel Blade
- Bowed Blade Designed for Wallboard Jointing
- Blade Size 200mm x 117mm x 0.71mm
- Magnesium Alloy Cast Tang
- Plastic Handle

TRULINE plastering tools

Plastering Float - 200mm Plastering Float - 200mm

Sponge Float





Handle

Plastic



Part No	Туре	Blade Type	Handle
TR-TK280	Sponge Float	Sponge	Plastic

- . Tempered Masonite Hardboard Backing Blade Size 265mm x 115mm x 17mm

Replacement Sponge

Part No Pack Otv TR-TK001



25

Blade Type

Stainless Steel

Bust Besistant Stainless Steel Blade

- Plastering Float . Designed for Plastering & Wallboard Jointing
- Blade Size 200mm x 117mm x 0.61mm
- · Magnesium Alloy Cast Tang
- Plastic Handle

TR-CG200

Plastering Float - 280mm

Curved Blade Designed for Plastering & Wallboard Jointing

Stainless Steel

Plastering Float - 280mm



Plastering Float - 280mm





TR-CA280	Plastering Float

- Lightweight Spring Steel Blade
- · Designed for General Purpose Use
- Blade Size 280mm x 117mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Plastic Handle

- TR-CB280 Plastering Float Spring Steel
- Extra Lightweight Spring Steel Blade
- · Extra Lightweight & Flexible For A Fine Finish Blade Size 280mm x 117mm x 0.46mm
- . Magnesium Alloy Cast Tang
- Plastic Handle

Part No

TR-CGC200 Plastering Float

· Magnesium Alloy Cast Tang

Plastic Handle

Rust Resistant Stainless Steel Blade

Blade Size 200mm x 117mm x 0.61mm

Qtv

5

Spring Steel

Plastic

- TR-CC280 Plastering Float
- · Lightweight Spring Steel Blade Curved Blade Designed for Wallboard Jointing
- Blade Size 280mm x 117mm x 0.71mm
- . Magnesium Alloy Cast Tang
- Plastic Handle

Plastering Float - 280mm

Spring Steel

Plastic

Plastering Float - 280mm

Plastering Float - 280mm







SPECIAL ORDER ONLY

Part No	Туре	Blade Type	Handle	Q
TR-CD280	Plastering Float	Alloy Steel	Plastic	

- · Heavy Duty Spring Steel Blade
- Durable Designed for Longer Life
- Blade Size 280mm x 117mm x 0.81mm
- · Magnesium Alloy Cast Tang
- Plastic Handle

- TR-CF280 Plastering Float
- · Lightweight Spring Steel Blade

Туре

- Blade Size 280mm x 117mm x 0.71mm
- . Magnesium Alloy Cast Tang
- Plastic Handle

Blade Type	Handle	Pa
Spring Steel	Plastic	

- TR-CG280 Plastering Float
- Bowed Blade Designed for Wallboard Jointing

•	Rus	t Res	is	star	ιt	Sta	ain	less	S	t	e	е	l Blade	Э

- Designed for Plastering & Wallboard Jointing
- Blade Size 280mm x 117mm x 0.61mm
- · Magnesium Alloy Cast Tang
- Plastic Handle

TRULINE plastering tools

Plastering Float - 280mm Plastering Float - 280mm



Plastering Float - 280mm





Part No	Туре	Blade Type	Handle	Pack Qty
TR-CGC280	Plastering Float	Stainless Steel	Plastic	5

- Bust Besistant Stainless Steel Blade
- Curved Blade Designed for Plastering & Wallboard Jointing
- Blade Size 280mm x 117mm x 0.61mm
- · Magnesium Alloy Cast Tang
- Plastic Handle



art No	Туре	Blade Type
R-PP129	Plastering Float	Spring Steel

- · Lightweight Spring Steel Blade
- · Designed for General Purpose Use
- Blade Size 280mm x 117mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Soft Grip Handle



Spring Steel

Soft Grip

TR-PP139	Plastering Float

Pack Qty

Soft Grip

- · High Grade Spring Steel Blade · Extra Lightweight & Flexible For A Fine Finish
- Blade Size 280mm x 117mm x 0.46mm
- Magnesium Allov Cast Tang
- Soft Grip Handle

Plastering Float - 355mm

Plastering Float - 355mm

Plasterers Hawk





Blade Type

Spring Steel

Soft Grip

TR-CA355	Plastering Float
	0 : 0: 18: 1

- Lightweight Spring Steel Blade
- · Designed for General Purpose Use
- Blade Size 355mm x 100mm x 0.71mm
- Magnesium Allov Cast Tang
- Soft Grip Handle



Duct	Do	cictont	Ctainle	200	Ctool	Dlada

- Blade Size 355mm x 117mm x 0.61mm
- Stainless Steel Soft Grip
- · Designed for Plastering & Wallboard Jointing
- Magnesium Allov Cast Tang

TR-CG355 Plastering Float

Soft Grip Handle



Blade Type

Aluminium

TR-TM305 Plasterers Hawk

- Liahtweiaht Hardened Aluminium
- Blade Size 300mm x 300mm

Type

Timber Handle

Plastering Float - 355mm

Plastering Float - 355mm

Plastering Float - 355mm



Spring Steel





Blade Type

SPECIAL ORDER ONLY

TR-PP169	Plastering Float
 Lightweight 	Spring Steel Blade

Туре

- Designed for General Purpose Use
- Blade Size 355mm x 117mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Soft Grip Handle

- - Type
 - TR-PP179 Plastering Float

 - · High Grade Spring Steel Blade
 - Soft Grip Handle

 - . Magnesium Alloy Cast Tang

 - Extra Lightweight & Flexible For A Fine Finish

 - Blade Size 355mm x 117mm x 0.46mm
- Rust Resistant Stainless Steel Blade

Type

TR-PP189 Plastering Float

- Designed for Plastering & Wallboard Jointing
- Blade Size 355mm x 117mm x 0.61mm
- Magnesium Allov Cast Tang
- Soft Grip Handle

TRULINE plastering tools

External Corner Trowel

External Corner Trowel



External Corner Trowel







8mm

Part No	Туре	Blade Type	Corner Radius	Pac Qt
TR-SS047	External Corner Trowel	Stainless Steel	5mm	
TR-SS048	External Corner Trowel	Stainless Steel	8mm	
Stainless St	eel Blade			

- Blade Size 65mm x 25mm x 25mm
- Rounded Outer Edge
- Timber Handle

ty		
5		
_		

- TR-SS049 External Corner Trowel Stainless Steel
- · Stainless Steel Blade Blade Size 65mm x 50mm x 50mm
- Rounded Outer Edge
- Timber Handle

Part No

Parti	NO	Туре	blade Type
TR-S	S050	External Corner Trowel	Stainless Steel

Qtv

- Stainless Steel Blade
- Blade Size 65mm x 50mm x 50mm
- Rounded Outer Edge
- Timber Handle

Internal Corner Trowel

Internal Corner Trowel

External Corner Trowel





Part No	Туре	Blade Type	Handle	Paci Qt
TR-TF001	Internal Corner Trowel	Carbon Steel	Timber	

- · High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- Square Internal Corner Radius
- Square Outer Edge Timber Handle



SPECIAL ORDER ONLY

Part No	Туре	Blade Type	Corner Radius	Pack Qty
	Internal Corner Trowel Internal Corner Trowel	Carbon Steel Carbon Steel	5mm 8mm	5

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- Rounded Outer Edge



	1 don
Pai	Qty
TE	5
IH	5

R-TG001 External Corner Trowel Carbon Steel

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm · Square External Corner Radius
- Square Outer Edge
- Timber Handle

External Corner Trowel

External Corner Trowel

External Corner Trowel







SPECIAL ORDER ONLY

13mm

Carbon Steel

SPECIAL ORDER ONLY

art No	Туре	Blade Type	Corner Radius
R-TG005	External Corner Trowel	Carbon Steel	5mm

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- 5mm Corner Radius
- Rounded Outer Edge
- Timber Handle
- Timber Handle

SPECIAL ORDER ONLY

Part No	Туре	Blade Type	Corner Radius	F
TR-TG008	External Corner Trowel	Carbon Steel	8mm	

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- 8mm Corner Radius
- · Rounded Outer Edge

lade Type	Corner Radius	Pack Qty
arbon Steel	8mm	Ę

9	Radius	Qty
el	8mm	5

- · High Carbon Steel Blade

TR-TG013 External Corner Trowel

- Blade Size 75mm x 55mm x 55mm
- 13mm Corner Radius
- · Rounded Outer Edge
- Timber Handle

TRULINE concreting tools

Cement Groover



SPECIAL ORDER ONLY

Part No 1	уре	Blade Size	Blade Thickness	Pack Qty
TR-CIG1	Cement Groover	150mm x 75mm	4.7mm	5
TR-CIG2	Cement Groover	210mm x 75mm	6.7mm	5

- Cast Iron Blade
- Groove Depth TR-C1G1-(14mm), TR-C1G2-(19mm)
- Timber Handle

Cement Edger



Part No	Туре	Blade Size	Depth	Pa C
TR-ER511**	Cement Edger	150mm x 60mm	13mm	
TR-ER521**	Cement Edger	150mm x 60mm	25mm	
TR-ER611	Cement Edger	150mm x 75mm	13mm	
TR-ER621**	Cement Edger	150mm x 75mm	25mm	
 Carbon Steel E Handle Diame Radius 13mm Metal Handle 	ter 22.86mm			

Cement Edger



Part No	Туре	Blade Size	Radius	Pack Qty
		150mm x 75mm x 13mm 150mm x 95mm x 25mm	13mm 13mm	5 5

- Stainless Steel Blade
- Metal Handle

Cement Edger



TR-SC021 Cement Edger 150mm x 75mm x 1.7mm 13mm

TR-EL661 Cement Edger 150mm x 75mm x 13mm 75mm

TRULINE Concreting Tools

- SPECIAL ORDER ONLY

A range of floats and accessories produced using innovative manufacturing techniques to give durable, well finished product that can be used every day by the professional and home handyman alike.

Concreting Float 450mm



SPECIAL ORDER ONLY

Part No	Туре	Blade Type	Handle	Pack Qty
TR-CA450	Concreting Float	Spring Steel	Plastic	5
5 5	Spring Steel Blade			

- · Designed for General Purpose Use
- Blade Size 450mm x 117mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Plastic Handle

Coving Tool External Corner

High Carbon Steel Blade

Metal Handle

• Handle Diameter 22.86mm

-- SPECIAL ORDER ONLY



SPECIAL ORDER ONLY

Part No	Туре	Blade Type	Depth	Pac Qt
TR-EC661	Coving Tool	Carbon Steel	75mm	

- High Carbon Steel
- Blade Size 150mm x 75mm x 1 6mm
- 13mm External Radius

Floor Scraper

Pack Qty



Part No	Туре	Blade Size	Handle	Pack Qty
TR-FS150**	Floor Scraper	150mm x 117mm	Timber	5
TR-FS200	Floor Scraper	200mm x 117mm	Timber	5
TR-FS300	Floor Scraper	300mm x 117mm	Timber	5
TR-FS356	Floor Scraper	356mm x 117mm	Timber	3
TR-FS500	Floor Scraper	500mm x 117mm	Timber	3
4.50	(000 (000	/ 500		

- 150mm/200mm/300mm/356mm/ 500mm
- Spring Steel Blade
- Blade Width 117mm (W) x 22 Gauge (Thickness)
- Timber Handle 32 Diam x 1120mm Long Lacquered Meranti Batu

-- SPECIAL ORDER ONLY

Floor Scraper Blades



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pack Qty
TR-BLSC20	Floor Scraper Blade	200mm x 117mm	10
TR-BLSC30	Floor Scraper Blade	300mm x 117mm	10
TR-BLSC356	Floor Scraper Blade	356mm x 117mm	10
TR-BLSC500	Floor Scraper Blade	500mm x 117mm	10

- 200mm/300mm/356mm/ 500mm
- To Suit TR-FS range
- Spring Steel Blade

SPECIAL ORDER ONLY

TRULINE brickwork tools

TRULINE **Brickworking** Tools

Through a combination of advanced technologies, optimum design and a commitment to quality, we are able to offer a comprehensive range of Plastering and Drywall tools for the Professional and DIY user alike.

Tuck Pointer



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
TR-TE010	Tuck Pointer	90mm x 13.2mm	Timber	5

- Stainless Steel Blade
- Blade Thickness 2.07mm
- Timber Handle
- 10mm Diameter





SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pack Qty
TR-TD013	Window Trowel	120mm x 13mm	5
TR-TD019	Window Trowel	120mm x 19mm	5
TR-TD025	Window Trowel	120mm x 25mm	5

Spring Steel Blade

Timber Handle

Brick / Block Jointers

SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pack Qty
TR-TS010	Brick Jointer	150mm x 10mm	10
TR-TU010	Block Jointer	350mm x 10mm	10
TR-TU013	Block Jointer	350mm x 13mm	10
TR-TU016	Block Jointer	350mm x 16mm	10
Carbon Ctool			

- · Profile: Round

Joint Raker



SPECIAL ORDER ONLY

Part No	Туре	Wheel Diameter	Material	Pack Qty
TR-TR001	Roller Raker	38.5mm	Plastic	20

- Moulded Plastic
- Wheel Diameter 38.5mm
- Adjustable Nail Height

Splash Trowel



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
TR-TH150	Splash Trowel	150mm x 100mm x 1.6mm	Timber	5
Spring SteelTimber Hand				

Margin Trowel



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
TR-TC065	Margin Trowel	120mm x 65mm x 1.1mm	Timber	5

- Spring Steel Blade
- Timber Handle

Moulders Trowel



		SPECIAL ONL	EH UI	WL.
Part No	Туре	Blade Size	Handle	Pack Qty
TD MT710	Mouldorn Trowal	175mm v 25mm v 1 10mm	Timbor	-

- · Tapered Spring Steel Blade
- Timber Handle

Cabinet Scrapers



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pack Qty
ΓR-TW125	Cabinet Scraper	125mm x 75m	25
ΓR-TW150	Cabinet Scraper	150mm x 75mm	25

- Spring Steel Blade
- · Designed for Woodworking, Shaping & Finishing



AIR TOOLS

2015

STAPLERS, NAILERS, STAPLES & NAILS

BLOW GUNS & TYRE INFLATORS

SPRAY GUNS, KITS & ACCESSORIES

AIR HOSES & FITTINGS



CONTACT US: Ph: 1300 731 818 Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au











AIR TOOLS

2015

The Spear & Jackson Air Tool Range consists of a comprehensive and detailed range of blow guns, tyre inflators, staplers, nailers, spray guns, air hose, fittings and much more. This range introduces new products and designs capable of servicing both the D.I.Y and professional user.

With over 20 years of experience, Spear & Jackson Air offers the ideal range for any hardware retailer.



Blow Guns / Tyre Inflators & Oils

Blow Guns - Plastic / Metal & Tyre Inflators	103
Air Tool / Compressor Oils	103
Mini Filter Regulator	103

Staplers, Bradders & Nailers

80 Series Stapler	104
C1 Bradder	104
Narrow Crown Stapler	104
C Bradder	104
Angle Bradder	105
Framing Nailer	105
Coil Nailer	105

Kits & Accessories

Inflation Kits & Air	Tool Starter Kits	106
----------------------	-------------------	-----

Spray Guns

Gravity Feed Spray Guns & Kits	107
Suction Feed Spray Guns	107
General Purpose Spray Guns	107
In Line Moisture Trap	107

Air Hose & Fittings

Recoil Air Hose	108
Air Hose 10M & 20M	108
Hose Repair Kit	108
Fittings General, Ryco Style, Jamec Style & Nitto Style	108-109

Staples, Brads & Nails

80 Series Staples	110
Narrow Crown Staples	110
C1 Brads	110
C Brads	110
Angle Brads	110
Framing Nails	110

AIR TOOLS blow guns, tyre inflators & oils

Blow Gun

Part No Type Air Inlet Size Qt
PA-AA5006 Plastic Blow Gun 1/4 inch



Ideal for - General cleaning, drying, dusting and multiple workshop tasks.

- Moulded Plastic Body
- Contoured Grip
- BSP Threaded Inlet
- Alloy Outlet Tube

Blow Gun - Metal

PA-BGM Metal Blow Gun 1/4 inch

Ideal for - General cleaning, drying, dusting, some inflating and multiple workshop tasks.

- Cast Alloy Body
- Contoured Grip
- BSP Threaded Inlet
- 3 Sizes Alloy Nozzle 25mm,100mm, 150mm

Blow Gun Inflation Kit

Part No Type Air Inlet Size
PA-BGIK Blow Gun Inflation Kit 1/4 inch

Ideal for - Multiple inflation, cleaning, drying, dusting and general workshop tasks.

- · Cast Metal Body
- Trigger Grip
- BSP Threaded Inlet
- 4 Sizes Inflation Needles (Lengths 20, 50, 78 & 100mm)

Tyre Inflator

 Part No
 Type
 Air Inlet Size
 Pack Otty

 PA-AA6000
 Tyre Inflator
 1/4 inch
 6



Ideal for - Automobile tyres, bicycle tyres and most other inflation applications

- Cast Alloy Body
- Overfill Release Button
- Moulded Grip
- BSP Style Inlet Plug
 Face To Bood Course
- Easy To Read Gauge
- Flexible Hose






Ideal for - Automobile tyres, farm equipment, bicycle tyres and most other inflation applications

- Alloy Body
- Overfill Release Button
- Moulded Grip
- BSP Style Inlet PlugEasy To Read Gauge
- Flexible Hose

Flexible & Durable Rubber Hose



Allows for easy connection to automotive tyres and other large inflation jobs

Air Tool Oil

 Part No
 Type
 Size
 Pack Qty

 CA-ATO
 Air Tool Oil
 1 Litre
 6



Ideal for - lubricating air operated equipment.

- Suitable for Lubrication of Nailers, Staplers & Air Tools
- Can be Used with In Line Oilers

Air Compressor Oil

 Part No
 Type
 Size
 Pac Qt

 CA-CAP721-04
 Air Compressor Oil
 1 Litre



Ideal for - lubricating air compressors

• Oil Is Suitable for Most Types Of Air Compressors

Mini Filter Regulator

 Part No
 Type
 Air Inlet Size
 Pack Otty

 PA-14MFR
 Mini Filter Regulator
 1/4 inch
 6



Ideal for - regulating air flow and removing moisture

- · Air Flow Regulator
- Easy Read Dial Gauge
- Built In Moisture Trap
- Adjustable Mounting Bracket
- Auto Draining

AIR TOOLS staplers & bradders

SIZES AVAILABLE THAT SUIT THIS STAPLER: 80 Series - 12.7mm Crown

SIZES AVAILABLE THAT SUIT THIS NAILER: C1 Brad - 18 Gauge / 1.25mm

C1 Style Nail/Brad

18 Gauge/1.25mm

PA-F32

Type C1 Bradder

C1 Bradder

Suits Nails/Staples C1 Brads 10mm-32mm Qty

NAILS & STAPLES

Magazine Release

Staples 6mm-16mm



Ideal for - Upholstering Furniture construction and repair, picture framing & decorative hobby work

- Cast Alloy Body
- Non Slip Rubber Grip
- · Nitto Style Inlet Plug
- Alloy Magazine
- Exhaust Air Deflector
- · Supplied with Brads, Goggles & Air Nailer Lubrication Oil





PA-8014 14mm 80 Series Staple PA-8016 16mm 80 Series Staple

10mm - 32mm

PA-F32/10 10mm - C1 Brad/Nail PA-F32/20 20mm - C1 Brad/Nail PA-F32/25 25mm - C1 Brad/Nail PA-F32/32 32mm - C1 Brad/Nail



Ideal for - Cabinet work, trimming applications craft work & picture

- Cast Allov Body
- Rubber Grip
- Nitto Style Inlet Plug
- Alloy Magazine

Adjustable Air Deflector

- Exhaust Air Deflector
- Custom Designed Carry Case · Supplied with Brads, Goggles & Air Nailer Lubrication Oil

Trigger

Suits C1 Brads 10-32mm

Suits Narrow Crown Staples 16-28mm

Custom Designed Carry Case

2 In 1 Bradder / Stapler

C1 Bradder & Stapler

PA-RP9606 2 In 1 Bradder / Stapler C1 Brads 10mm - 32mm N/Crown Staples 16mm - 28mm



Ideal for - Fine cabinet work, trimming applications craft work & picture frames Custom Designed Carry Case

- Cast Alloy Body
- Non Slip Rubber Grip
- Nitto Style Inlet Plug Alloy Magazine
- Exhaust Air Deflector
- · Supplied with Staples, Brads, Goggles & Air Nailer Lubrication Oil

SIZES AVAILABLE THAT SUIT THIS NAILER/STAPLER:

C1 Brads - 18 Gauge / 1.25mm

C1 Style Nail/Brad 18 Gauge/1.25mm 10mm - 32mm



PA-F32/10 10mm - C1 Brad/Nail PA-F32/20 20mm - C1 Brad/Nail PA-F32/25 25mm - C1 Brad/Nail PA-F32/32 32mm - C1 Brad/Nail

SIZES AVAILABLE THAT SUIT THIS NAILER/STAPLER: Narrow Crown 18 Gauge / 1.25mm

Narrow Crown Staples 18 Gauge / 5.7mm Crown 16mm-28mm

PA-9606/16 16mm PA-9606/22 22mm PA-9606/28 28mm



SUITABLE FOR

Cast Alloy Body

- Drawer Repairs and Trimming
- Picture Frame Assembly
- Upholstery Pinning
- Fine Cabinet Work
- Ornamental Trims
- Furniture Repair Hobby Work
- Mouldings
- Beading

C Bradder

PA-C50

C Bradder

Suits Nails/Staples

C Brads 25mm-50mm

Custom Designed Carry Case



Ideal for - Furniture, Cabinet work, Fixing, Finishing & Window Framing

- Cast Alloy Body
- Non Slip Rubber Grip
- Nitto Style Inlet Plug
- Alloy Magazine Exhaust Air Deflector
- Supplied with Brads, Goggles & Air Nailer Lubrication Oil

SIZES AVAILABLE THAT SUIT THIS NAILER: C Brad 16 Gauge / 1.63mm

C Brad 16 Gauge / 1.63mm 25mm - 50mm



PA-C50/35 35mm - C Brad/Nail PA-C50/50 50mm - C Brad/Nail



- Cabinets





AIR TOOLS nailers

ingle Bradder

er DA 34° 34° Angle Brads 32mm - 64mm



Ideal for - Fixing of skirting boards and architraves, Window frames

Custom Designed Carry Case

and door jambs. Angle allows access to tight corners.

Supplied with Brads, Goggles & Air Nailer Lubrication Oil

SIZES AVAILABLE THAT SUIT THIS

Angle Brad Style - DA 34 Degree 15 Gauge

Angle Brad Gal 15 Gauge / 1.83mm 32mm - 64mm



Galvanised

PA-DA32G 32mm 34° Angle Brad/Nail PA-DA50G 50mm 34° Angle Brad/Nail PA-DA64G 64mm 34° Angle Brad/Nail

SUITABLE FOR

- Interior & Exterior Trims
- Door & Window Casings
- Skirting Boards
- Cabinet Work
- Architraves
- Mouldings



Trigger

Adjustable Air Deflector

Magazine - holds up

to 90 Framing Nails

· Cast Alloy Body

Alloy Magazine

fixina

• Non Slip Rubber Grip

Nitto Style Inlet Plug

Exhaust Air Deflector



SIZES THAT SUIT THIS NAILER Senco Style Clipped Head 34° Nails 50-90mm

Shank Diameter Between 2.87mm & 3.33mm

SIZES AVAILABLE THAT SUIT THIS NAILER

Framing Nails 34 Degree 75mm



Cast Alloy Body

Galvanised PA-FN75G 75mm 34° Framing Nail

SUITABLE FOR

- Applications That Use Larger Cross Section Timber
- · Sub Floors House or Decking
- Roofing Frames
- House Framing
- Truss Building

Custom Designed Carry Case Cast Alloy Body Non Slip Rubber Grip Nitto Style Inlet Plug

Ideal for - Framing applications requiring large nails or heavy duty

- Alloy Magazine Exhaust Air Deflector
- · Supplied with Goggles & Air Nailer Lubrication Oil



Coil Nailer Suits Nails/Stanles PA-CN3 Coil Nailer 15° Coli Nails 15° - 32mm-65mm



Ideal for - Building, Fencing & Decking. Uses wire and plastic collated nails. Custom Designed Carry Case

- Cast Alloy Body
- Non Slip Rubber GripNitto Style Inlet Plug
- Alloy Magazine
- Exhaust Air Deflector
- · Supplied with Goggles & Air Nailer Lubrication Oil

SIZES THAT SUIT THIS NAILER

Coil Nails 15 Degree 32mm - 65mm Plastic or Wire Collated

Able to Use Plain, Ring or Screw Shank Nails. Shank Size 2.3mm - 2.9mm

Additional Features

Nail Drive Depth Adjustment Magazine Capacity up to 300 Nails 15° Magazine For Improved Access Side Load Canister For Ease Of Loading Hinged Feed Cover For Easy Jam Clearance



- SUITABLE FOR Fencing
- Decking
- Flooring
- Plyboard
- Underlay
- Fixing & Cladding

AIR TOOLS kits & accessories

Inflation Needle Kit



Ideal for - General cleaning, drying, dusting and multiple workshop tasks.

- 4 x Inflation Needles For Sports Balls And Other Products
- Brass Nozzle For Larger Items
- Adaptors To Increase / Decrease Thread Sizes

Inflation Kit - 6 Piece



Ideal for - General cleaning, drying, dusting and multiple workshop tasks.

Includes:

- Fitted Recoil Hose
- Tyre Inflator
- Metal Bodied Blow Gun
- Inflation Nozzles x 3

Inflation Kit - 14 Piece



Ideal for - An entire range of inflating including sports balls, toys, mattresses & more. This kit also contains all the necessary fittings and accessories to get you started.

Includes:

- Tyre Chuck x 1
- Tyre Gauge x 1
- Female Quick Coupler x 1
- Nitto Style 1/4" Male Quick Plugs x 4 • 1/4" Nitto Style Female Quick Plugs x 2
- Hose Connectors x 2

- Safety Nozzle x 1
- Inflation Needle x 1
- · Metal Bodied Blow Gun x 1

Blow Gun & Inflation Kit - 20 Piece




Ideal for - An entire range of inflating including automotive tyres, sports balls, toys & more. This kit also contains all the necessary fittings and accessories to get you started.

Includes:

- Tyre Inflator / Blow Gun with Moulded Grip x 1
- · Gauge and Overfill Release
- Nitto Style 1/4" Female Plugs x 3
- Nitto Style 1/4" Male Plugs x 2 • Nitto Style 1/4" Male Coupler x1
- Tyre Chuck

- Inflation Nozzles
- . Tyre Inflator Attachment
- Adaptors x 4

Air Tool Starter Kit - 30 Piece



Ideal for - A range of air related jobs including cleaning, spraying, inflating & dusting. This kit is perfect for first time users and contains everything you need to get you started.

Includes:

- Spray Gun
- Tyre Inflator with Gauge
- 10m Recoil Hose · Cleaning Kit
- Blow Gun
- Blow Gun Nozzles x2

- Nitto Style 1/4" Female Couplers x 2
- Nitto Style 1/4" Female Plugs x 2 • Nitto Style 1/4" Male Plugs x 2
- Adaptors x 4
- Inflation Needles x 2
- Dusk Masks x 11

Recoil Hose 10m Coiled Length 1/4" BSP Fitted Ends Flexible & Easy To Use



Nitto Style Fittings All Steel Construction Nitto Style Fittings 14" BSP Thread



Spray Gun Adjust.. Spray Pattern 1.5mm Fluid Nozzle 750cc Allov Pot



Tyre Inflator **Cast Alloy Body** Overfill Release Button Moulded Grip



Inflation Needles Ideal for inflating toys, sports equipment & accessories



AIR TOOLS spray guns

Gravity Feed

		Pot Size	P
	Spray Gun	600cc	

Suction Feed

PA-S

No	Туре	Pot Size	P
SFG	Suction Feed Spray Gun	750cc	

In Line Moisture Trap

Part No	Туре	Air Inlet Size	Pack Qty
PA-14ILMT	In line Moisture Trap	1/4 Inch	6



Ideal for - Affordable spraying, ideal for undercoats and preparation tasks.

- 1.5mm Fluid Nozzle
- 600cc Pot
- Pattern Width 160-230mm
- Spray Pattern Adjustment
- · Material and Air Flow Adjustment
- Air Inlet with ¼" BSP Thread



Ideal for - Affordable spraying, ideal for undercoats and preparation tasks.

NOTE: Spear & Jackson Spray Guns Will Not

Spray Water or Oil Based House Paint!

- 1.5mm Fluid Nozzle
- 750cc Alloy Pot
- Pattern Width 140mm x 180mm
- Spray Pattern Adjustment
- Material and Air Flow Adjustment
 Air Inlet with ¼" BSP Thread



Ideal for - Reducing the moisture level in the outlet air. Moisture reduces air tool life and degrades paint finish

- Glass Body For Viewing Trapped Moisture
 Used To Reduce Moisture in Air Lines
- · Operates Best When Mounted Veritcally
- Used With Air Tools and Spray Guns

General Purpose

PA-LPSG General Purpose Spray Gun 600cc 6



Ideal for - Small to Medium spraying tasks

- 1.5mm Fluid Nozzle
- 600cc Alloy Pot

Part No

- Pattern Width 180-250mm
- Spray Pattern Adjustment Material and Air Flow Adjustment
- Air Inlet with 1/4" BSP thread



Qty

Pot Sizes

Spraying Tips

- For a great finish, the thinned paint should be the consistency of milk.
- Always use a test piece before spraying your project.
- Preparation is the key to a good finish. Make sure surface is clean and smooth before spraying.
- Make smooth even passes about 200mm from the job.
- · Do not overload the job with paint. Multiple light coats will stop paint runs and sags.

Deluxe

Part No Pot Size Qty PA-S770 Deluxe Spray Gun 1000cc

6



Ideal for - Medium to large spraying tasks.

- 2mm Fluid Nozzle
- 1000cc Alloy Pot
- Pattern Width 180-250mm
- Snray Pattern Adjustment
- Material and Air Flow Adjustment · Air Inlet with 1/4" BSP thread

Gravity Feed Kit

PA-GFSK Spray Gun - 125cc Gravity Feed Kit Touch Up Gun - 600cc

Ideal for - Covers small touch up or patch repairs to medium sized spraying tasks.

- 2 Gun Kit with Regulator
- Touch Up & Full Size Spray Gun
- 125 & 600cc Pots
- · Spray Pattern Adjustment
- Material and Air Flow Adjustment
- Air Inlet with 1/4" BSP thread



AIR TOOLS hose & fittings

	Туре	Length	Pack Qty
PA-RH10M	PE Recoil Hose 10 Metre	10 Metre	12



ecting your air tool to a compressor within a 10m distance. Suitable for low pressure applications

- 10m Coiled Length Fitted With 1/4 Inch Nitto Style Fittings
- Flexible & Easy To Use
- Compact To Store

Air Hose 10m & 20m

Part No	Туре	Length	Pa
PA-AH10M	Air Hose PVC 10 Metre	10 Metre	
PA-AH20M	Air Hose PVC 20 Metre	20 Metre	



Ideal for - Connecting your air tool to a compressor. Suitable for higher pressure applications

- Strong PVC Body Fitted With 1/4 Inch BSP Type Fittings
- 10 & 20m Lengths Available
- 16mm Outer Diameter

Hose Repair Kit

Part No	Туре	Material	Qty
PA-HSRK	Hose Repair Kit	Brass	12



Ideal for - Terminating & Repairing Air Hose

- Brass Hose Joiner
- Brass Barbed Plug
- 3x Hose Clamps

General Fittings

Connector - Male

Part No	Туре	Material	Pack Qty
PA-FP-12	Connector Male 1/4" BSP Thread	Steel	6



Ideal for - Ouick and safe attachment of air tools & accessories • 1/4" Male to Male Fitting

Connector - Female

Part No	Туре	Material	Pack Qty
PA-FP-52	Connector Female 1/4" BSP Thread	Steel	6



Ideal for - Ouick and safe attachment of air tools & accessories • 1/4" Female to Female Fitting

Adaptor

Part No	Туре	Material	Pack Qty
PA-FP-6-3	Adaptor 1/4" to 3/8" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• 1/4" Female to 3/8" Male

Hose End - Male

Part No	Туре	Material	Pack Qty
PA-FP-19	Hose End Male 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• 1/4" Male 10mm Fitting

Hose End - Female

Part No	Туре	Material	Pack Qty
PA-FP-59	Hose End Female 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• 1/4" Female 10mm Fitting

Inline Stop Valve

Part No	Туре	Material	Pack Qty
PA-F2020FM	Inline Stop Valve 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

Inline Stop Valve 1/4"

Ryco Style Fittings Plug - Male

Part No	Туре	Material	Pack Qty
PA-R20PM	Male Plug 1/4" BSP Thread	Steel	6



Ideal for - Ouick and safe attachment of air tools & accessories

Male Plug 1/4" BSP Thread

Coupler - Male

Part No	Туре	Material	Pack Qty
PA-R20SM	Male Coupler 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories Male Coupler 1/4" BSP Thread

Plug - Female

Part No	Туре	Material	Pack Qty
PA-R20PF	Female Plug 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• Female Plug 1/4" BSP Thread

Coupler - Female

Part No	Туре	Material	Pack Qty
PA-R20SF	Female Coupler 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• Female Coupler 1/4" BSP Thread

Fittings Pack 6pcs

Part No	Туре	Material	Pack Qty
PA-R6PCD	6 Piece Fittings Pack	Steel	6









Includes:

- Male Coupler
- Female Plug Male Plug Barbed Coupler
- · Female Coupler Barbed Plug

AIR TOOLS fittings

Jamec Style Fittings

Plug - Male

g 1/4" BSP Thread Steel



al for - Quick and safe attachment of air tools & accessories Male Plug 1/4" BSP Thread

Coupler - Male

Part No Type		Material	Pack Qty	
PA-J20SM	Male Coupler 1/4" BSP Thread	Steel	6	



Ideal for - Quick and safe attachment of air tools & accessories

. Male Coupler 1/4" BSP Thread

Plug - Female

Part No	Туре	Material	Pack Qty
PA-J20PF	Female Plug 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• Female Plug 1/4" BSP Thread

Coupler - Female

Part No	Туре	Material	Pack Qty
PA-J20SF	Female Coupler 1/4" BSP Thread	Steel	6



Ideal for - Ouick and safe attachment of air tools & accessories

• Female Coupler 1/4" BSP Thread

Fittings Pack 6pcs

Part No	Туре	Material	Qty
PA-J6PCD	6 Piece Fittings Pack	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories Includes:

- Male Coupler
- Male Plug
- · Female Coupler Female Plug
- · Barbed Coupler
- Barbed Plug

Nitto Style Fittings Plug - Male

Part No	Туре	Material	Pack Qty
PA-N20PM	Male Plug 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• Male Plug 1/4" BSP Thread

Plug - Female

Part No	Туре	Material	Pack Qty
PA-N20PF	Female Plug 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• Female Plug 1/4" BSP Thread

Coupler - Male

Part No	Туре	Material	Pack Qty
PA-N20SMO	Male Coupler 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

Male Coupler 1/4" BSP Thread

Coupler - Female

Part No	Туре	Material	Pack Qty
PA-N20SFO	Female Coupler 1/4" BSP Thread	Steel	6



• Female Coupler 1/4" BSP Thread

Plug - Barbed

Part No	Туре	Material	Pack Qty
PA-N30PH	Barbed Plug	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

- Barbed Coupler
- To Suit 10mm Hose

Coupler - Barbed

Part No	Туре	Material	Pack Qty
PA-N30SHO	Barbed Coupler	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

- Barbed Coupler
- To Suit 10mm Hose

Fittings Pack 5pcs

Part No	Туре	Material	Pack Qty
PA-N5PC	5 Piece Fittings Pack	Steel	12



Ideal for - Quick and safe attachment of air tools & accessories

Includes:

- Male Coupler Male Plug
- Female Coupler
- Female Plug x2

Fittings Pack 6pcs

Part No	Туре	Material	Pack Qty
PA-N6PCD	6 Piece Fittings Pack	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

Includes:

- Male Coupler
- Female Coupler
- Male Plug Barbed Coupler
- Female Plug
- Barbed Plug

2 Way Splitter

Part No	Туре	Material	Pack Qty
PA-NSPLIT	2 Way Splitter	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

- 1/4" Female BSP
- 2 x Couplers
- Can be connected direct to compressor or air hose


AIR TOOLS staples & nails

	Туре	Size	Pieces Per Box	Pack Qty
	80 Series Staple	6mm	1000	6
	80 Series Staple	8mm	1000	6
	80 Series Staple	10mm	1000	6
	80 Series Staple	12mm	1000	6
	80 Series Staple	14mm	1000	6
PA-8016	80 Series Staple	16mm	1000	6



Ideal for - Upholstering Furniture construction and repair, picture framing & decorative hobby work

- Suitable For Use With PA-8016K Stapler
- Crown Width 12.8mm
- 6mm/8mm/10mm/12mm/14mm/16mm
- 1000 Pieces per Box




PA-8006 6mm 80 Series Staple PA-8008 8mm 80 Series Staple PA-9606/16 16mm PA-9606/22 22mm PA-8010 10mm 80 Series Staple PA-9606/28 28mm

PA-8012 12mm 80 Series Staple PA-8014 14mm 80 Series Staple PA-8016 16mm 80 Series Staple

Narrow Crown Staples

Part No	Туре	Size	Pieces Per Box	Qty
PA-9606/16	Narrow Crown Staples	16mm	1000	6
PA-9606/22	Narrow Crown Staples	22mm	1000	6
PA-9606/28	Narrow Crown Staples	28mm	1000	6



picture frames

- Suitable For Use With PA-RP9606 2 in 1 Bradder / Stapler
- Crown Width 5.7mm
- 16mm/22mm/28mm
- 1000 Pieces per Box

C1 Brads

Part No	Туре	Size	Pieces Per Box	Pack Qty
PA-F32/10	C1 Brads	10mm	2500	6
PA-F32/20	C1 Brads	20mm	2500	6
PA-F32/25	C1 Brads	25mm	2500	6
PA-F32/32	C1 Brads	30mm	2500	6



Ideal for - Cabinet work, trimming applications craft work & picture frames

- To be Used with PA-F32 C1 Bradder
- 18 Gauge/1.25mm
- 10mm/20mm/25mm/32mm
- 2500 Pieces per Box

Part No



C1 Style Nail/Brad 18 Gauge/1.25mm 10mm - 32mm



PA-F32/10 10mm - C1 Brad/Nail PA-F32/20 20mm - C1 Brad/Nail PA-F32/25 25mm - C1 Brad/Nail PA-F32/32 32mm - C1 Brad/Nail



16 Gauge / 1.63mm

PA-C50/25 25mm - C Brad/Nail PA-C50/30 30mm - C Brad/Nail PA-C50/35 35mm - C Brad/Nail PA-C50/50 50mm - C Brad/Nail

25mm - 50mm

C Brads

Part No	Туре	Size	Pieces Per Box	Pac
PA-C50/25	C Brads	25mm	2500	(
PA-C50/30	C Brads	30mm	2500	
PA-C50/35	C Brads	35mm	2500	
PA-C50/50	C Brads	50mm	2500	
	1000000		W	



Ideal for - Furniture, Cabinet work, Fixing, Finishing & Window Framina

- To be Used with PA-C50 C Bradder
- 18 Gauge/1.25mm
- 25mm/30mm/35mm/50mm
- 2500 Pieces per Box

Angle Brads

Part No	Туре	Size	Box	Qty
PA-DA32G	Angle Brads 34° Galvanised	32mm	1000	6
PA-DA50G	Angle Brads 34° Galvanised	50mm	1000	6
PA-DA64G	Angle Brads 34° Galvanised	64mm	1000	6
			7	

Ideal for - Fixing of skirting boards and architraves, Window frames and door jambs. Angle allows access to tight corners.

- To be Used with PA-AB34 Angle Bradder
- 15 Gauge/1.8mm
- 32mm/50mm/64mm
- 34 Degree Galvanised
- 1000 Pieces per Box Suited to Mild Outdoor Exposure

Angle Brads 32mm

Angle Brad Gal 15 Gauge / 1.83mm 32mm - 64mm

Galvanised PA-DA32G 32mm 34° Angle Brad/Nail PA-DA50G 50mm 34° Angle Brad/Nail PA-DA64G 64mm 34° Angle Brad/Nail

Framing Nails Shank Diameter between 2.87mm & 3.33mm

Framing Nails 34 Degree Galvanised 75mm

Galvanised PA-FN75G 75mm 34° Framming Nail

Framing Nails



Ideal for - Framing applications requiring large nails or heavy duty fixing

- To be Used with PA-9034 Framing Gun
- 34 Degree Galvanised
- 75mm
- 500 Pieces per Box
- Suited to Mild Outdoor Exposure

AIR TOOLS notes











CONTACT US: Ph: 1300 731 818 Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au











VISIT US ONLINE

Due to continuous product development and improvement, Spear & Jackson reserves the right to modify product design, specifications and materials without prior notice



SPEAR& JACKSON

ECLIPSE PROFESSIONAL TOOLS



Product Guide 2015 AUSTRALIA









CONTENTS

Metal Cutting

Hacksaw & Small Saw Blades	115 - 117
Saw Frames	118 - 119
Saw Tooth Setter	119
Aviation Snips	119
Bolt Cutters	120

Chisels

Flat, Crosscut, Floorboard & Concrete Point Chisels 121

Locking Jaw Pliers

Locking Jaw Pliers	122 - 125
C-Clamps	125

Workholding Solutions

Vices	126 - 129
G-Clamps	129
One Handed Bar Clamps	130
F Clamps	130
Sash Clamps	131
T Bar Clamps	131
Magnetic Workholding	132
Magnetic Chucks	132-133

Magnetic Lifters

Ultralift Plus+	134 - 135
Ultralift TP	136

Wrenches

Aluminium Pipe Wrenches	137 - 138
Adjustable Wrenches	139

Riveters & Threaded Insert Setting Tools

Riveters	140 - 141
Threaded Instert Setting Tools & Kits	142

Engineers' Tools

Scrapers, Pin Vices, Chucks & Collets	143 - 144
Nut Spinners & Punches	146
Tap Wrenches & Trammel Heads	145
Combination Squares & Sets	145

Magnetic Solutions

Permanent Magnets - Magnet Materials	146 - 147
Pot Magnets & Hook Magnets	148













ECLIPSE - THE NUMBER ONE NAME IN METAL CUTTING


With a proud history of hacksaw blade manufacture stretching back nearly 100 years, Eclipse hacksaw blades have become synonymous with engineering excellence and continuous product development. As a result, Eclipse is now firmly established as the number one global metal cutting brand.

ECLIPSE PLUS 30 – A REVOLUTIONARY BLADE DESIGN

Following many years of research into the most effective cutting profile possible, Neill Tools has developed an entirely new blade tooth shape that enables a 30 percent faster cut over conventional blades. The result of this is the Eclipse Plus 30 range.

Why are Eclipse Plus 30 blades faster?

- They are precision-ground to the fines tolerances, making them much sharpe than conventional milled blades.



to give a positive rake angle that is more aggressive and therefore faster than conventional milled blades. Our tests show a 30% faster cut, hence the name 'Plus 30'.

ECLIPSE PLUS 30 – CONFIRMED BY INDEPENDENT TESTING

Independent testing by the University of Northumbria in Newcastle has verified the claims made about the Eclipse Plu 30 blade. Using both machine and hand testing, the Eclipse Plus 30 has bee thoroughly tested and the improvement is cutting ability has been confirmed.

These two inset shots illustrate the difference between a ground and a milled blade under magnification

MILLED TOOTH SHAPE - STANDARD



GROUND TOOTH SHAPE - PLUS 30





HAND HACKSAW BLADES

Plus 30 Flexible BiMetal HSS				Flexibl	Flexible Shatterproof HSS			Flexible BiMetal HSS										
	Part No	Blade Size mm	Blade Size inches	Teeth per 25mm		Size	Part No	Blade Size mm	Blade Size inches		dia.	Pack Size	Part No	Blade Size mm	Blade Size inches	Teeth per 25mm		Pack Size
	EC-AA3045E	300 x 12.5 x 0.63	12 x 1/2 x 0.02	18	4	100	EC-AS45A	300x12.5x0.63	12x 1/2 x 0.025	18	4	100	EC-AA45E	300 x 12.5 x 0.63	12 x 1/2 x 0.025	18	4	100
	EC-AA3046V	300 x 12.5 x 0.63	12 x 1/2 x 0.02	24	4	100	EC-AS46D	300x12.5x0.63	12x 1/2 x 0.025	24	4	100	EC-AA46V	300 x 12.5 x 0.63	12 x 1/2 x 0.025	24	4	100
	EC-AA3047R	300 x 12.5 x 0.63	12 x 1/2 x 0.02	32	4	100	EC-AS47P	300x12.5x0.63	12x 1/2 x 0.025	32	4	100	EC-AA47R	300 x 12.5 x 0.63	12 x 1/2x 0.025	32	4	100



A virtually unbreakable bimetal blade for superb cutting performance, wear resistance and safety.

The combination of an M2 High Speed ground cutting edge, electronbeam welded to a flexible alloy back gives a level of cutting power and flexibility that is far superior to edge hardened or conventional flexible blades.

The unique ground tooth profile of the Plus 30 blade produces a faster and more aggressive cutting action that requires less effort and is more efficient than a standard blade.

Cuts through all types of metals including alloy and stainless steels.

A rigid, All Hard ground blade for highly accurate cutting and long life.



A virtually unbreakable, edge hardened blade, which offers flexibility and safety but less wear resistance than an All Hard or bimetal blade.



A virtually unbreakable bimetal blade for superb cutting performance, wear resistance and safety.

The combination of an M2 High Speed cutting edge and electronbeam welded to a flexible alloy back gives a level of cutting power and flexibility that is far superior to edge hardened or conventional flexible blades.

Cuts through all types of metals including alloy and stainless steels.

- 30% MORE CUTTING POWER
- SHARPER FIRST CUT
- LONGER LIFE

All Hard HSS

- EDGE HARDENED
- SHATTERPROOF BLADE
- LONGER LIFE

- HIGH PERFORMANCE
- SHATTERPROOF BLADE

Flexible Silicon Shatterproof

Part No	Blade Size mm	Blade Size inches	Teeth per 25mm	PIN dia. mm		Part No	Blade Size mm	Blade Size inches	Teeth per 25mm	dia.	Pack Size
EC-AE45B	300x12.5x0.63	12 x 1/2 x 0.025	18	4	100	EC-AM45W	300x12.5x0.63	12 x ½ x 0.025	18	4	100
EC-AE46X	300x12.5x0.63	12 x 1/2 x 0.025	24	4	100	EC-AM46B	300x12.5x0.63	12 x ½ x 0.025	24	4	100
EC-AE47K	300x12.5x0.63	12 x 1/2 x 0.025	32	4	100	EC-AM47X	300x12.5x0.63	12 x ½ x 0.025	32	4	100



A rigid, All Hard blade for highly accurate cutting and long life.

Manufactured entirely from top quality High Speed Steel, each blade is precisely hardened throughout its entire width to give a strong, rigid back, ensuring a perfectly straight cut time after time.

For the best performance from All Hard blades the workpiece should be securely held in a clamp or vice to prevent shattering of the blade and safety goggles should be worn.

Cuts through all types of metals including alloy and stainless steels.



A virtually unbreakable blade suitable for DIY use.

Manufactured from low alloy silicon steel, this blade is ideal for general purpose sawing of mild steel, brass, aluminium, copper and other soft metals.



- ACCURATE CUTTING
- LONG LIFE

- GENERAL PURPOSE
- SHATTERPROOF BLADE




HAND HACKSAW BLADES

HAND BLADE TOOTH PITCH SELECTION

To select the hacksaw blade with the correct number of teeth for the task, consider the following elements:

- How thick is the material to be cut? For thin sections, the highest number of teeth should be used and vice versa for thicker sections. What type of material is to be cut?
- The table opposite is a guide to tooth pitch selection for different materials and various thicknesses.





SMALL SAW BLADES

Part No	Description	Length	Teeth per 25mm	No. of blades in pack	Pack Size	Box Weight (kg)
EC-71-624R	Triple pack of Hacksaw Blades		÷	10	0.9	
	- Bimetal Blades	300mm (12")	18	1	-	-
	- Bimetal Blades	300mm (12")	24	1	=	Ξ
	- Bimetal Blades	300mm (12")	32	1	-	-
SJ-71/132R	Junior Blades	150mm (6")	32	10	10	-
SJ-71/114R	Junior-Wood	150mm (6")	14	10	10	-
SJ-71/CP7R	Coping Saw Blades	165mm (6 1/2")	14	10	10	=
SJ-71/FS5R	Fretsaw Blades	125mm (5")	18	10	10	-
SJ-73/66SR	GP Saw Spare Blade	375mm (15 3/4")	10	1	10	-
EC-FS16	Fretsaw Blades	125mm (5")	16	100	1	0.30
EC-FS18	Fretsaw Blades	125mm (5")	18	100	1	0.30
EC-FS22	Fretsaw Blades	125mm (5")	22	100	1	0.30
EC-FS32	Fretsaw Blades	125mm (5")	32	100	1	0.30
EC-PS44	Piercing Saw Blades	125mm (5")	44	100	1	0.20
EC-PS32	Piercing Saw Blades	125mm (5")	32	100	1	0.20




















SAW FRAMES



Professional	Hacksaw	-	Soft	Grip

Part No	Description	Length	Height	Pack
EC-70-22TR	Hacksaw SF	400mm(16")	132mm(5 1/4")	5

Professional Hacksaw

Part No	Description	Length	Height	Pack
EC-20TND	Prof. Hacksaw	465mm(18 3/8")	130mm(5")	6

Hacksaw

Part	No	Description	Length	Height	Pack
EC-	422	Hacksaw - Box Frame	400mm(18")	135mm(5 1/4")	6



The new 22T has soft-feel handle, Epoxy coated moulded section steel frame and comes complete with an Eclipse +30 bimetal bladee



The world famous, best selling hacksaw featuring a die cast handle, tubular frame complete with an **ECLIPSE** bimetal blade. The 20T has set the standard for all other makes - but the best is still the original 20T from **ECLIPSE**



A lightweight, economical hacksaw with a strong, box section tubular steel frame and a comfortable soft grip handle. Adjustable blade tensioning for 55 degree cutting, can also be used as a Compass Saw.

Hacksaw - Fluro Orange

Part No	Description	Length	Height	Pack
EC-424	Hacksaw - Box Frame	400mm(18")	135mm(5 1/4")	6

Hacksaw - Lightweight

Part No	Description	Length	Height	Pack
EC-16TND	Hacksaw	430mm (16 5/16")	132mm(5 1/4"")	10

Mini Hacksaw

Part No	Description	Length	Height	Pack
EC 70 675D	Mini Cow	250mm/10"\	100mm(4")	20



A lightweight, economical hacksaw with a strong, box section tubular steel frame and a comfortable soft grip handle. Fluorescent orange body highlights for easy visibility. Adjustable blade tensioning for 55 degree cutting, can also be used as a Compass Saw.



A lightweight, economical hacksaw with a strong, box section tubular steel frame and a comfortable and durable cast aluminium handle. In addition, the extra long location pin gives increased security of the tensioning bit. Comes complete with an **ECLIPSE** bimetal blade



A more substantial version of the Junior hacksaw with plastic moulded pistol grip handle, steel frame and **ECLIPSE** blade. Blade tensioning device incorporated in the handle

Coping Saw - Soft feel handle

T dit No	Description	Longin	Height	I dok
EC-70-CP1RSF	Coping Saw SF	317mm(12 3/8")	130mm(5 1/8")	5

Fret Saw - Soft feel handle

Part No	Description	Length	Height	Paci
EC-70-FS1RSF	Fret	270mm(10 ^{5/8} ")	300mm(11 ^{7/8} ")	





Coping saw for cutting and shaping wood, with a soft-feel handle for extra comfort and steel frame. Blades can be positioned at any angle to the frame



Fretsaw for fine cutting work in thin materials such as wood, bone, plastics, etc - ideal for model makers. Comfortable soft feel handle and steel frame



Piercing saw is ideal for fine metalwork and jewellery.Comfortable soft feel handle and steel frame. Spring steel blade with precision milled teeth, cuts on backward stroke.



SAW TOOTH SETTER, JEWELLERS & AVIATION SNIPS

General Purpose Saw



General purpose saw for cutting through wood, plastics and soft metals (such as nails). Polyester coated blade and diecast 9 position handle to enable cutting in difficult positions

Part No	Description	Length	Height	Pack
SJ-72/66XR	General Purpose	465mm(18 1/4")	_	5

Junior Hacksaw



The Junior Hacksaw is universally designed to cut through metals, wood and some plastics. It features a 6" (150mm) replaceable blade and is the perfect choice for smaller jobs.

Part No	Description	Length	Height	Pack
SJ-71-14JR	Junior Hacksaw	260mm	70mm	12

Saw Tooth Setter



Used for setting teeth during the sharpening of handsaws. Solid steel construction with soft poly grips for extra comfort when in use.

Part No	Description	Length	Height	Pack
EC-94/370R	Saw Tooth Setter	180mm (7½")	90mm (3½")	2

Coping Saw - Timber Handle



Coping saw for cutting and shaping wood, with a strong timber handle and steel frame. Blades can be positioned at any angle to the frame

Part No	Description	Length	Height	Pack
SJ-7CP	Coping Saw - Timber Handle	310mm	140mm	10

Aviation Snips



Cuts up to 1.2mm cold rolled steel and 0.7mm stainless steel. Drop forged alloy steel blades give a longer cutting life, whilst the spring loaded handles ensure a fast, smooth cutting action

Part No	Description	Cutting Capacity (cold rolled steel)	Cutting Capacity (stainless steel)	Pack
EC-EAS-S	Straight and Wide Curves	1.22mm	0.7mm	6
EC-EAS-R	Right and Straight Cut	1.22mm	0.7mm	6
EC-EAS-L	Left and Straight Cut	1.22mm	0.7mm	6
EC-EAS-SL	Long Cut / Straight Cut & Wide Curves	1.22mm	0.7mm	6

Jewellers' Snips



For cutting copper, silver, gold and other soft metals. The precision hollow ground blades reduce friction for an easy cutting action and, since they are also induction hardened and tempered, they can be easily re-sharpened. Integrated stops prevent trapped fingers without compromising the jaw capacity

Part No	Size	3	Cutting Capacity (stainless steel up to 23g)	Pack
EC-ESJ7S	7" / 180mm (straight blade)	0.8mm	0.46mm	10
EC-ESJ7C	7" / 180mm (curved blade)	0.8mm	0.46mm	10

General Purpose Snips



For cutting sheet metal. The precision hollow ground blades reduce friction for an easy cutting action and since they are also induction hardened and tempered, they can be easily re-sharpened. The spring loaded nut allows for easy adjustment to increase the working life, whilst the high quality steel drop forged handles offer maximum strength

Part No	Total Length	Cutting Capacity (mild steel up to 18g)	Cutting Capacity (stainless steel up to 23g)	Pack
EC-ESGP8	8" (200mm)	0.8mm	0.46mm	6
EC-ESGP10	10" (250mm)	1.0mm	0.46mm	6
EC-ESGP12	12" (300mm)	1.2mm	0.46mm	6
EC-ESGP14	14" (355mm)	1.4mm*	1.2mm**	6



BOLT CUTTERS

Bolt Cutters - High Tensile, Tubular Handles

Part No	Total Length	Max. Cutting Capacity	Pack
EC-ETBC14	14" (355mm)	3/16" / 5.0mm	20
EC-ETBC18	18" (460mm)	1/4" / 6.4mm	10
EC-ETBC24	24" (610mm)	5/16" / 7.9mm	8
EC-ETBC30	30" (762mm)	3/8" / 9.5mm	5
EC-ETBC36	36" (915mm)	7/16" /11.1mm	4





High tensile - for cutting hard materials up to 50HRC. Centre cut, strap adjusted bolt cutters with lightweight tubular handles that do not compromise strength — every pound of force applied is amplified to produce 80lbs (36kg) of force between the jaws. To maximise safety the built in stops will yield rather than break, whilst the drop forged jaws are machined to precise specifications for a resilient body and rigid cutting edge

Part No

EC-ETBC14RH2 EC-ETBC18RH2 EC-ETBC24RH2 EC-ETBC30RH2

EC-ETBC36RH2

Spares For Boltcutters - Tubular Handles

Replacement Jaws & Strap Set 14" (355mm)
Replacement Jaws & Strap Set 18" (460mm)
Replacement Jaws & Strap Set 24" (610mm)
Replacement Jaws & Strap Set 30" (762mm)
Replacement Jaws & Strap Set 36" (915mm)

Bolt Cutters - High Tensile, Forged Handles

Part No	Total Length	Max. Cutting Capacity	Pack
EC-EFBC14	14" (355mm)	3/16" / 5.0mm	16
EC-EFBC18	18" (460mm)	1/4" / 6.4mm	8
EC-EFBC24	24" (610mm)	5/16" / 7.9mm	6
EC-EFBC30	30" (762mm)	3/8" / 9.5mm	4
EC-EFBC36	36" (915mm)	7/16" / 11.1mm	3
EC-EFBC42	42" (1070mm)	1/2" / 13mm	2



High tensile - for cutting hard materials up to 50HRC. Centre cut, arm adjusted bolt cutters with solid forged handles for maximum strength - every pound of force applied is amplified to produce 80lbs (36kg) of force between the jaws. To maximise safety the built in stops will yield rather than break, whilst the drop forged jaws are machined to precise specifications for a resilient body and rigid cutting edge

Part No

EC-EFBC14RH Replacement Head - 14" (355mm)

EC-EFBC18RH Replacement Head - 18" (460mm)

EC-EFBC24RH Replacement Head - 24" (610mm)

EC-EFBC30RH Replacement Head - 30" (762mm)

EC-EFBC36RH Replacement Head - 36" (915mm)

EC-EFBC42RH Replacement Head - 42" (1070mm)





COLD CHISELS

Flat Chisels

For general cutting and chipping of metals, and for shaping, facing and cutting of stonework

Part No	Length	Blade Width	Octagon Dia.	Pack Qty
EC-CB28G	150mm (6")	6.35mm (1/4")	6.35mm (1/4")	10
EC-CB48E	150mm (6")	9.5mm (3/8")	9.5mm (3/8")	10
EC-CB70H	205mm (8")	12.7mm (1/2")	12.7mm (1/2")	10
EC-CB72F	250mm (10")	12.7mm (1/2")	12.7mm (1/2")	10
EC-CB88R	150mm (6")	15.9mm (5/8")	12.7mm (1/2")	10
EC-CB92N	250mm (10")	15.9mm (5/8")	12.7mm (1/2")	10
EC-CB110T	205mm (8")	19mm (3/4")	15.9mm (5/8")	10
EC-CB113V	300mm (12")	19mm (3/4")	15.9mm (5/8")	10
EC-CB116M	450mm (18")	19mm (3/4")	15.9mm (5/8")	5
EC-CB150E	205mm (8")	25.4mm (1")	22.2mm (7/8")	5



Crosscut Chisels

For cutting narrow slots or cuts.



Part No EC-CB534A	Length 150mm (6")	Blade Width 6.35mm (1/4")	Octagon Dia. 12.7mm (1/2")	Pack Qty

Eclipse Professional Cold Chisels have been upgraded to chrome vanadium. This is both better quality and harder wearing, so needs re-sharping less often, and is also even more resistant to mushrooming after prolonged use.

Floorboard Chisel

For cutting floorboard tongues before lifting



Part No	Length	Blade Width	Octagon Dia.	Qty
EC-CB770K	230mm (9")	56mm (2 ^{1/4} ")	17.5mm (11/14")	5

Concrete Point Chisels

For breaking up concrete



Part No	Length	Blade Width	Octagon Dia.	Pack Qty
EC-CB292R	300mm (12")	4mm (5/32")	15.9mm (5/8")	10
EC-CB313P		4.8mm (3/16")	19mm (3/4")	10
EC-CB353G		6.35mm (1/4")	25mm (1")	5

Guarded Chisels

Hand guarded cold chisels fitted with strong guard designed to withstand the heaviest hammer blow and so protect the user's hand from injury.



Part No	Туре	Length	Blade Width	Hexagon Dia.	Pack Qty
EC-22-208R	Flat	205mm (8")	19mm (3/4")	15.9mm (5/8")	5
EC-22-210R	Flat	250mm (12")	25.4mm (1")	22.2mm (7/8")	5
EC-22-310R	Concrete Point	250mm (12")	4mm (5/32")	25mm (1")	5
EC-22-410R	Plugging	250mm (10")	6.35mm (1/4")	22.2mm (7/8")	5

Plugging Chisel

For cutting out mortar from between bricks, to allow removal without breaking the brick



Part No	Length	Blade Width	Octagon Dia.	Pack Qty
EC-CB827V	250mm (10")	6.35mm (1/4")	15.9mm (5/8")	5



LOCKING PLIERS LOCKING C-CLAMPS





A range of top quality locking pliers and locking C-Clamps for the professional user



Locking Pliers - Typical Applications

Part No.	Heating & A/C	Welding	Plumbing	Automotive	Electrical	Woodworking
EC-E7R EC-E10R	Clamping, crimping	Clamping flat, square & hex surfaces	Non slip pipe wrench, portable vice, twisting wire	Clamping, removing bolts	Portable vice, twisting wire	Portable vice, pulling out nails
EC-E10CR	Clamping, crimping	Clamping round surfaces	Non slip pipe wrench, portable vice, twisting wire	Clamping, removing bolts	Portable vice, screwdriver lever	Portable vice, pulling out nails
EC-E5WR EC-E7WR EC-E10WR	Clamping, crimping, wire cutting	Clamping round surfaces	Non slip pipe wrench, portable vice, cutting & twisting wire	Clamping, removing bolts	Portable vice, screwdriver lever, cutting & twisting wire	Portable vice, pulling out nails, cutting wire
EC-E6LN	Clamping, crimping, wire cutting	Clamping in difficult-to-reach spaces	Repairing faucets	Removing brake springs & clips, general clamping	Bending & cutting wire	Pulling nails & staples
EC-E6SP EC-E11SP	Clamping welding supports	Clamping welding supports	Temporary pipe hanger	Sheet metal repair work		Clamping long reach, delicate woodworking work pieces
EC-E6R EC-E11R	Clamping welding supports	Clamping welding supports	Temporary pipe hanger	Sheet metal repair work	-	Clamping long reach woodworking work pieces
EC-E8R	-	Holding sheet metal during bending, forming & crimping	-	-	-	-
EC-E9R		Accurately aligning round & square shaped tubing	-	-	-	-



LOCKING JAW PLIERS & LOCKING C-CLAMPS

STRAIGHT JAW

Part No.	Size	Maximum Jaw	Pack
		Capacity	
EC-E7R	175mm (7")	34mm (1 5/16")	5
EC-E10R	250mm (10")	45mm (1 3/4")	5



Straight jaws are ideal for use with flat, square and hex workpieces



CURVED JAW

 Part No.
 Size
 Maximum Jaw Capacity
 I

 EC-E10CR
 250mm (10")
 45mm (1%")
 5



Designed for gripping and clamping round surfaces

CURVED JAW with wire cutter

Part No.	Size	Maximum Jaw Capacity	Pack
EC-E5WR	125mm (5")	32mm (1 1/4")	5
EC-E7WR	175mm (7")	34mm (1 1/2")	5
EC-E10WR	250mm (10")	34mm (1 7/8")	5



Designed for gripping and clamping round surfaces. Incorporates a wire cutter



LONG NOSE with wire cutter

Part No.	Size	Maximum Jaw	Pack
		Capacity	
EC-E6LN	150mm (6")	51mm (2")	5



Particularly suited for clamping and tightening bolts in confined spaces. Also ideal for precision work. Incorporates a wire cutter

PRODUCT TESTING

■ Rockwell Hardness Testing

The Rockwell method measures the permanent depth of indentation produced by a force/load on an indenter.

■ Torsion Testing

A Torsion Test is performed to determine material behaviour in torsional loading or rotational torque loading.

■ Tensile Compress Testing

The Tensile Compression Test is an evaluation of the mechanical behavior of a sample under conditions of tension and compression can be performed to provide basic material property data that is critical for component design and service performance assessment.



Rockwell Hardness Testing



Torsion Testing





Tensile Compress Testing



LOCKING JAW PLIERS & LOCKING C-CLAMPS

LOCKING PINCH OFF PLIERS

LOCKING SHEET METAL TOOL

Part No.	Size
EC-ERR	175mm (7")

Maximum Jaw Capacity 6mm (1/4")

EC-E8R

Maximum Jaw Capacity 78mm (3 1/8")

Pack 5



SPECIAL ORDER ONLY

Provides a temporary, hands free seal on tubing



Grips and locks on to sheet metal when bending, forming, and crimping $% \left(1\right) =\left(1\right) \left(1$



LOCKING C-CLAMPS with swivel pads

LOCKING C-CLAMPS with regular tips

Part No.	Size	Maximum Jaw Capacity	Pack
EC-E6SP	150mm (6")	44mm (1 3/4")	5
EC-E11SP	275mm (11")	80mm (3 1/8")	5



The wide opening jaws are designed to reach around and grip awkward shapes whilst the swivel pad allows you to apply even pressure, even on angled work surfaces.

Part No.	Size	Maximum Jaw Capacity	Pack
EC-E6R	150mm (6")	44mm (1 3/4")	5
EC-E11R	275mm (11")	80mm (3 1/8")	5



The wide opening jaws are designed to reach around and grip awkward shapes.




LOAD TEST RESULTS

ECLIPSE

ASME Specification

The American Society of Mechanical Engineers





MECHANICS' VICES, SPARES & ACCESSORIES WOODWORKING VICES & G-CLAMPS ONE HANDED BAR CLAMPS SCREW CLAMPS SASH CLAMPS MAGNETIC WELDING TOOLS MAGNETIC CHUCKS




Workholding Range - Average Clamping Forces

Range	Average Clamping Force	Main Tasks
VICES		
Mechanics' Vices	4,500lbs - 10,100lbs (2,040kg - 4,580kg)	General metalworking applications
Quick Release Woodworking Vices	1,900lbs (860kg)	Holding large pieces of wood for cutting and gluing
Plain Screw Woodworking Vices	1,900lbs (860kg)	Holding large pieces of wood for cutting and gluing
CLAMPS		
T-Bar Clamps	2,200lbs (1,000kg)	Clamping heavy pieces of furniture when gluing
Sash Clamps	1,100lbs (500kg)	Clamping heavy pieces of furniture when gluing
Clamp Heads	Light Duty (depends on timber used)	Low cost alternative to sash clamps
G Clamps (Extra heavy duty)	Frame Proof Loads 3,300lbs - 4,500lbs (1500kg - 2050kg)	Heavy duty fabrication and engineering tasks
G Clamps (Heavy duty)	Frame Proof Loads 660lbs - 1,700lbs (300kg - 770kg)	Multi-purpose - generally woodworking & metalworking
Screw Clamps (Mid range)	660lbs (300kg)	Lightweight wood/metal clamping
One Handed Bar Clamp & Spreaders	150kg	A 'third hand'



VICES

For general metalworking applications



Mechanics' Vices

The body and sliding jaw are manufactured from high quality grey cast iron, which has excellent shock absorbing qualities. The precision milled slide ensures a fast, smooth operation, whilst the fused tommy bar will bend before the vice can become over-stressed. Includes hardened steel replaceable jaws and fixing holes for bench mounting

Part No	Jaw Width	Throat Depth (mm)	Opening (mm)	Clamping Force (kN)	Net Weight (kg)	Qty per pallet
EC-EMV1	3"/ 75mm	48	82	20	4.8	144
EC-EMV3	4"/ 100mm	63	109	25	9.3	100
EC-EMV5	5"/ 125mm	73	136	30	15.8	40
EC_EMV6	6"/ 150mm	86	168	35	24.2	36
EC-EMV8	8"/ 200mm	103	208	45	38.1	100

Replacement Jaw Plates with Screws (pair)

Part No	Description	Pack Qty
EC-EMV-1JPS	For use with EC-EMV1	1
EC-EMV-3JPS	For use with EC-EMV3	1
EC-EMV-5JPS	For use with EC-EMV5	1
EC-EMV-6JPS	For use with EC-EMV6	1
EC-EMV-8JPS	For use with EC-EMV8	1





VICES

Swivel Bases

For use with Eclipse Mechanics' Vices



Includes three mount holes for attaching to a workbench.

Soft Jaws

For use with Eclipse Mechanics' Vices



A range of high quality fibre grips for use with Eclipse Mechanics' Vices. Prevents damage to workpieces with soft or polished surfaces. Supplied in pairs

Part No	Size	For use with	Part No	Size	For use with	Pack Qty
EC-EMV-SB1	Swivel Base for 3" (75mm) Vice	EC-EMV1	EC-EFG1	3" (75mm)	EC-EMV1	10
EC-EMV-SB3	Swivel Base for 4" (100mm) Vice	EC-EMV3	EC-EFG3	4" (100mm)	EC-EMV3	10
EC-EMV-SB5	Swivel Base for 5" (125mm) Vice	EC-EMV5	EC-EFG5	5" (128mm)	EC-EMV5	10
EC-EMV-SB6	Swivel Base for 6" (150mm) Vice	EC-EMV6	EC-EFG6	6" (150mm)	EC-EMV6	10
EC-EMV-SB8	Swivel Base for 8" (200mm) Vice	EC-EMV8	EC-EFG8	8" (200mm)	EC-EMV8	10


Quick Release Woodworking Vices

Plain Screw Woodworking Vices



Quick release trigger opens and closes the vice quickly without using the mainscrew. Fitted with an adjustable front stop – or dog – that gives an additional clamping facility when used with a bench stop, to provide a normal vice and a tail vice in one tool. To increase safety, the fused tommy bar will bend before the vice can become over-stressed

Part No	Jaw Width	Throat Depth (mm)	Opening (mm)	Net Weight (kg)	Qty per pallet
EC-EWWQR7	7"/ 178mm	80	202	9.4	60




Plain screw mechanism works through a separate unbreakable nut housed beneath the body seating, to ensure the constant alignment of the screw mechanism. Precision machined grey cast iron body and front to ensure a smooth, parallel action. Fitted with an adjustable front stop — or dog — that gives an additional clamping facility when used with a bench top, to provide a normal vice and a tail vice in one tool. To increase safety, the fused tommy bar will bend before the vice can become over-stressed

Part No	Jaw Width	Depth (mm)	(mm)	Net Weight (kg)	uty per pallet
EC-EWWPS7	7"/ 178mm	80	202	9.4	60



CLAMPS

For woodworking & metalworking applications



G Clamps - Heavy Duty



Average clamping force of 300-800kg (660-1760lbs). Guaranteed unbreakable malleable iron frame with a fast action twin start rolled acme thread. The steel swivel shoe applies an even pressure, even on angled surfaces, whilst the tommy bar will bend before the frame can become over-stressed.

Part No	Clamping Capacity	Frame Proof Loads	Pack
EC-E20-3	3" (75mm)	1000lbs / 455kg	6
EC-E20-4	4" (100mm)	1200lbs / 545kg	6
EC-E20-6	6" (150mm)	1400lbs / 636kg	6
EC-E20-8	8" (200mm)	1700lbs / 773kg	2
EC-E20-10	10" (250mm)	2000lbs / 909kg	2
EC-E20-12	12" (300mm)	2500lbs / 1136kg	2





CLAMPS

One Handed Bar Clamps & Spreaders

Quick release trigger enables the clamp to be quickly positioned and released, whilst the jaw release clip mechanism allows the jaw to be removed and re-attached to the other end of the bar, thus converting the clamp into a spreader. The carbon steel bar and reinforced nylon body make it both tough and durable, whilst the ergonomically-designed, soft feel pistol grip handle fits easily into the hand. In addition, the toe-in feature means that, when fully closed, the jaws only meet at the top, thus providing an even clamping force across the whole depth of the workpiece. Non-marring pads firmly grip and protect the workpiece





Part No	Clamping Capacity	Spreading Capacity (Min)	Spreading Capacity (Max)	Jaw Depth	Pack Qty
EC-EOHBC6	6" (150mm)	6 5/8" (168mm)	13 3/8" (340mm)	3 3/8" (85mm)	20
EC-BCTP300*	6" (150mm)	6 5/8" (168mm)	13 3/8"" (340mm)	3 3/8" (85mm)	5
EC-EOHBC12	12" (300mm)	6 5/8" (168mm	19 1/2" (495mm)	3 3/8" (85mm)	12
EC-EOHBC18	18" (450mm)	6 5/8" (168mm	25 3/8" (645mm)	3 3/8" (85mm)	12
EC-EOHBC24	24" (600mm)	6 5/8" (168mm	31 1/2" (800mm)	3 3/8" (85mm)	12
EC-EOHBC36	36" (900mm)	6 5/8" (168mm	43 1/2" (1105mm)	3 3/8" (85mm)	12

^{**}EC-BCTP300 IS TWO PACK OF 300MM CLAMPS

F Clamps



DIN5117 standard clamps with an average clamping force of 300kg (660lbs). The sliding head quickly sets the clamp to the required capacity, whilst the serrated grooves on the corrosion resistant nickel plated bar prevent slippage in use. The cast iron malleable heads offer maximum strength and the wooden handle provides a firm and comfortable grip.

Part No	Clamping Capacity	Clamping Depth	Pack
EC-SCR8	8" / 200mm	120mm / 4¾"	10
EC-SCR12	12" / 300mm	120mm / 4¾"	10
EC-SCR16	16" / 400mm	120mm / 4¾"	10
EC-SCR24	24" / 600mm	120mm / 4¾"	10
EC-SCR32	32 "/ 800mm	120mm / 4¾"	6



CLAMPS

Sash Clamps


Sash clamps have an average clamping force of 500kg (1100lbs). The ductile head and slide are guaranteed unbreakable, whilst the steel bar offers maximum tensile and yield strength. The slightly tapered jaws enable perfectly parallel clamping and the fast action rolled thread applies pressure quickly and smoothly to the workpiece



Part No	Maximum Clamping Capacity / Type	Bar Length	Pack
EC-ESC24	24" (600mm)	30" (760mm)	6
EC-ESC30	30" (760mm)	36" (915mm)	6
EC-ESC36	36" (915mm)	42" (1070mm)	6
EC-ESC42	42" (1070mm)	48" (1220mm)	6
EC-ESC48	48" (1220mm)	54" (1370mm)	6

applies pressure quickly and smoothly to the workpiece

T-Bar Clamps



Part No	Maximum Clamping Capacity	Bar Length	Pack
EC-ETBR42	42" (1070mm)	48" (1220mm)	4
EC-ETBR48	48" (1220mm)	54" (1370mm)	4
EC-ETBR54	54" (1370mm)	60" (1525mm)	4



MAGNETIC WELDING TOOLS

Magnetic Variable Clamp

Part No Length mm Height mm Width mm Weight (kg) Pull Force (kg) EC-E952 195 200 11 0.49 20



Fast accurate holding of ferrous sheets and tubes for welding and assembly work

Heavy Duty Variable Clamp

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
FC-F974	140	140	35	1.40	40



Clamp components during welding, fabrication and assembly. Powerful 40kg clamping force, enabling larger components to be clamped with ease

90° Fixed Magnetic Clamps

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
1 EC-E971	140	140	35	1.40	40
2 EC-E972	225	225	22	2.20	75
3 EC-E973	300	300	35	4.70	200



Two magnetic faces in a rigid 90° angle for jigging on sheets, pipes and tubes. A fast and cost effective means of clamping components rigid at 90° angles during fabrication, assembly and weld preparation applications

Magnetic Holdfasts

Part No	Dia mm	Height mm	Fixing Holes PCD	No. of Holes	Weight (kg)	Pull Force (kg)
EC-E939	44.5	44.5	31.75	2 x M8	0.6	20
EC-E940	54.0	49.2	38.1	2 x M8	1.0	40
EC-E941	70.0	64.5	50.8	2 x M8	2.0	88
EC-E942	101.6	74.6	69.05	3 N/A	4.7	183



Supplied with screw release handle. Can be built into workholding, handling and assembly fixtures to provide a high clamping force and positive grip

Heavy Duty Magnetic Clamp

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-E954	14	82	120	0.3	10
FC-F955	18	102	160	0.7	15



Hold workpieces at an exact 45 or 90° angle to each other. 10kg and 15kg of magnetic pull make these ideal for a range of workshop welding and holding applications

'Quick' Magnetic Clamps

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-E951	100.5	65.5	12	0.3	10
EC-E953	100.5	65.5	20	0.4	15



Fast and accurate holding of ferrous metals at different fixed angles. Also suitable for retrieval applications



MAGNETIC WELDING TOOLS

Magnetic Mitre Clamps

Part No	Length base face mm	Length top face mm	Height mm	Width mm	Weight (kg)	Pull Force(kg)	
1 EC-923	156	66	45	43	1.36	100	
2 EC-924	184	94	45	43	1.64	68	



Effective and inexpensive method of clamping flat (923) or round (924) ferrous components

Magnetic Positioner

Part No	Length	Height	Width	Weight	Pull on	Pull Force
	mm	mm	mm	(kg)	flat face (kg)	on v face (kg)
EC-922 (Pair)	206	63.5	76	3.17	80	80



2 magnetic blocks connected by 2 non-magnetic steel straps. The blocks contain ferrite magnetic material. Magnetic on two faces. On / off switch located at each end

Magnetic Adjustable Links

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-920 SU (single unit)	60	25	29	0.35	12
EC-920 (pair)	127	25	51	0.70	12



Ferrite magnet material. Clamp components at any angle for welding and assembly applications

Magnetic Holder

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
FC-F925	108	1/10	108	5.67	100



Provides the welder with a powerful, rigid support on flat and round components at various angles during welding and welding preparation applications. Switchable and can be partially energised to aid positioning





ULTRALIFT PLUS+ ULTRALIFT LM ULTRALIFT TP






MAGNETIC LIFTERS

Magnetic lifters are quicker, easier and safer to use than slings, chains, hooks and grabs, and do not mark the load.

Onboard switching and permanent magnet technology mean installation and operation could not be easier and running costs are non-existent.

Access is only required to the load's top face, allowing for more efficient storage and handling.







Ultraliftpus+

Ultralift Plus The world's safest lifter

Lifts up to 2000kg (flat) 800kg (round) 3 safety features:

- Locking switch handle mechanism
- Unique 'Safety Shim': pre-test any load to ensure a 3:1 safety
 factor.
- Locking eye mechanism: magnet cannot be switched off while holding a load

3:1 SAFETY FACTOR



The patented 'safety shim' allows pre-testing of the load to be lifted, irrespective of weight, material type, material thickness and surface condition. If the load passes a 3:1 safety factor is guaranteed

Ultralift Plus+


					Fla	Lift Speci t Section	fications Round Section					
Part No.	Self Weight (kg)	A	В	С	D	E	F	Material Length Max. mm	SWL* (kg)	Thickness Min. mm	SWL* (kg)	Diameter Max. mm
EC-UL0125	4	152	64	74	69	101	155	1500	125	20	50	200
EC-UL0250	11	218	94	96	92	155	214	1500	250	25	100	300
EC-UL0500	27	266	123	128	122	224	300	1500	500	30	200	400
EC-UL1000	63	391	140	174	176	260	359	1500	1000	45	400	450
EC-UL2000	157	493	195	227	233	368	477	2000	2000	70	800	600
										* CMI Cof	o Work Load	



MAGNETIC LIFTERS

Ultralift LM

						Lift Specifications						
			Flat Section		Round S	Section						
Part No.	Self Weight (kg)	A	В	C	D	E	F	Material Length Max. mm	SWL (kg)	Thickness Min. mm	SWL (kg)	Diameter Max. mm
EC-LM0125	4.5	150	54	62	76	110	150	1500	125	20	50	250
EC-LM0250	8.5	210	76	72	90	165	200	1500	250	25	100	300
EC-LM0500	17.5	281	103	88	106	225	243	1500	500	30	200	400
EC-LM1000	36.5	391	113	103	136	325	365	1500	1000	45	400	450
EC-LM2000	79	483	170	132	186	400	526	2000	2000	70	800	600




Ultralift LM

Safe, general-purpose lifting

Lifts up to 2000kg (flat) 800kg (round)

Locking switch handle mechanism





Ultralift TP

Lift Specifications Material Thickness

Lifter Dimensions								51	5mm		6mm		8mm		10mm	
Part No.	Self Weight (kg)	A	В	C	D	E	F	SWL (kg)	Length Max. mm	SWL (kg)	Length Max. mm	SWL (kg)	Length Max. mm	SWL (kg)	Length Max. mm	
EC-TP150 EC-TP300	8 15	181 181	52 52	74 74	100 100	150 300	202 352	75 150	1500 2000	100 200	1500 2000	150 300	1500 2000	200 400	1500 2000	



Ultralift TP


Thin plate lifter

Lifts up to 400kg (flat)

Specifically designed for the safe lifting of thin plate and pressings, it can lift single sheets from the tops of stacks

Locking switch handle mechanism








ALUMINIUM PIPE WRENCHES ADJUSTABLE WRENCHES





LEADER PATTERN ALUMINIUM PIPE WRENCHES

For manipulating large capacity threaded pipe joints



Leader Pattern Aluminium Pipe Wrenches





Ideal for manipulating large capacity threaded pipe joints and tightening or loosening threaded collars on pipe work, nuts & bolts.

Part No	Length (when open)	Pipe Capacity	Pack
EC-EAPW10	10" (250mm)	1 ½" (38mm)	6
EC-EAPW12	12" (300mm)	2" (50mm)	6
EC-EAPW14	14" (350mm)	2" (50mm)	6
EC-EAPW18	18" (450mm)	2 ¹ /2" (63mm)	4
EC-EAPW24	24" (600mm)	3" (75mm)	2
FC-FAPW36	36" (910mm)	5" (125mm)	4



WRENCHES & PIPE VICES

Adjustable Wrenches

Part No	Description	Jaw Opening	Pack Qty
EC-ADJW6	6" (150mm)	11/16"(27mm)	5
EC-ADJW8	8" (200mm)	15√6"(33mm)	5
EC-ADJW10	10" (250mm)	1½"(38mm)	5
EC-ADJW12	12" (300mm)	1¾"(45mm)	5



The adjustable wrench can be used to tighten large nuts and bolts, whilst the metric scale laser etched onto the jaw ensures fast setting of the tool. The rust resistant lacquer increases the product life and the ergonomic soft feel sleeve gives maximum comfort and grip



Adjustable Wrenches - Extra Wide Jaws

Part No	Description	Jaw Opening	Pack Qty
EC-ADJW6WJ	6" (150mm)	15/16" (34mm)	6
EC-ADJW8WJ	8" (200mm)	1½" (38mm)	6
EC-ADJW10WJ	10" (250mm)	2" (50mm)	5
EC-ADJW12WJ	12" (300mm)	2 ¾" (60mm)	5





Ideal for use in plumbing, installation and automotive tasks. Not only does the extra wide jaw opening increase versatility, but the super thin head means that the wrench can be used in confined spaces. In addition, the throat depth is deeper than standard adjustable wrenches and the head is angled to offer maximum speed and efficiency. Soft grip handle for added comfort

Adjustable Wrenches - Standard Handle

Part No	Length	Jaw Opening	Pack Qty
EC-ADJW6S	6" (150mm)	1" (24mm)	5
EC-ADJW8S	8" (200mm)	1¾6" (30mm)	5
EC-ADJW10S	10" (250mm)	1½" (37mm)	5
EC-ADJW12S	12" (300mm)	1¾" (43mm)	5
EC-ADJW15S*	15" (375mm)	1%" (47mm)	2

^{*} Ring spanner not included





The extra wide jaw can be used to tighten large nuts and bolts, whilst the metric scale laser etched onto the jaw ensure fast setting of the tool. The rust resistant lacquer increases the product life, whilst the ergonomic handle includes a ring spanner







RIVETERS & THREADED INSERT SETTING TOOLS

RIVETERS

Heavy Duty Lazy Tong Riveter

Description EC-2750HD Heavy Duty Lazy Tong

For use with Pack **Rivet Sizes** 3mm (1/8") 4mm (5/32") 5mm (3/16") 6.4mm (1/4")



A fixed head riveter ideal for use with stainless steel rivets up to 6.4mm. Can be used one handed, enabling better control of the work piece. Useful on vehicle maintenance, agricultural projects and construction.



Lazy Tong Riveter

Part No Description EC-2750 Lazy Tong

For use with Pack **Rivet Sizes** 3mm (1/8") 4mm (5/32") 5mm (3/16")



This powerful and versatile tool has the advantage of being operated with one hand, providing no loss in efficiency. Useful on vehicle maintenance, agricultural projects and construction.

Long Arm Riveter

Part No Description EC-2760 Long Arm

For use with **Pack Rivet Sizes** 4mm (5/32") 5mm (3/16") 6mm (1/4")

Heavy Duty Long Nose Riveter

Description EC-2720 Heavy Duty Long Nose

Pack For use with **Rivet Sizes** 3mm (1/8") 4mm (5/32") 5mm (3/16")

Heavy Duty Riveter

Part No Description EC-2730 Heavy Duty

For use with Rivet Sizes 3mm (1/8") 4mm (5/32") 5mm (3/16")



The long armed riveter reduces the minimum the effort required to set rivets up to 6mm. Probably the most powerful industrial hand riveter available today. Ideal for boat building and coachwork, agricultural machine maintenance, etc. Supplied with 4 interchangeable noses

Spare Nose Kit - 5 x 3mm

Spare Nose Kit - 5 x 4mm

Spare Nose Kit - 5 x 5mm

Spare Nose Kit - 5 x 6mm

Kit 4-1 each 72LA12

72LA13S (for steel)

72LA14

72LA13A (for aluminium)



A versatile variation of the 2730, with extra long nose to facilitate access in recessed situations such as corrugated sheet. Supplied with 4 interchangeable noses



The market leading professional heavy duty riveter, best suited to engineering and maintenance projects. Supplied with 3 interchangeable noses

Spare Nose Kits

Part No Description EC-2738A Kit 1-5x72HD12A **EC-2738B** Kit 2-5x72HD13A

3 EC-2738C Kit 3-5x72HD14 for use with 2750HD

EC-2738A-HD EC-2738B-HD EC-2738C-HD EC-2738D-HD

for use with 2760

EC-2768A

For use with rivet sizes

3mm(1/4") 4mm(5/32") 5mm(3/16")

3mm(1/4") 4mm(5/32") 5mm(3/16") 6mm (1/4")

4mm(5/32") 5mm(3/16") 5mm(3/16")

6mm (¼")





Riveter Repair Kits

Part No Description **Pack** EC-2729 Repair kit for 2720 1 EC-2739 Repair kit for 2730/2770 EC-2759 Repair kit for 2750 EC-2769 Repair kit for 2760





THREADED INSERT SETTING TOOLS & KITS





Threaded Insert Setting Tool

Part No

1 EC-2743

This thin sheet setting tool has been designed to enable threaded nut inserts to be set easily by hand. Invaluable to maintenance engineers for on-the-spot repairs. Supplied in storage wallet complete with 4mm, 5mm, 6mm and 8mm nose bushes and mandrels

Threaded Insert Nose Bush / Mandrel Conversion Kit

Part No	Description	Pacl
EC-CK4	4mm Conversion Kit to suit EC-2743 & EC-2745	10
EC-CK5	5mm Conversion Kit to suit EC-2743 & EC-2745	10
EC-CK6	6mm Conversion Kit to suit EC-2743 & EC-2745	10
EC-CK8	8mm Conversion Kit to suit EC-2743 & EC-2745	10



Threaded Insert Setting Tool Kit

Part No

2 EC-2745

Description

As the 2743 but supplied with additional 4mm, 5mm, 6mm and 8mm threaded nutserts. Housed in a compact tool box for easy storage

- Designed for the quick, manual insertion of permanent load bearing threads in materials from 0.20" to
- Simple set up and easy uniform stroke allows a nutsert to be set in thin sheet materials without causing surface damage
- A comprehensive range of conversion kits are available

Product Benefits

- One side application
- Flush mounting
- Permanent thread
- Moisture resistant
- Cost effective
- Strong
- Rapid
- Vibration resistant
- Portable

Spare Jaw Kits

Part No Description

Pack of 5 jaws to suit models: 2720, 2730, 2750, 2770 **Part No. 72HD5A** EC-2738

Pack of 5 jaws to suit models: 2760 **Part No. 72LA5** EC-2768

SIZE	MINIMUM	MAXIMUM
4mm	0.51mm (0.020")	1.27mm (0.050")
5mm	0.51mm (0.020")	1.27mm (0.050")
6mm	0.76mm (0.030")	1.68mm (0.066")
8mm	0.91mm (0.036")	3.25mm (0.128")







SCRAPERS / PIN VICES / CHUCKS & COLLETS



Engineers' Scrapers

Suitable for toolroom and small engineering work

Part No	Blade Length	Cutting Edge	Pack
1 EC-96A	100mm (4")	Three Square	5
2 EC-97A	140mm (5½")	Three Square	5
EC-99A	200mm (8")	Three Square	5
3 EC-96B	100mm (4")	Flat	5
4 EC-97B	150mm (6")	Flat	5
EC-99B	200mm (8")	Flat	5
EC-96C	100mm (4")	Curved half round	5
5 EC-97C	150mm (6")	Curved half round	5
EC-97D	200mm (8")	Curved half round	5
EC-97	Set of 4 comprising	1 set	

Trammel Heads

Supplied as one pair of heads. Suitable for laying out the distance between two points and scribing arcs and circles. To be used in conjunction with any wood offcut between ν_4 " to $1\nu_2$ " wide, minimum thickness of 363

	Part No	Suitable for beam sizes	Pack
10	EC-33	19x 38mm (3/8" - 1 1/2") Thick, & 38mm (3/8") Wide	Pair

Pin Vices

Hand held tools designed for holding round materials. Hollow handle enables material greater than the overall length of the pin chuck to

Part No	Capacity Type	mm	Inches	Overall Length	Pack
EC-12	21 Chuck	0-1.0	0-0.04	75mm (3")	10
EC-12	22 Chuck	0.75-1.5	0.03-0.062	85mm (311/32")	10
EC-12	23 Chuck	1.4-3.1	0.055-0.122	95mm (3¾")	10
8 EC-12	24 Chuck	3.1-5.00	0.122-0.196	105mm (4½")	10
EC-12	20 Set of 1 e	ach (121, 1	22, 123 and 12	4)	1 set

Pin Chuck & Replacement Collects

Part No	Overall Length mm/inches	Description	Pack
9 EC-160	65mm (1/16")	Chuck with 3 collets capacity	1

Used for gripping very small drills, mainly on automatic lathes, where pin chuck does not revolve

Erector Scrapers

Part No	Overall Length	Blade Length	Cutting Edge	Pack
6 EC-256	335mm (131/4")	210mm (81/4")	Flat	5
EC-257	350mm (14")	225mm (9")	Curved	5

Suitable for large jobs or heavy engineering. Manufactured from chrome vanadium steel

Bearing Scrapers

Part No	Overali Leligili	biade Length	Pack
EC-25	18/4 180mm (7½")	100mm (4")	5
EC-25	18/6 240mm (9½")	150mm (6")	5
7 EC-25	8/8 290mm (11½")	200mm (8")	5

Suitable for removing high spots from bearings

Auto Centre Punches

EC-65/171R 120mm (4 11/16") 13.5-2.25

Part No

EC-E172

NUTSPINNERS & PUNCHES

Nut Spinner - BA **Part No** Pack FC-7800 150mm (6") 0 BA 6 EC-7801 150mm (6") 1 BA 6 EC-7802 150mm (6") 2 BA EC-7803 150mm (6") 3 BA 6 EC-7804 150mm (6") 4 BA 6

Nut Spinner - Metric

Part No			Pack
EC-7840	150mm (6")	4mm	6
EC-7850	150mm (6")	5mm	6
EC-7860	150mm (6")	6mm	6
EC-7870	150mm (6")	7mm	6
EC-7880	150mm (6")	8mm	6
FC-7810	150mm (6")	10mm	6

LINO			Fack
-7840	150mm (6")	4mm	6
-7850	150mm (6")	5mm	6
-7860	150mm (6")	6mm	6
-7870	150mm (6")	7mm	6
-7880	150mm (6")	8mm	6
-7810	150mm (6")	10mm	6



For loosening and securing nuts particularly where spanners cannot reach or are awkward to use. Trilobular handle with tapered neck for ergonomic fit. Dual material handle for comfort in use. Integral moulded finger grips around neck to allow increased torque



For loosening and securing nuts particularly where spanners cannot reach or are awkward to use. Trilobular handle with tapered neck for ergonomic fit. Dual material handle for comfort in use. Integral moulded finger grips around neck to allow increased torque



149mm (5 7/8") 22.5-6.3

Delivers a punch when hand pressure applied to knurled head. One handed operation, hammer should not be used. Depth of impression adjusted by turning knurled head



TAP WRENCHES & COMBINATION SQUARES







Scribers

Pocket Scriber - Available with either hardened steel or tungsten carbide points. Reversible point prevents tearing and snagging of clothing when clipped in a pocket.

Engineers Double Ended Scriber - Double ended for marking out in confined spaces such as grooves and keyways

Machinists Scriber - Designed for the machinist. For marking out in confined spaces, particularly on pre-machined workpieces.

Part No	Overall Length mm/inches	Description	Pack
1 EC-E220	89mm (3 ^{1/2} ")	Scriber - Pocket - Hardened	10
2 EC-E222	190mm (7 ^{1/2} ")	Scriber - Engineers - Double Ended	25
3 EC-E225	89mm (31/2")	Scriber - Pocket - Carbide Tipped	10
4 EC-E227	114mm (41/2")	Scriber - Machinists	10

Standard Bar Type Tap Wrench

Provides a comfortable and positive grip plus the sensitivity required when tapping a blind hole. Knurled locknut ensures a constant grip on the tap when in use

Part No.	Cap	acity Squar	e A/F	RSF	BSW		Length		DI-
	mm	150	BA	BSF	UNC	UNF	mm	ın	Pack
5 EC-E240	1.5-4.6	M1-M6	14-0	1/8-1/4	0-12	1/4	110/105	41/4	1
6 EC-E242	2.5-9.0	M4-M16	3-0	3/16-5/8	8-12	1/4-5/8	230/220	9	1

Chuck Type Tap Wrench

Stepped jaws greatly extend range of taps for each wrench. Adjustable tommy bar for tapping close to a shoulder or other obstructions. Available in normal and long reach designs

Width

Body Length

	50 (445/ m			(0./11)			
7 EC-E141 (Fixed Bar)	50mm (115/6")		5/	mm (2¼")			1
EC-E142	65mm (211/16")		90	90mm (3½")			
8 EC-E143	90mm (3%")	90mm (3%")					1
EC-E145	165mm (6½")	165mm (6½") 90mm (3½")					1
9 EC-E146	245mm (10")	245mm (10") 127mm (5")					
Part No.	Jaw Capacities	Square mm	A/F ISO	ВА	BSF	BSW UNC	UNF
Z EC-E141	Min	1	M1	14	-	1	-
	Max	2.8	M3.5	4	1/8	6	-
EC-E142 & EC-E145	Min	2.0	M1	14	1/6	6	-
	Max	5.0	M6	0	1/4	12	1/4
B EC-E143 & EC-E146	Min	3.0	M4	3	3∕16	8	1/4
9	Max	8.0	M12	0	1/2	12	1/2
9	Max	8.0	M12	0	1/2	12	1/2

COMBINATION SQUARES & SETS

Combination Squares Part No Description EC-CS150 150mm (6") Combination Square

EC-50-470R

DescriptionPack150mm (6") Combination Square10300mm (12") Combination Square10

Professional Combination Square

Part No

 Part No
 Description
 Pack

 EC-CS300
 300mm (12") Combination Square
 10

Combination Set

 Part No
 Description
 Pac

 EC-50-460R
 300mm (12") Combination Set
 5



A combination square is used for multiple measuring purposes in woodworking, stonemasonry and metalworking. Available in 150mm & 300mm Combination Squares includes a hardened stainless steel rule with metric & imperial graduations, level & scriber.



This 300mm Professional Combination Square features a cast iron square head. Equiped with a Stainless Steel Rule 300mm/12 inch with both Metric & Imperial Graduations.

Includes Level and Scriber Hardened & Ground Slideways



The 300mm Combination Set includes Centre Finder, Protractor Head and Square Head Stainless Steel Rule $\frac{1}{2} \left(\frac{1}{2} - \frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} - \frac{1}{2} \right) = \frac{$

Handy Scriber

Graduated in Metric and Imperial Spirit Level and Knurled Brass Lock Nut

Made in UK



PERMANENT MAGNETS ELECTRO-MAGNETS





PERMANENT MAGNETS - MAGNET MATERIALS

ALNICO

AlNiCo

- Alnico 5 magnet material (unless stated)
- 550°C max. operating temp.
- Magnetically stable at high temperatures
- Good corrosion resistance

Cylindrical Bar Magnets

Part No	Diameter mm	Length* mm	Weight per pair (kg)	Gauss	Qty (Pair)
EC-E805	6	20	0.008	1200	10
EC-E806	8	25	0.018	1200	5
EC-E807	10	30	0.035	1200	5

Rectangular Bar Magnets

Part No	Material	Width mm	Height mm	Length* mm	per pair (kg)	Gauss	Qty (Pair)
EC-E842	Alnico 2	15	10	50	0.220	750	2
EC-E843	Alnico 2	15	10	75	0.330	750	2
EC-E844	Alnico 5	10	5	20	0.030	1100	5
EC-E845	Alnico 5	12.5	5	40	0.040	1100	5
EC-E846	Alnico 5	15	5	60	0.130	1100	5



Sold in pairs



Sold in pairs. North pole is indicated by a notch / dimple

Minor Magnet

Part No	Width mm	Height mm	Length mm	Pole Gap	Weight (kg)	Max Pull (kg)	Pack Qty
EC-E801	7.9	11.1	22.2	6.3	0.01	0.9	10

Button Magnets

Part No	Dia. mm	Height mm	Slot Size Min - Max	Hole Size	Weight (kg)	Max Pull	Pack Qty
			mm	0.20	(119)	(kg)	~-,
EC-E821	12.7	9.5	4.0 - 7.2	4.4	0.006	0.7	10
EC-E822	19.1	12.7	5.6 - 8.7	4.8	0.020	1.9	10
EC-E825	22.2	19.1	6.3 - 6.3	4.8	0.050	3	10
EC-E823	25.4	15.9	5.6 - 8.7	4.8	0.050	3.4	10
EC-E824	31.8	25.4	8.0 - 12.7	7.1	0.113	4.8	2

Pocket Magnets

Part No	Length mm	Width mm	Height mm	Width of Gap	Weight (kg)	Max Pull (kg)	Pack Qty
EC-E802	28.5	7.6	25.4	6.3	0.030	2.4	10
EC-E803	33.3	15.9	35	7.9	0.090	4	5







Power Magnets

Part No	Length mm	Height mm	Width mm	Width of Gap mm	Hole Size mm	Hole Centres mm	Weight (kg)	Pull Force (kg)	Pack Qty
EC-811	30	20	20	15	5	N/A	0.060	4.5	5
EC-812	40	25	25	20	5	N/A	0.120	9	5
EC-813	45	30	30	23	5	N/A	0.180	11.8	2
EC-814	57	35	44.5	27.8	2 x 7.9	31.75	0.370	23.5	1
EC-815	70	41.3	57.2	34.1	2 x 7.9	38.10	0.710	37	1
EC-816	79.4	54	82.6	38.1	2 x 9.5	42.86	1.450	47	1
EC-817***	60.3	39.7	62	31.75	N/A	N/A	0.80	35	1
EC-818	79.4	54	85.7	47.6	N/A	N/A	1.80	60	1



**** Special Order Only







PERMANENT MAGNETS - POT MAGNETS

ALNICO

AlNiCo

Standard products indicated

Shallow Pot Magnets

Part No	Dia. mm	Height	Hole Size (Csk)	Screw Head Size	Weight Kg	Pull Force Kg	Pack Qty
EC-826	19	7.5	4.5	M3 Csk	0.010	3.0	10
EC-827	28.5	8.5	5.2	M4 Csk	0.030	5.0	10
EC-828	38.1	10.35	5.2	M4 Csk	0.080	13.0	5

Deep Pot Magnets

Part No	Dia. mm	Height	Thread Size	Weight Kg	Pull Force Kg	Pack Qty
EC-829	9.5	15	M3	0.005	1	10
EC-830	12.7	15.9	M4	0.015	2	10
EC-831	17.5	16	M6	0.023	2.65	10
EC-832	20.5	19	M6	0.040	4	5
EC-833	27	25	M6	0.085	6.1	5
FC-834	35	30	M6	0.184	1/175	2



Max. operating temperature 220° Mild Steel pot Painted Red






Max. operating temperature 220° Mild Steel pot, aluminium spacer Painted Red

Hook Magnets

Part No	Dia. mm	Pot Height mm	Total Height mm	Thread Size	Weight (kg)	Pull Force (kg)	Pack Qty
EC-E879-RB	25	8	34	M4	0.027	4.0	1
EC-E880-RB	32	8	34	M4	0.034	8.0	1
EC-E881-RB	36	8	34	M4	0.038	10.0	1
EC-M19863XR	32	7	38	M5	0.051	35	1



Part No	Dia. mm	Height mm	Thread Size	Weight (kg)	Force (kg)	Pack Qty
EC-E890	46	10.7	M6	0.090	6	5
EC-E891	56	10.7	M6	0.130	16	5
EC-E892	66	10.7	M6	0.190	25	5

Max. operating temperature 120° Mild steel pot with removeable hook Painted red











Shallow Pot Magnets - M6 Tapped Holes

Part No	Dia. mm	Height mm	Fixing Stud Centres PCD M6	Centre Fixing Point	Weight (kg)	Pull Force (kg)	Pack Qty
EC-E895	66	10.7	46mm - 3 Holes	M6	0.270	25	1
EC-E896	76	12.5	46mm - 3 Holes	M6	0.300	33	1
EC-E897	100	15.5	70mm - 3 Holes	M6	0.610	55	1

Max. operating temperature 120° Mild steel pot with removeable hook Painted red Three M6 tapped holes to aid mounting products









Please see our website for further details on all of our ranges

























www.spearandjackson.com.au

INDEX


A		C - Continued		G - Continued	
Air Blow Guns	103	Claw Hammer	52	Grommet Punch	58
Air Fittings General Air Fittings Jamec Style	108 109	Club Hammer Coil Nailer	53 105	Grommets Groover - Cement	58 84, 99
Air Fittings James Style Air Fittings Nitto Style	109	Cold Chisel	66, 121	Grout Remover	89
Air Fittings Ryco Style	108	Colours - Hand Cultivator	44	Grout Spreader	89
Air Hose Air Hose - Recoil	108 108	Colours - Hand Fork Colours - Hand Trowel	44 44	Guarded Chisel Gutter Scoop	121 8
Air Hose Repair Kit	108	Colours - Loppers	44	duttor cocop	O .
Air In Line Moisture Trap	107	Colours - Scoops	44, 45	H	44
Air Kits & Accessories Air Mini Filter Regulator	106 103	Colours - Secateurs Colours - Shears	44 44	Hachet Hacksaw - Blades	41 116, 117
Air Nailers / Staplers	104, 105	Colours - Transplanter	44	Hacksaw - Junior	119
Air Tool & Compressor Oils Air Tyre Inflators	103 103	Colours - Weeder Colours Display Box Secateurs	44 45	Hacksaw - Mini Hacksaws	56, 118 56, 118
All Tyre Illiators Aluminium Pipe Wrench	138	Combination Set	145	Hammer - Ball Pein	53
Angle Bradder	105	Combination Square	145	Hammer - Brick	52, 73
Angle Brads Archaeology Trowel	110 72	Compass Saw Concrete Chisel	82 66, 121	Hammer - Claw Hammer - Club	52 53
Aviation Snips	119	Concreting Float	83, 84, 94, 99	Hammer - Cross Pein	53
Axes	40	Contour Gauge	60, 90	Hammer - Dead Blow	55
В		Coping Saw Coping Saw Blades	56, 118, 119 117	Hammer - Replacement Tips Hammer - Sledge	55 54
Ball Pein Hammer	53	Coving Tool External Corner	99	Hammer - Soft Face	55
Bar Magnet	147	Cross Pein Hammer	53	Hand Cultivator	8, 23
Bearing Scrapers Bevel	144 59	Crosscut Chisel Cultivator - 3 Prong	121 7, 19	Hand Cultivator - Colours Hand Fork	44 8, 20, 23, 25, 27
Bevel - Premium	59	Cultivator - Hand	8, 23, 44	Hand Fork - Colours	44
Bevel - T Sliding	68	Cutter - Glass	89	Hand Soil Scoop	23
Blades - Coping Saw Blades - Fretsaw	117 117	Cutter - Scoring Cutter - Tile	89 89	Hand Tool - Gift Sets Hand Transplanter	20, 23 8, 23, 25
Blades - General Purpose	117	Cutter - Tile Circular	89	Hand Transplanter - Colours	44
Blades - Hacksaw	116, 117	Cutter - Tile Mechanical	89	Hand Trowel	8, 20, 23, 25, 27 44
Blades - Junior Blades - Piercing Saw	117 117	D		Hand Trowel - Colours Hand Weeder	8, 23
Block Jointer	100	Dead Blow Hammer	55	Hand Weeder - Colours	44
Blocksplitters Blow Guns	41 103	Dutch Hoe Dutch Pins	7, 19 75	Handle - Broom Handle - File	42 42
Board Lifter	81	Duteri Filis	73	Handle - Rake	42
Bolsters - Brick	66, 73	E		Hardwood Float	85
Bolsters - Brick Professional Bolsters - Electricians	66, 73 73	Edger - Cement Edging Knife	84, 99 20	Hawk - Plasterers Hoe - Dutch	79, 94, 97 7, 19
Bolt Cutters - Forged, Tubular	120	Edging Shears	36	Hoe - Mortar	7, 19
Bow Saws	39	Engineers' Scrapers	144	Hoe - Swan Neck	7, 19
Bow Saws - Predator Bradder - Angle	38 105	Erector Scrapers External Corner Coving Tool	144 99	Hole Saw Set Hook Magnet	56 148
Bradder - C, C1	104	External Corner Trowel	78, 98	Hopper Gun	87
Bradder / Stapler 2 in 1	104	Eyelets	58	Hose - Air	108
Brads - Angle Brads - C, C1	110 110	F		Hose Repair Kit - Air Hose Tidies	108 16
Brick Carrier	75	F Clamps	130		
Brick Hammer Brick Jointer	52, 73 75, 100	Fern Hook File Handle	37 42	I In Line Moisture Trap	107
Brick Trowel	73, 100	Flat Chisel	121	Inflation Kits & Air Tool Starter Kits	103, 106
Brickline	74	Float - Concreting	83, 84, 94, 99	Internal Corner Trowel	78, 98
Broom Handle Bucket Trowel	42 79	Float - Finishing Float - Grout	83 89	J	
Bulb Planter	8	Float - Hardwood	85	Jab Saw	82
Button Magnet	147	Float - Magnesium	85 88, 94	Jamec Style Air Fittings Jeweller's Snips	109 119
С		Float - Notched Float - Pine	66, 94 85	Joint Raker	75. 100
C Bradder	104	Float - Plasterers	78, 93, 95, 96, 97	Jointers - Block	100
C Brads C1 Bradder	110 104	Float - Pointed Finishing Float - Polyurethane	83, 84 80	Jointers - Brick Jointers - Sled	75, 100 75
C1 Bradei C1 Brads	110	Float - Rendering	81, 94	Jointing Knives	82
Cabinet Scapers	100	Float - Sanding Poly	81	Junior Hacksaw	119
Camping Axe Cane Knife	41 37	Float - Sponge Float - Sponge Replacement	80, 96 80, 96	К	
Carpenters Mallet	54	Floor Scrapers	91, 99	Kneeler Board	86
Carpenters Square	59	Floor Scrapers Blades	91, 99	Knife - Cane	37
Caulking Gun C-Clamps - Locking	90 125	Floorboard Chisel Forged Bolt Cutters	121 120	Knife - Filling Knife - Hacking	67 57
Cement Edger	84, 99	Fork - Border	18, 22, 25	Knife - Jointing	82
Cement Groover Cement Sheet Cutter	84, 99 85	Fork - Garden Fork - Hand	5, 18, 22, 25, 27	Knife - Lino Knife - Putty	57 67, 91
Chalk Reel	60	Fork - Hand Fork - Hay, Manure	8, 20, 23, 25, 27, 44 6	Knife - Retractable	57
Chisel - Crosscut	121	Fork - Professional	13	Knife - Shoe	57
Chisel - Flat Chisel - Floorboard	121 121	Framing Nailer Framing Nails	105 110	Knife - Stripping Knife - Taping	67 82
Chisel - Floorboard Chisel - Guarded	121	Fret Saw	118	Knife Edging	20
Chisels - Cold	66, 121	•			
Chisels - Concrete Chisels - Plugging	66, 121 66, 121	G G Clamps	129	L Lawn Shears	36
Chisels - Scutch	66	Gauge - Marking	68	Leaf Grabber	20
Clamps - F	130 129	Gauge - Mortice & Marking	68 79	Leather Punch Leather Workwear	58 61, 62
Clamps - G Clamps - One Handed Bar	129 130	Gauging Trowel General Air Fittings	79 108	Leatner Workwear Level - Box	61, 62 59
Clamps - Profile	75	General Purpose Saw	119	Level - Box Professional	59
Clamps - Sash Clamps - Spring	131 57	General Purpose Snips Grass Shears	119 35	Level - Bullseye Level - Cross Check	59 59
Clamps - Spring Clamps - T-Bar	131	Gravity Feed Spray Guns & Kits	107	Level - Cross Check Level - Line	59
150		· ·			

INDEX

L - Continued		P - Continued		S - Continued	
Level - Torpedo	59	Power Magnet	147	Sled Jointer	75
Line Block - Rubber	74	Profile Clamp	75	Sledge Hammer	54
Line Pins	68, 75	Pruner - Tree Telescopic	39	Small Tools	81
Litter Picker Locking C-Clamps	20 125	Pruning Saw Punch - Auto Centre	39 60, 144	Snips - Aviation Snips - General Purpose	119 119
Locking Jaw Pliers	124	Punch - Eyelets	58	Snips - General Fulpose Snips - Jeweller's	119
Loppers	32,33,44	Punch - Grommet	58	Socket Adaptor Set	56
Loppers - Anvil	33	Punch - Leather	58	Soft Face Hammer	55
Loppers - Bypass	32, 33, 44	Punch - Plier	58	Soil Scoop - Hand	23
Loppers - Colours	44			Soil Spreader	7
Loppers - Professional	32	_		Spacer - Cross Shape	91
		R		Spacer - T-Shape	91
M Magnet Der	1 17	Rake - Fan	14, 15	Spacer - Wedge Shape	91
Magnet - Bar Magnet - Button	147 147	Rake - Leaf / Plastic Rake - Nail / Garden	14, 19 7,19	Spade - Border Spade - Cottage	18, 22, 25 5
Magnet - Button	148	Rake Handle	42	Spade - Cottage Spade - Draining	13
Magnet - Minor	147	Rake - Landscapers	7	Spade - Braining Spade - Garden	5, 18, 22, 25, 27
Magnet - Pocket	147	Raker - Joint	75, 100	Spade - Professional	13
Magnet - Pot	148	Recoil Air Hose	108	Splash Trowel	100
Magnet - Power	147	Rendering Float	81, 94	Splatter Gun	94
Magnetic Adjustable Links	133	Riveters	57, 141	Sponge Float	80, 96
Magnetic Clamps "Quick"	132	Riveters Spares	141, 142	Sponge Float Replacement	80, 96
Magnetic Clamps Heavy Duty	132	Rubber Mallet	54	Spray Guns	107
Magnetic Fixed Clamps	132	Rubber Mallet - White	54	Sprayer - Pressure	16
Magnetic Holder	133	Rulers	60	Sprayer - Trigger	16
Magnetic Holdfasts	132	Ryco Style Air Fittings	108	Spreader - Adhesive	88
Magnetic Lifters - Ultralift	135-136 133	s		Spreader - Grout Spreader - Soil	89 7
Magnetic Mitre Clamps Magnetic Positioner	133	Sanding Float	81	Spring Clamps	57
Magnetic Variable Clamp	132	Sash Clamps	131	Square - Carpenters	59, 68
Magnetic Variable Clamp H/D	132	Saw - Bow	38, 39	Square - Combination	145
Magnets - D.I.Y	56	Saw - Brass Back Tenon	50	Square - Try & Mitre	59
Mallet - Carpenters	54	Saw - Compass	82	Stapler - 80 Series	104
Mallet - Rubber	54	Saw - Coping	56, 118, 119	Stapler - Narrow Crown	104
Mallet - Rubber White	54	Saw - Fret	118	Stapler / Bradder 2 in 1	104
Margin Trowel	100	Saw - General Purpose	119	Staples - 80 Series	110
Marker - White Paint	56	Saw - Hardpoint First Fix	49	Staples - Narrow Crown	110
Markers - Bullet Point	64	Saw - Hardpoint Laminate	49	Straight Edges	86
Markers - Chisel Point	64	Saw - Hardpoint Predator X	49	Stringline	74
Marking Gauge	68	Saw - Hardpoint Quick Cut	50	Support Prop	81
Masonry Brush Mattock - Cutter End	73 6, 9	Saw - Hardpoint Tenon	50 50	Swan Neck Hoe	7, 19
Mattock - Cutter End Mattock - Pick End	6, 9	Saw - Hardpoint Toolbox Saw - Hardpoint Triplefast	49	т	
Measuring Tape	60	Saw - Hardpoint Impletast Saw - Hardpoint Universal	49	Tap Wrench	145
Mechanics Vice	127	Saw - Hardpoint UPVC	49	Taping Knives	82
Mini Filter Regulator	103	Saw - Jab	82	Tape Measure	60
Minor Magnet	147	Saw - Mini Hacksaw	56, 118	T-Bar Clamps	131
Mixing Paddle	81	Saw - Piercing	118	Telescopic Tree Pruner	39
Mortar Hoe	7, 87	Saw - Professional Tenon	50	Threaded Insert Tool	142
Mortice & Marking Gauge	68	Saw - Pruning	39	Threaded Insert Tool Spares	142
Moulders Trowel	100	Saw - Traditional Skew Back	50	Tile Borer, Nipper & Cutter	90
Mulch / Grain Scoop	6	Saw Tooth Setter	119	Tile Hole Cutter	90
N		Scoop - Gutter	8	Tiling Sponge	90
N Nailer - Coil	105	Scoop - Mulch / Grain Scoops - Colours	6 44	Topiary Shears Trammel Heads	35 144
Nailer - Coil Nailer - Framing	105	Scraper Sets	67	Transplanter - Hand	8, 23, 25
Nails - Framing	110	Scrapers - Bearing	144	Trowel - Archaeology	72
Narrow Crown Stapler	104	Scrapers - Cabinet	100	Trowel - Brick	71
Narrow Crown Staples	110	Scrapers - Engineers	144	Trowel - Bucket	79
Nitto Style Air Fittings	109	Scrapers - Erectors	144	Trowel - External Corner	78, 98
Notched Float	88, 94	Scrapers - Flexible	91	Trowel - Gauging	79
Nut Spinners - BA/Metric	144	Scrapers - Floor	91, 99	Trowel - Hand	8, 20, 23, 25, 27, 44
Nylon Workwear	63	Scrapers - Floor Blades	91, 99	Trowel - Internal Corner	78, 98
0		Scrapers - Stiff	91 86	Trowel - Margin	100 100
	103	Screeds Scribers	145	Trowel - Moulders	72
Oils - Air Tool & Compressor	103	Scribers Scutch Combs	145 66	Trowel - Pointing Trowel - Splash	100
P		Scythettes	37	Trowel - Window	100
Pencils - Carpenters	64	Scythettes - Blade	37	Tuck Pointer	100
Pencils - Chinagraph	64	Secateurs	30, 31, 32, 44, 45	Tyre Inflators	103
Piercing Saw	118	Secateurs - Anvil	30, 31	,	
Pin Chuck	144	Secateurs - Bypass	30, 31, 32, 44, 45	V	
Pin Vices	144	Secateurs - Colours	44	Vice - Accessories	128
Pine Float	85	Secateurs - Colours Display Box	45	Vice - Mechanics	127
Pincer - Post Hole	13	Secateurs - Professional	32	Vice - Replacement Jaw Plates	127
Pipe Wrench	68, 138	Secateurs - Sharpener	31	Vice - Woodworking	128
Pipe Wrench - Aluminium Plasterers Float	138 78, 93, 95, 96, 97	Sharpening Stone Shears	57 34 35 44	w	
Plasterers Float Plasterers Hawk	78, 93, 95, 96, 97 79, 94, 97	Shears - Colours	34, 35, 44 44	Weeder - Hand	8, 23, 44
Plasterers Square	79, 94, 97 82	Shears - Edging/Lawn	36	Window Trowel	100
Plier Punch	58	Shears - Grass	35	Woodworking Vice	128
Pliers - Locking Jaw	124	Shears - Telescopic	35	Workwear - Accessories	62
Plugging Chisel	66, 121	Shears - Topiary	35	Workwear - Leather	61, 62
Pocket Magnet	147	Shears - Wishbone	34	Workwear - Nylon	63
Pointer Tuck	100	Shovel - All Steel	13, 87	Wrecking Bars	58
Pointing Trowel	72	Shovel - General Purpose	12	Wrench Adjustable Soft Grip	139
Pointing Finishing Float	83 80	Shovel - Plumbers	9, 10, 11, 12	Wrench Adjustable Steel	139
Polyurethane Float Post Hole Pincer	80 13	Shovel - Post Hole Shovel - Round Mouth	4, 9, 10, 11, 12 4, 5, 9, 10, 11	Wrench Adjustable Wide Jaw Wrench - Pipe	139 138
Post Hole Pincer Pot Magnet	148	Shovel - Round Mouth Shovel - Square Mouth	4, 5, 9, 10, 11 4, 5, 9, 10, 11	Wrench - Tap	145
. St Magnot	140	Shovel - Square Modiff	4, 9, 10, 11		
		J	, -, -, -,		151

ECLIPSE PROFESSIONAL TOOLS







ECLIPSE CATALOGUE 2015

Due to continuous development and improvement, Spear & Jackson reserves the right to modift product design, specifications and materials without orior notice.

WERON ON THE ARS WERE PRINTED TO THE AREA TO THE THE AREA TO THE A

Eclipse Group – World Class Products for Worldwide Markets

Eclipse Group incorporates the world famous Eclipse Magnetics and Eclipse Professional Tools brands to form a portfolio of over 30,000 products. With over 100 years of experience Eclipse is a trusted supplier to some of the leading names in industry and commerce.

We are committed to supporting our customers through our worldwide sales support network. We also have distribution centres in Europe, Asia and North America.

CONTACT US: Ph: 1300 731 818 Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au















